


22mm Diameter Control Switches

- Metal and plastic bodied control Push-Buttons,
 E-stops & selector switches
- Rated 600V, 10A max AC
- Operating frequency 3,600 per hour
- Panels mount 1-6mm thick
- Positive opening operation
- Conform to IEC 947-5-1
 & EN 60947-5-1
- Terminal marking to EN 50013
- Other button options available to order
- c¶us, ⊕, (€ approved











400V & different polarity panel spacing



Flush Push Buttons

METAL BODIED	PLASTIC BODIED	COLOUR
CCTTR30BK	CCTPR30BK	Black
CCTTR30RD	CCTPR30RD	Red
CCTTR30GW	CCTPR30GW	Green
CCTTR30YW	CCTPR30YW	Yellow
CCTTR30BL	CCTPR30BL	Blue
CCTTR30WH	CCTPR30WH	White






On/Off Push Buttons

METAL BODIED	PLASTIC BODIED	COLOUR
CCTTR00RD	CCTPR00RD	Red -0
CCTTR01GN	CCTPR01GN	Green -1






Arrow Push Buttons

METAL BODIED	PLASTIC BODIED	STYLE
CCTTRAHBK	-	Horizontal
CCTTRAVBK	-	Vertical







PCB TERMINAL BLOCKS

DIVIVECTION

FUSES & FUSE-HOLDERS

LEDs & INDICATORS

MINIATURE SWITCHES

LIMIT & SAFETY SWITCHES

CONTROL PRODUCTS

INTERFACE MODULES & SUPPORTS

> RELAY BASES

ENCLOSURES

BATTERIES

PCB TERMINAL BLOCKS

INTER-CONNECTION

FUSES & FUSE-HOLDERS

LEDs & INDICATORS

MINIATURE SWITCHES

LIMIT & SAFETY SWITCHES

CONTROL PRODUCTS

INTERFACE MODULES & SUPPORTS

RELAY BASES

ENCLOSURES

BATTERIES


TRANS-FORMERS


Start/Stop Push Buttons

PLASTIC BODIED	STYLE
-	White Start
-	Black Stop
-	White On
-	Black Off
	-

Black Button - Extended Height








40mm E-stop Key Release

METAL BODIED	PLASTIC BODIED	COLOUR
CCTTM41LB	CCTPM41LB	Black
CCTTM41LR	CCTPM41LR	Red






40mm E-stop Twist Release

METAL BODIED	PLASTIC BODIED	COLOUR
CCTTM40LB	CCTPM40LB	Black
CCTTM40LR	CCTPM40LR	Red






60mm E-stop Twist Release

METAL BODIED	PLASTIC BODIED	COLOUR
CCTTM60LB	CCTPM60LB	Black
CCTTM60LR	CCTPM60LR	Red






Selector Switch

- Black short lever, 2 and 3 position selector switch
- Maintain & spring return options





METAL BODIED	PLASTIC BODIED	POSITIONS	STYLE
CCTTSS211	CCTPSS211	2	Maintained left & right
CCTTSS210	CCTPSS210	2	Return left
CCTTSS311	CCTPSS311	3	Maintained left, centre & right
CCTTSS300	CCTPSS300	3	Return to centre from left & right
CCTTSS301	CCTPSS301	3	Return to centre from left, maintained right
CCTTSS310	CCTPSS310	3	Return to centre from right, maintained left

+44 (0)1638 716101

info@camdenboss.com

www.camdenboss.com

Contact Block

- NO and NC contact blocks
- · Screw fixed to mounting plate
- Can be stacked side by side/ piggybacked

TYPE NO.	DESCRIPTION
CCTTC1R	Red NC
CCTTC0G	Green NO





Mounting Plate

- · Metal mounting plate for contact blocks
- Holds 1 or 2 NO or NC contact blocks

TYPE NO.	DESCRIPTION
CCTTP	Mounting plate






Contact Block with Mounting Plate

· Control blocks and mountings plates as above supplied as one assembly

TYPE NO.	DESCRIPTION
CC10B	Green NO contact + metal base
CC01B	Red NC contact + metal base
CC10B/P	Green NO contact + plastic base
CC01B/P	Red NC contact + plastic base





Dust Cap

- Clear Silicon protection cap for push buttons
- Other colours to order

TYPE NO.	DESCRIPTION
CCTTRDCCI	Clear dust can



Keys for E-Stop Key Release

TYPE NO.	SLEEVE	
CCTTKRD	Red	
CCTTKBK	Black	



Button Surrounds

- Yellow engraved black emergency stop
- · Black name plate with recessed label area

TYPE NO.	DESCRIPTION
CCTTBES	60mm diameter e-stop
CCTTBNP	Name plate blank





FUSES & FUSE-HOLDERS

INTER-CONNECTION

PCB TERMINAL

BLOCKS

LEDs & INDICATORS

MINIATURE **SWITCHES**

LIMIT & SAFETY SWITCHES

CONTROL PRODUCTS

INTERFACE MODULES & SUPPORTS

RELAY BASES

ENCLOSURES

BATTERIES



PCB TERMINAL BLOCKS

INTER-CONNECTION

FUSES & FUSE-HOLDERS

LEDs & INDICATORS

MINIATURE SWITCHES

LIMIT & SAFETY SWITCHES

CONTROL PRODUCTS

INTERFACE MODULES & SUPPORTS

RELAY BASES

ENCLOSURES

BATTERIES

TRANS-FORMERS

Control Stations

- IP65 ABS enclosures suitable for control switches and equipment
- Grey and Yellow lid colour options
- Standard boxes and holes moulded in for 22mm diameter control switches
- Diameter 21mm (PG13.5) knockouts moulded in enclosure
- Pre assembled control station and control switching avaliable to order
- Larger size to order

SPECIFICATION		
Material		ABS
Protection class		IP65
Rated temperature	Operating	-25° to +70°
	Storage	-40° to +80°
Standard colours	Box & lid	Grey RAL 7035
	lid	Yellow RAL 1103

Standard Boxes

TYPE NO.	LID COLOUR	LEGNTH	WIDTH	HEIGHT
CCS00GY00	Grey	70mm	70mm	51mm
CCS03GY00	Grey	70mm	70mm	74mm
CCS05GY00	Grey	105mm	70mm	51mm
CCS06GY00	Grey	105mm	70mm	74mm
CCS07GY00	Grey	140mm	70mm	51mm
CCS08GY00	Grey	140mm	70mm	74mm
CCS09GY00	Grey	185mm	70mm	51mm
CCS10GY00	Grey	185mm	70mm	74mm



Single Button

TYPE NO.	LID COLOUR	LEGNTH	WIDTH	HEIGHT
CCS00GY01	Grey	70mm	70mm	51mm
CCS00YW01	Yellow	70mm	70mm	51mm
CCS03GY01	Grey	70mm	70mm	74mm
CCS03YW01	Yellow	70mm	70mm	74mm



Two Button

TYPE NO.	LID COLOUR	LEGNTH	WIDTH	HEIGHT
CCS05GY02	Grey	105mm	70mm	51mm
CCS06GY02	Grev	105mm	70mm	51mm



Three Button

TYPE NO.	LID COLOUR	LEGNTH	WIDTH	HEIGHT
CCS07GY03	Grey	140mm	70mm	51mm
CCS08GY03	Grey	140mm	70mm	51mm



Four Button

TYPE NO.	LID COLOUR	LEGNTH	WIDTH	HEIGHT
CCS09GY04	Grey	185mm	70mm	51mm
CCS10GY04	Grey	185mm	70mm	51m



Five & Six Button

TYPE NO.	BUTTONS	LID COLOUR	LEGNTH	WIDTH	HEIGHT	
CCS11GY05	5	Grey	225mm	70mm	74mm	
CCS11GY06	6	Grev	225mm	70mm	74mm	







Mounting Plates


TYPE NO.	BUTTONS
CCSP01	1
CCSP02	2
CCSP03	3
CCSP04	4
CCSP05	5




for 6 button use 2x CCSP03


70x70mm











































PCB TERMINAL BLOCKS

INTER-CONNECTION

> FUSES & FUSE-HOLDERS

LEDs & INDICATORS

MINIATURE SWITCHES

LIMIT & SAFETY SWITCHES

CONTROL PRODUCTS

INTERFACE MODULES & SUPPORTS

> RELAY BASES

ENCLOSURES

BATTERIES





PCB TERMINAL BLOCKS

INTER-CONNECTION

FUSES & FUSE-HOLDERS

LEDs & INDICATORS

MINIATURE SWITCHES

LIMIT & SAFETY SWITCHES

CONTROL PRODUCTS

INTERFACE MODULES & SUPPORTS

RELAY BASES

ENCLOSURES

BATTERIES

TRANS-FORMERS


Heavy Duty Footswitch


- · Industrial die-cast footswitch
- Heavy duty IP65 applications
- Snap action and slow action contact blocks
 1 NO + 1 NC
- Rising saddle-washer terminal connections
- Single or double double-pole contact blocks
- · Positive opening operation
- Silver contacts
- Anti Slip foot pedal
- Non-slip rubber feet
- Supplied with IP65 cable gland
- (ϵ approved



DESCRIPTION
Guarded 1 snap action
contact block
Guarded 1 slow action
contact block
Guarded 2 snap
action contact blocks
Guarded 2 slow
action contact blocks
Guarded 1 snap and
1 slow action contact
blocks

SPECIFICATIONS			
Contact Block Rated	10A		
Insulation voltage (Ui)	500VAC 600	VDC	
Protection against short circuits	fuse 10A 500	OV type aM	
Alternate current: AC15 (50-60Hz)			
Ui (V)	250	400	500
Ie (A)	6	4	1
Direct current: DC13			
Ue (V)	24	125	250
Ie (A)	6	1.1	0.4
Connectors flexible wire sizes	min	1 x 0.5 mm ²	(1 x AWG 20)
	max	2 x 2.5mm ²	(2 x AWG 14)
Actuating force	single snap	action	10N
-	single slow a	action	12N
	double snap action		13N
	double slow action 15N		15N
Ambient temperature	from -25°C to +80°C		
Weight guarded	1.4 kg		





0

0











GET CONNECTED

For our range of Innterconnection components including 12-way nylon and easy break termianl strips, high termperature resistant connection blocks, barrier strips and isolating strips and blocks see page 58-77.

PCB TERMINAL BLOCKS

INTER-CONNECTION

> FUSES & FUSE-HOLDERS

LEDs & INDICATORS

MINIATURE SWITCHES

LIMIT & SAFETY SWITCHES

CONTROL PRODUCTS

INTERFACE MODULES & SUPPORTS

> RELAY BASES

ENCLOSURES

BATTERIES

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for 9V Battery Snaps & Contacts category:

Click to view products by Camden manufacturer:

Other Similar products are found below:

139B 173P 266 491-SC36 642-S 1295 12BC2202-GR 2238 2241 2242 2243 227 236 237 2410.0301-01 262 270 271 121-0626/I-GR 121-0426/IM-GR 121-0626/T-GR 121-1026/I-GR 12BH617T-GR 123-5025-GR 12BC269-GR 12BH615D-GR 121-0624/O-GR GEM-V36 531-SWHOX 971-SB T-91-SC3 632-DA 634-DA 636-S 635-S 632S TWIN DIVIDER 3C-30A2-S 3B-30A2-S 534-SS 491-S L-2-S 971-SO 972-S 606-1300-011 606-1800-012 616-1800-247 6254-OB 6289-PP 6289-CC