

**REZ200****115-40200**

The REZ ties have a one-hand, simple, release mechanism.



The unique, patented head design enables simple and rapid use. The tie can be inserted in the normal way and pulled tight or the tail can be twisted into the head and locked into place. The quick-release mechanism can be released by one hand - even when the tie is under tension - and is achieved by simply pinching the ears.

These releasable and reusable ties are ideal for temporary installations or the addition and/or removal of cables. Suitable for a multitude of uses, such as the packaging industry as a bag closure where access to part of the bag contents may be needed but the bag needs to be re-sealed (example - milk powder in the catering industry).

**Base Data****Colour**

Black (BK)

**Package Content**

100

**Quantity (Sold Unit / EDP)**

100

**Quantity per**

Bag

**Short Description**

7.88", 50 lb., pinch release cable tie, black, 100/bag

**Logisitic and Packaging****Carton Quantity**

3000

**EAN code**

4031026195810

**Quantity of Europallet**

54000

**UPC**

08930620753

**Weight (kg) (Metric)**

1.76 kg

**Material and Specifications****Flammability**

UL94 V2

**Material**

Polyamide 6.6 (PA66)

**Material Shortcut**

PA66

**Operating Temperature (Metric)**

-40 °C to +85 °C Continuous, (+105 °C for 500 h)

**ROHS Conformity**

TRUE

**Product Dimensions****Bundle Diameter max (Imperial)**

1.97 "

**Bundle Diameter max (Metric)**

50 mm

**Bundle Diameter min (Imperial)**

.63 "

**Bundle Diameter min (Metric)**

16 mm

**Length L (Imperial)**

7.88 "

**Length L (Metric)**

200 mm

**Minimum Tensile Strength (imperial)**

30

**Minimum Tensile Strength (N)**

135 N

**Width W (Imperial)**

.19 "

**Width W (Metric)**

4.7

© HellermannTyton 2006

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Wire Identification](#) category:*

*Click to view products by [Hellermann](#) manufacturer:*

Other Similar products are found below :

[CU6337-000](#) [CU6342-000](#) [FCA-410-12](#) [11631010](#) [1-1768037-1](#) [1-1768037-2](#) [1-1768050-0](#) [PXLK-VI](#) [Q62184-1](#) [A64304-000](#) [QMT221](#)  
[HK032WE1NF038B](#) [1330-0519-10](#) [1395199-1](#) [1395200-1](#) [1395202-1](#) [DMVF050WE-300S6](#) [D-SCE-1K-2.4-50-4-CS7834](#) [1538738-1](#)  
[E90935-000](#) [EC1238-000](#) [EC1465-000](#) [EC1855-000](#) [EC1859-000](#) [EC1863-000](#) [EC5415-000](#) [EC7277-000](#) [EC7352-000](#) [EC7603-000](#)  
[EC7707-000](#) [EC7735-000](#) [EC7768-000](#) [EC7828-000](#) [EC7854-000](#) [EC7952-000](#) [EC8128-000](#) [1768037-8](#) [1768041-7](#) [NC-127191-10-9](#)  
[HS048WE2NF038B](#) [C03232-000](#) [HTCM-SCE-14-4H-9](#) [HTMS-3/16-9](#) [HT-SCE-1/4-2.0-4](#) [HT-SCE-3/16-2.0-4](#) [HTTMS-1/2-1.50-9](#) [HTTMS-](#)  
[CM-1/2-4H-9](#) [HX-SCE-19.0-50-9](#) [HX-SCE-6.4-50-4](#) [C25254-000](#)