



# LinPicco™ A420 Basic

## Capacitive Humidity Module

### Analog 4...20mA


#### Product

Within the markets Measurement, HVAC, Building and Control, and Home Appliances/White Goods, humidity modules are required which are capable to translate the signals of the robust IST humidity sensors into commonly used standards and provide a calibrated sensor signal.

In their current form factor the modules of the linPicco series deliver. Contrary to existing humidity modules or fully integrated solutions the linPicco series unifies advantages of both worlds, avoiding their disadvantages: The high precision measurement of humidity with discrete sensors (high stability due to wide active sensor area) combined with calibrated and linearized output signal.

#### Advantages

- Calibration free
- Ready to use
- Precise humidity measurement
- Drift stable thanks to wide sensor area
- Available with optional temperature sensor
- Smallest dimensions
- Mechanical robust and easy to integrate
- Different output options on request



#### Technical Data

Sensor Type:	P14 SMD
Measurement principle:	Capacitive humidity sensor
Mechanical dimensions:	W=10 x L=47 x T=2.8mm
Humidity measurement range:	0 ... 100 % RH (max. DP = 85 deg C)
Operating temperature range:	- 25 ... +85 deg C
Operating voltage:	8...32 Volts DC= (recommended (RLoop+300Ω)x25mA)
Current consumption:	4...20 mA (two wire operation)
Output signal:	4...20 mA (0...100% RH)
Temperature sensor	optional PT100 or NTC, loop-through, not stuffed for SMD or throughhole mounting
Storage temperature range:	-40...+100 deg C/ @ max. 95% RH non condensing
Accuracy:	< 3% RH (15 ... 85% RH @ 23 deg C)
Terminal connectors:	Soldering terminals for VCC, Analog Out 4..20mA, loop-through of optional temperature sensor



INNOVATIVE SENSOR TECHNOLOGY




# LinPicco™ A420 Basic

## Capacitive Humidity Module

### Analog 4...20mA

#### Pin Designation

W1	reserved
W2	reserved
W3	reserved
W4	reserved
W5	PT100 opt.
W6	PT100 opt.
W7	Current Loop Return
W8	reserved
W9	reserved
W10	Current Loop Vcc +



INNOVATIVE SENSOR TECHNOLOGY



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Board Mount Humidity Sensors](#) category:*

*Click to view products by [1st Innovative Sensor](#) manufacturer:*

Other Similar products are found below :

[HSHCAA114A](#) [SI7020-A10-IM](#) [SI7020-A20-IMR](#) [SI7023-A20-IM1R](#) [SI7021-A20-YM0](#) [SI7021-A20-IMR](#) [SI7013-A10-IM1](#) [SI7021-A20-IM1R](#) [SI7007-A20-IMR](#) [SI7021-A10-IM1](#) [LCSC-20S-B](#) [LCSC-30S-B](#) [LCSC-30S-MD](#) [LCSC-30S-ML](#) [LCSC-30S-HX](#) [LCSC-SHT30S-JCB](#) [LCSC-30S-HE](#) [LCSC-30S-HERS](#) [LCSC-30S-B-550-XDG](#) [TH30S-B](#) [CFSTM-UB3-U](#) [MGS-2-01](#) [HPP845E031R4](#) [HPP845E131R5](#) [MGS-3-01](#) [HTU21D](#) [CC2D35S-SIP](#) [CC2D33S-SIP](#) [CC2D33-SIP](#) [CC2D23S-SIP](#) [CC2D23-SIP](#) [251-10509](#) [HDC1050DMBR](#) [HIH6131-021-001](#) [HIH-4000-004](#) [HIH-4000-002](#) [HIH7120-021-001](#) [HIH6130-021-001](#) [SI2144-A20-GMR](#) [SI5332DC09118-GM1](#) [HIH-4031-001S](#) [SHT35-DIS-F2.5kS](#) [HIH-4020-003](#) [HIH-4031-003S](#) [SHT30-DIS-F2.5kS](#) [HDC2010YPAR](#) [HDC2010YPAT](#) [HIH-4030-003S](#) [HIH-4030-001S](#) [SI7006-A20-IMR](#)