


GSM Antenna

Model : WIFI-ANT415



DIMENSIONS




SRPASSIVES

WIFI-ANT415

SPECIFICATIONS


| Item | | Specifications |
|---------------|--------------------------|--|
| Antenna | Frequency Range | 2400~2483.5MHz |
| | Band Width | 83.5MHz |
| | Polarization | Linear |
| | Gain | 7dBi |
| | V.S.W.R | < 2.0 |
| | Impendance | 50Ω |
| | Connector | RP-SMA Male or others |
| Environmental | Operating Temperature | -40°C~+85°C |
| | Vibration | 10 to 55Hz with 1.5mm amplitude 2hours |
| | Environmentally Friendly | ROHS Compliant |

RADIATION PATTERN



WIFI-ANT415

SRPASSIVES



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Antennas category:

Click to view products by SR Passives manufacturer:

Other Similar products are found below :

 CCT
 FM1
 ABFT
 AD-NM-SMAF
 001-0021
 CTC110
 MAF94149
 EXE902SF
 MMCX-SMA-100
 PDQ24496-91NF
 GAN30084EU
 930

 033-R
 A08-HABUF-P5I
 AAF95035
 DG-ANT-20DP-BG-B
 APAMPGJ-141
 1513563-1
 OF86315-FNF
 OP24516DS-91NM
 A09-HASM-7

 EXE902MD
 EXE902SM
 SPDA17806/2170LAR
 APAMPG-117
 GPS1575SP26-004
 GPS15MGSMA
 CMD69273P-30NF
 CMQ69273-30NF

 RD2458-5-OTDR-NM
 RD2458-5-RSMA
 TRAB24/49003
 W4120ER5000
 W6102B0100
 YE572113-30RSMM
 108-00014-50

 SPDA17RP918
 OP24516SX-91NM
 OP24516SX-91RSMM
 CMQ69273P-30NF
 CMS69273-30NF
 CMS69273P-30NF
 TRAB24003N

 TRAB24003NP
 TRAB8903
 A09-Y8NF
 A09-Y11NF
 A09-F8NF-M
 A09-F5NF-M