



ISSUE 9; February 2012 - RoHS 2011/65/EU

Description

- Industry standard SMD package with 5.5mm lead spacing
- Suitable for real time clock applications
- Plastic encapsulated

Frequency Range

- Frequency 32.768kHz
- Frequency Tolerance ± 20 ppm

General Specification

- Load Capacitance (CL) 12.5pF Standard
- Drive Level 1.0 μ W max
- Ageing ± 5 ppm max per year @ 25°C
- Shunt Capacitance (C0) 1pF typ

Operable Temperature Range

- 40 to 85°C

Environmental Parameters

- Storage Temperature Range: -55 to 125°C
- Drop: 75cm drop (3 times) onto hard wooden board
- Vibration: 1.5mm amplitude, 10Hz-60Hz, 2-3mins in 3 mutually perpendicular planes, duration 2hrs each plane

Manufacturing Details

- Not suitable for use with ultrasonce cleaning techniques

Ordering Information (*minimum required)


- Frequency*
- Model*
- Frequency Tolerance (@25°C)*
- Load Capacitance*
- Example
32.768kHz 85SMX
20I-I/12.5

Packing Details


- Pack Style: **Bulk** Loose in bulk pack
Pack Size 100
- Pack Style: **Reel** Tape and reel in accordance with EIA-481-D
Pack Size 3,000
- Alternative packing options available




Outline (mm)



Pad Connection
 1.Crystal
 2.N/C
 3.N/C
 4.Crystal



Solder Pad Layout



Sales Office Contact Details:


UK: +44 (0)1460 270200
 Germany: +49 (0)7264 9145-0

France: +33 (0)5 34 50 91 18
 USA: +1 (0) 408 455 2426

Email: info@iqdfrequencyproducts.com
 Web: www.iqdfrequencyproducts.com



Typical Frequency Stability Characteristics



Electrical Specification - maximum limiting values

Frequency Range	Frequency Tolerance	Typical Frequency Stability Coefficient	Temperature Range	ESR Max	Vibration Mode
32.768kHz	±20ppm	-0.035ppm/°C ²	-40 to 85°C	50kΩ	Tuning Fork

This document was correct at the time of printing; please contact your local sales office for the latest version

Sales Office Contact Details:

UK: +44 (0)1460 270200
Germany: +49 (0)7264 9145-0

France: +33 (0)5 34 50 91 18
USA: +1 (0) 408 455 2426

Email: info@iqdfrequencyproducts.com
Web: www.iqdfrequencyproducts.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [iqd manufacturer](#):

Other Similar products are found below :

[LFXTAL071761CUTT](#) [LFMCXO063767BULK](#) [LFMCXO063773BULK](#) [LFOCXO063802BULK](#) [LFOCXO063809BULK](#) [LFSPXO025917](#)
[LFTCXO063709BULK](#) [LFTCXO063710BULK](#) [LFTCXO063779BULK](#) [LFTCXO070028Cutt](#) [LFTVXO063701BULK](#)
[LFTVXO063702BULK](#) [LFTVXO063703BULK](#) [LFTVXO063707BULK](#) [LFTVXO063791BULK](#) [LFXTAL003156](#) [LFMCXO063766BULK](#)
[LFMCXO063771BULK](#) [LFOCXO063816BULK](#) [LFSPXO009441](#) [LFSPXO019242BULK](#) [LFTCXO063713BULK](#) [LFTCXO063714BULK](#)
[LFTCXO063716BULK](#) [LFTVXO063704BULK](#) [LFTVXO063705BULK](#) [LFTVXO063706BULK](#) [LFTVXO063789BULK](#)
[LFTVXO063790BULK](#) [LFOCXO063809](#) [CFPS-73-48M](#) [LFSPXO009581](#) [LFTCXO063784](#) [LFTVXO063786](#) [LFSPXO009686Bulk](#)
[LFRBXO059244Bulk](#) [LFTVXO075802Cutt](#) [LFOCXO067293Bulk](#) [LFTCXO075792Cutt](#) [LFMCXO064079BULK](#) [LFSPXO071189](#)
[LFOCXO067293](#) [LFTCXO063780BULK](#) [LFSPXO056269CUTT](#) [LFOCXO063803BULK](#) [LFSPXO009592CUTT](#) [LFOCXO065520Bulk](#)
[LFMISC070550Bulk](#) [LFSPXO025494Cutt](#) [LFMCXO064080BULK](#)