

Product Description

Enables the use of cable glands with smaller connection threads than the existing threaded holes; With guide notch for O-ring; Assembling with wrench



Application range

- Equipment group II / Category 2G+1D
- Devices, machines and apparatus
- Mobile offshore and marine applications
- Chemical and petrochemical industry

Benefits

- Enables the use of cable glands with smaller connection threads than the existing threaded holes
- With guide notch for O-ring
- Assembling with wrench

Design

- Metric connection thread acc. to EN 50262



Technical Data

Material

Body: Nickel plated brass O-Ring: NBR

Range of temperature

-30°C up to +90°C

Article List

Part number	Thread/ male M1	Thread/ female M2	Overall height mm	Thread length D mm	Outer Ø mm	Pieces / PU
SKINDICHT® MR-M ATEX						
52104570	16 x 1,5	12 x 1,5	10.5	5	19	50
52104571	20 x 1,5	16 x 1,5	13	6	24,5	50
52104572	25 x 1,5	20 x 1,5	15	7	30,1	25
52104573	32 x 1,5	25 x 1,5	16.5	8	37,2	25
52104574	40 x 1,5	32 x 1,5	16.5	8	45,6	10
52104575	50 x 1,5	40 x 1,5	19.5	10	55,3	5
52104576	63 x 1,5	50 x 1,5	18.5	8.5	71,3	5

Footnote:

Photographs are not to scale and do not represent detailed images of the respective products.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [lapp kabel manufacturer](#):

Other Similar products are found below :

[00008779](#) [0026122](#) [0026156](#) [0026124](#) [0026127](#) [0026253](#) [70002624](#) [70002708](#) [70002728](#) [EPIC KIT H-A 10 BS TBF-LB M20](#) [EPIC KIT H-A 3 BS AGS](#) [EPIC KIT H-BE 16 BS AG](#) [EPIC KIT LS1 A1 3+PE+4 K](#) [22260044](#) [22260046](#) [22260134](#) [22260986](#) [22262020](#) [22262022](#)
[22262023](#) [22262027](#) [21700623](#) [22260045](#) [22260122](#) [22260651](#) [52005949](#) [52005990](#) [52006010](#) [52006030](#) [52006107](#) [52006133](#) [52006153](#)
[52006173](#) [52006650](#) [52103115](#) [52103165](#) [52115750](#) [53015600](#) [53015610](#) [53015620](#) [53015650](#) [53015810](#) [53016610](#) [53016830](#) [53111640](#)
[53111700](#) [53111710](#) [53111730](#) [54000040](#) [54001620](#)