
## **PL-Series Laser Diode Modules**



The PL laser diode module is designed for OEM applications with the lowest cost, miniature size, and beam focusing requirements. Additional heat sinking may be needed for PL-series laser module under continuous operation. Designed for the OEM, it is ideal for a wide range of low power laser applications, such as general sighting, levelling, and positioning.

- Lowest Cost Price/Performance
- Miniature Design: Ø10.5mm x 17mm L
- Adjustable (AR) or Fixed Focus (FR) Options
- Automatic Power Control Circuits
- All models operate with 3V battery



## **General Specifications:**

Wavelength: 650nm

Output power: Set to 0.7-0.99mW Class II Safety Classification

Operating voltage: 2.7 – 6.0 V with Automatic Power Control

Operating current: <45 mA

Protections: reverse-polarity and short-circuit

Beam Shape: Elliptical


Focus: Adjustable or fixed

Focus range: 6cm to infinity
Beam Divergence: 0.23x0.1mrad

Spot size at 7m: 3.4x5.8mm

Connector: Wires (7cm)

Operating temperature: -10 to +40 °C



HERO ELECTRONICS LIMITED, DUNSTABLE STREET, AMPTHILL, BEDFORDSHIRE, MK45 2JS, ENGLAND TEL: 01525 405015 Email: sales@heroelec.co.uk FAX: 01525 402383

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for hero manufacturer:

Other Similar products are found below:

PLP6501FR PLP6501AR