

# Weller®

## WES51D / WESD51D Soldering Stations



WESD51PU



### WES51D

The WES51D is an economical soldering station designed to meet the demands of continuous production soldering, rework and repair of through hole and SMT boards, ground planes and multi-layer boards.

#### Features:

- Wireless temperature lockout.
- Slim, comfortable hand piece to reduce operator fatigue.
- New heater and sensor design that allows for quick heat up and recovery.
- Tip temperature offset capability and temperature lockout come as standard.
- Auto shut off feature to extend tip, iron and station life.
- ESD safe to protect sensitive components.

### WESD51D

Has all of the features as the WES51D. Microprocessor controlled with digital LED display allows you to read temperature setting and actual tip temperature.

# Weller®

## WES51D / WESD51D Soldering Stations






















### Power Unit Specifications

Station	WESD51
Voltage	230V (input); 24V (output)
Temperature Range	350°F – 850°F (177°C - 454°C)
Footprint	6.5 x 4.5 x 4 IN ( 165 x 114 x 102 CM)
Weight	3.93 lb. (1.78 kg)
Temperature Accuracy	+/- 9°F (5°C)
Temperature Stability	+/- 10°F (6°C)
ESD Safe	Yes

### Soldering Pencil Specifications

Pencil	PES51
Power Consumption	50W
Heating Element Type	Nichrome Wound
Iron Cord Length	4 ft. (1.22 m)
Supplied Tip	ETA
Iron Stand	PH50

### ET Series Tips to Suit WES51D / WESD51D

	Catalogue No.	Product Code	APN/UPC	Description	Tip Size mm	Reach mm
	ETA	333360	■ 477288	Screwdriver	1.6	15.9
	ETAA	333358	● 591579	Single flat	1.6	15.9
	ETB	333361	■ 477271	Screwdriver	2.4	15.9
	ETBB	333386	■ 333867	Single flat	2.4	15.9
	ETC	333362	■ 477264	Screwdriver	3.2	15.9
	ETCC	333373	■ 478087	Single flat	3.2	15.9
	ETD	333363	■ 477257	Screwdriver	4.7	15.9
	ETDD	333370	■ 478094	Single flat	4.7	15.9
	ETH	333364	■ 477233	Screwdriver	0.8	15.9
	ETJ	333354	■ 333546	Screwdriver	0.4	25.4
	ETK	333366	■ 477219	Long Screwdriver	1.2	25.4
	ETL	333367	■ 477202	Long Screwdriver	2.0	25.4
	ETM	333374	■ 478100	Long Screwdriver	3.2	25.4
	ETO	333368	■ 477226	Long conical	0.8	25.4
	ETP	333365	■ 477240	Conical	0.8	15.9
	ETR	333371	■ 478117	Narrow Screwdriver	1.6	15.9
	ETS	333372	■ 478056	Long conical	0.4	25.4
	ETT	333385	■ 333850	Conical	0.6	15.9
	ETU	333356	■ 333560	Single flat	0.4	17.8
	ETV	333355	■ 333553	Single flat	0.6	17.8
	ETGW	332912		Mini Wave for J Leads and Gullwings		

CONTACT SALES: (02) 6021 6666

 **COOPER** Tools

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [weller manufacturer](#):*

Other Similar products are found below :

[SAS3210TRB](#) [0052918099](#) [0058736839](#) [5BSA](#) [0051612499](#) [005 32 566 99](#) [0054465399](#) [PTH6](#) [HE35](#) [SP40NKUS](#) [T0051387699](#)  
[T0051388399](#) [T0051388799](#) [T0051516199](#) [T0053421699](#) [T0053427699](#) [T0053434699](#) [T0053638699](#) [T0058732869](#) [PPT2](#) [PSI5](#) [HEW60P](#)  
[LT4X](#) [CT6E7](#) [D650](#) [WPA2](#) [DS209](#) [DS227](#) [RT6](#) [RTW3MS](#) [EPH101](#) [T0051390699](#) [T0051612199](#) [T0051628899](#) [T0052704299](#)  
[T0052922299](#) [T0053422699](#) [T0053429699](#) [T0053440699](#) [T0053657199](#) [T0054480299](#) [T0056104699N](#) [TC208](#) [WTA3](#) [WSTA6](#) [WDH60](#)  
[WPT15](#) [WLSK200](#) [T0058764726](#) [51617799](#)