

NOW

Big industrial strength ... easy to choose packaging

Whether your customers need highly specialized tape for fingerprint lifting or the most versatile duct tape, you can put the quality of product and information they need at their fingertips. 3M industrial products, the most trusted name in tapes and adhesive products, are now wrapped for added protection and packaging featuring informative content so you KNOW you're selecting the best option for the application.



Benefits of 3M™ Industrial Strength, Conveniently Packaged Products

What's in it for your customers?

- A better brand experience
- A+ supporting content
- Protected inventory
- Clear identification

What's in it for you?

- Bar codes on the inner packs for better inventory tracking
- Improved presentation/identification and less contamination of "broken case" units
- Customer-preferred identification and content
- Simple "go to" product line with clarified product positioning for easy representation
- "Ready to promote" sales tools and rewards
- . Opportunity to keep pace with transformational trends shaping the future of industrial buying

General Use

- · Light and medium duty use
- Rubber-based adhesive

Performance

- Industrial-strength performance you can trust
- Great for paint masking and other applications
- · Great paint lines

Good	Paint Lines	Best	Good	Paint Lines	Best
Good	Strength	Best	Good	Strength	Best
0 1	O	Doot	01	0	. Deat
Good	Conformability	Best	Good	Conformability	y Best
Temp. (30) minutes) 2	200°F/93°C	Temp. (30	0 minutes)	225°F/107°C

High Performance

- Industrial-strength performance you can trust
- Super sharp paint lines
- Proprietary 3M adhesive sticks and removes cleanly

Good	Paint Lines	Best
Good	Strength	Best
Good	Conformability	Best
Temp. (3)	0 minutes) 250°	°F/121°C

Specialty Gold

- Industrial-strength high temperature performance
- Super sharp paint lines
- Proprietary 3M adhesive sticks and removes cleanly

Good	Paint Lin	Best	
Good	Strengt	h	Best
dood	Strengt	"	Dest
Good	Conformat	oility	Best
Temn (3)) minutes)	300°	°F/149°C



Table of Contents

Packaging Tapes
Box Sealing Tapes
High Performance2–3
Performance
General Use
Specialty Gold
Security Tapes
Specialty Gold
Specialty Packaging Tapes
Specialty Packaging Tapes
High Performance
Performance
General Use
Specialty Gold
Filament & Strapping Tapes
Filament Tapes
High Performance
Performance
Filament & Strapping Tapes
General Use
Specialty Gold9
Tapes to Mark, Identify, Seal & Protect
Vinyl Tapes
High Performance
Sealing Tapes
Specialty Gold
, ,

Duct Tapes	
Duct Tapes	
High Performance	1
Performance	1
General Purpose	1
Specialty Gold	1
Masking Tapes	
Masking Tapes	
High Performance	1
Performance	
General Purpose	1
Specialty Gold	1
Hang Tabs, Tags, Carry Handles & Pads	
Hang Tabs, Marking & Identification Tags	
Performance	1
Carry Handles	
High Performance	1
Performance	1
Tape Sheets & Fingerprint Lifting Tape	
High Performance	1
Performance	1
Specialty Gold	1
Packaging List Envelopes & Label Protection Tapes	
Packaging List Envelopes	
Performance	1
Label Protection Tapes	
Performance	1
General Use	1



NOW

Big industrial strength ... easy to choose packaging

Popular Choices for Heavy-Duty Packaging

These high performance Scotch® Box Sealing Tapes are made with a polypropylene film that resists abrasion, moisture, chemicals and scuffing. They offer a high edge tear and split resistance and the very best performance in Scotch brand packaging tapes.





- Sturdy polypropylene backing with synthetic rubber adhesive resists abrasions, moisture and scuffing for lasting hold
- 1.6 mil backing and 2.5 mil total thickness for heavy-duty packaging applications
- Conformable backing flexes under stress

• Comormable backing i	iexes unuel suess				
051115-68782-2	36mm x 50m	Clear	Individually Wrapped	48 rolls/case	Rolls
051115-68791-4	48mm x 50m	White	Individually Wrapped	36 rolls/case	Rolls
051115-68795-2	48mm x 50m	Tan	Individually Wrapped	36 rolls/case	Rolls
051115-68786-0	48mm x 50m	Clear	Individually Wrapped	36 rolls/case	Rolls
051115-68790-7	48mm x 50m	Red	Individually Wrapped	36 rolls/case	Rolls
051115-68792-1	48mm x 50m	Blue	Individually Wrapped	36 rolls/case	Rolls
051115-68789-1	48mm x 50m	Orange	Individually Wrapped	36 rolls/case	Rolls
051115-68794-5	48mm x 50m	Green	Individually Wrapped	36 rolls/case	Rolls
051115-68793-8	48mm x 50m	Yellow	Individually Wrapped	36 rolls/case	Rolls
051115-68796-9	72mm x 50m	White	Individually Wrapped	24 rolls/case	Rolls
051115-68780-8	72mm x 50m	Tan	Individually Wrapped	24 rolls/case	Rolls
051115-68781-5	72mm x 50m	Clear	Individually Wrapped	24 rolls/case	Rolls
051115-68788-4	48mm x 100m	Tan	Individually Wrapped	36 rolls/case	Rolls
051115-68783-9	48mm x 100m	Clear	Individually Wrapped	36 rolls/case	Rolls
051115-68787-7	72mm x 100m	Tan	Individually Wrapped	24 rolls/case	Rolls
051115-68785-3	72mm x 100m	Clear	Individually Wrapped	24 rolls/case	Rolls

Scotch® Recycled Corrugate Box Sealing Tape 3073



Great seal on recycled corrugate! Bonds instantly with recycled corrugated cartons. The strong conformable backing combined with a high performance adhesive holds cartons closed throughout the supply chain.

- High performance, even on hard-to-seal corrugate
- . Sturdy polypropylene backing with synthetic rubber adhesive resists abrasions, moisture and scuffing for lasting hold
- Recommended for use on regular slotted containers (RSC) weighing up to 100 lbs.
- 1.6 mil backing and 2.6 mil total thickness for heavy-duty packaging applications
- Made with 10% bio-based materials in the adhesive

051115-68767-9	48mm x 100m	Clear	Individually Wrapped	36 rolls/case	Rolls
051115-68766-2	72mm x 100m	Clear	Individually Wrapped	24 rolls/case	Rolls

Scotch® Box Sealing Tape 372




- High performance, ideal for shipping heavy packages
- . Sturdy polypropylene backing with synthetic rubber adhesive resists abrasions, moisture and scuffing for lasting hold
- 1.4 mil backing and 2.2 mil total thickness for heavy-duty packaging applications
- · Conformable backing flexes under stress

051115-68761-7	48mm x 50m	Tan	Individually Wrapped	36 rolls/case	Rolls
051115-68757-0	48mm x 50m	Clear	Individually Wrapped	36 rolls/case	Rolls
051115-68758-7	72mm x 50m	Clear	Individually Wrapped	24 rolls/case	Rolls
051115-68760-0	48mm x 100m	Clear	Individually Wrapped	36 rolls/case	Rolls
051115-68759-4	72mm x 100m	Clear	Individually Wrapped	24 rolls/case	Rolls

Polyester Backed Tapes for Heavy-Duty, Hard-to-Seal Boxes

These high tack, high performance Scotch® Box Sealing Tapes are made with an abrasion-resistant, polyester backing that resists moisture and scuffing. Offers a high edge tear and split resistance and 3M's very best performance in packaging tapes.



Good Choices for Medium-Duty Packaging

These Scotch® Box Sealing Tapes are made with a polypropylene film tape that resists abrasion, moisture, chemicals and scuffing. Offers a high edge tear and split resistance and also delivers dependable, quality performance.

riigii eage tear ana spiit resist	and and also delive	is dependable, quali	ity periorinance	•					
	UPC	Size	Color	Packaging	Quantity	Billing Unit			
Scotch® Box Sealing Tape 371									
South 271 (1) Markenska	 Good performance, good value Conformable backing flexes under stress Polypropylene backing with a synthetic rubber adhesive 1.2 mil backing and 1.9 mil total thickness for medium-duty packaging applications Recommended for use on Regular Slotted Containers (RSC) weighing up to 70 lbs. 								
SEE origin to MA Wife has said or JOS 1999	051115-68801-0	48mm x 50m	Tan	6 rolls/pack	6 packs/case	6 roll pack			
Scotch 371	051115-68802-7	48mm x 50m	Clear	6 rolls/pack	6 packs/case	6 roll pack			
	051115-68797-6	72mm x 50m	Tan	6 rolls/pack	4 packs/case	6 roll pack			
5 Buller Strategees Student 27 com o 200 co	051115-68803-4	72mm x 50m	Clear	6 rolls/pack	4 packs/case	6 roll pack			
SZEZ moje a 1000 pitro fraze 600 m 6000 pitro	051115-68798-3	48mm x 100m	Tan	6 rolls/pack	6 packs/case	6 roll pack			
	051115-68800-3	72mm x 100m	Tan	6 rolls/pack	4 packs/case	6 roll pack			
Scotch® Box Sealing Tape 313									
Secretary 1911 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 Polypropylene backing with an acrylic adhesive 1.6 mil backing and 2.55 mil total thickness for medium-duty packaging applications Good adhesion to recycled liner paper and fiberboard Suitable for cold temperature applications with easy handling and smooth dispensing FDA approved for indirect food contact 051115-68816-4 72mm x 50m Clear 6 rolls/pack 4 packs/case 6 roll pack 								
	051115-68818-8	48mm x 100m	Clear	6 rolls/pack	6 packs/case	6 roll pack			
	051115-68817-1	72mm x 100m	Clear	6 rolls/pack	4 packs/case	6 roll pack			
Scotch® Box Sealing Tape 311									
South 311	 Polypropylene backing with an acrylic adhesive 1.1 mil backing and 2.05 mil total thickness for medium-duty packaging applications Good adhesion to recycled liner paper and fiberboard Suitable for cold temperature applications with easy handling and smooth dispensing 								
Trans of Control State	051115-68813-3	48 mm x 50m	Clear	6 rolls/pack	6 packs/case	6 roll pack			
	051115-68815-7	48mm x 100m	Clear	6 rolls/pack	6 packs/case	6 roll pack			
S fair States States	051115-68812-6	48mm x 100m	Tan	6 rolls/pack	6 packs/case	6 roll pack			
To All and part of the part has a set of the part of t	051115-68814-0	72mm x 100m	Clear	6 rolls/pack	4 packs/case	6 roll pack			
	UPC	Size	Color	Packaging	Quantity	Billing Unit			
Tartan [™] Box Sealing Tape 369									
34	Polypropylene backing1.0 mil backing and 1.	•	adhesive for light-di	uty, general purpose pacl	kaging applications				
	051115-68807-2	48mm x 50m	Clear	6 rolls/pack	6 packs/case	6 roll pack			

051115-68809-6

051115-68806-5

051115-68810-2

051115-68805-8

051115-68808-9

48mm x 50m

48mm x 100m

48mm x 100m

72mm x 100m

72mm x 100m

Tan

Clear

Tan

Clear

Tan

4

6 rolls/pack

6 rolls/pack

6 rolls/pack

6 rolls/pack

6 rolls/pack

6 packs/case

6 packs/case

6 packs/case

4 packs/case

4 packs/case

6 roll pack

For Your Unique Box Sealing Requirements



Security Tapes


Extra Secure with a Quality Seal and Security Messages

	UPC	Part No.	Size	Printed Message	Color	Packaging	Quantity	Billing Unit
Scotch® Security Tapes 3732 and 3	3734							
	Polypropylene backComplies with AST							
Scotch 1734	051115-68770-9	3732	48mm x 50m	"If Seal is Broken, Check Contents"	Tan	Individually Wrapped	36 rolls/case	Rolls
amilian grant and grant an	051115-68771-6	3734	48mm x 50m	"Fragile handle with care"	Tan	Individually Wrapped	36 rolls/case	Rolls
Scotch® Security Tapes 3771, 3772	2, 3775 and 3779							
	 Polypropylene back 	king with a sy	nthetic rubber adh	esive				
	051115-68774-7	3771	48mm x 100m	"If Seal is Broken, Check Contents Before Accepting"	White	Individually Wrapped	36 rolls/case	Rolls
	051115-68772-3	3772	48mm x 100m	"Fragile handle with care"	White	Individually Wrapped	36 rolls/case	Rolls
Control of the Contro	051115-68773-0	3775	48mm x 100m	"Mixed Merchandise Enclosed"	White	Individually Wrapped	36 rolls/case	Rolls
	051115-68775-4	3779	48mm x 100m	"Check seal before accepting"	Clear	Individually Wrapped	36 rolls/case	Rolls
	051115-68777-8	3779	72mm x 100m	"Check seal before accepting"	Clear	Individually Wrapped	24 rolls/case	Rolls
Scotch® Security Tape 3199								
	 Good adhesion to r Suitable for cold te FDA approved for in Polypropylene back 	mperature ap	oplications with eas contact	rd y handling and smooth	dispensing			
Assert Name of the Control of the Co	051115-68811-9	3199	48mm x 100m	"Check seal before accepting"	Clear	6 rolls/pack	6 packs/case	6 roll pack

Specialty Packaging Tapes

Light-Duty Closing and Sealing Small Boxes, Bags and Tins

For holding, combining, attaching, light-duty carton sealing and in-store use.







- · A dependable, clear polypropylene backing with an acrylic adhesive
- Highly durable
- Cold temperature resistant
- Ideal for light-duty packaging and in-store prescription bottle labeling applications

051125-74878-0	1/2" x 2,592"	Clear	(2 x 2 flat pack)	18 packs/case	4 roll pack
051125-74879-7	3/4" x 2,592"	Clear	4 rolls/pack (2 x 2 flat pack)	12 packs/case	4 roll pack

	UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Specialty Packaging Tape 605						

- SAM

 The second second
- Fiber-reinforced polypropylene film backing with an acrylic adhesive
- Designed for various light duty packaging applications such as attaching, mending, in-store prescription bottle labeling, holding and L-clip closures
- Good, utility grade performance over broad temperature range
- Ideal for rough/treated surfaces

lacar for rough, troated	ouridoco				
051125-74906-0	1/2" x 72 yds.	Clear	4 rolls/pack (2 x 2 flat pack)	18 packs/case	4 roll pack
051125-74907-7	3/4" x 72 yds.	Clear	4 rolls/pack (2 x 2 flat pack)	12 packs/case	4 roll pack
051125-74908-4	1" x 72 yds.	Clear	4 rolls/pack (2 x 2 flat pack)	9 packs/case	4 roll pack


Specialty Packaging Tapes

Unique Applications for Light-Duty Packaging

	UPC	Size	Color	Packaging	Quantity	Billing Unit
Scotch® Color Coding Tape 690						
	 Decorative colored film Used for various packa High visibility for sealin Moisture and chemica UPVC backing with a r 	aging applications such ng, holding and tabbing I resistant	as color coding, ba	ng sealing, combining and atta	ching	
Jill I	051125-74881-0	12mm x 66m	Black	4 rolls/pack (stacked)	36 packs/case	4 roll pack
The state of the s	051125-74882-7	12mm x 66m	Blue	4 rolls/pack (stacked)	36 packs/case	4 roll pack
	051125-74886-5	12mm x 66m	White	4 rolls/pack (stacked)	36 packs/case	4 roll pack
	051125-74887-2	12mm x 66m	Yellow	4 rolls/pack (stacked)	36 packs/case	4 roll pack
	051125-74883-4	24mm x 66m	Red	4 rolls/pack	18 packs/case	4 roll pack
	051125-74885-8	48mm x 66m	Red	Individually Wrapped	36 rolls/case	Rolls
Scotch® Specialty Packaging Tape	660					
Scotch Scotch State Stat	 Designed for splicing a Rubber resin adhesive Cellophane backing fo Excellent performance Excellent splice detect 	construction r high temperature resi over broad temperatur	stance up to 350°F	performance and visible splic	es	
	051125-74946-6	1" x 72 yds.	Red	Individually Wrapped	36 rolls/case	Rolls
Scotch® Specialty Packaging Tape	720					
	 High tack sticks easily Hand-tearable Fiber-reinforced film b	· ·				
	051125-74880-3	1/2" x 72 yds.	Semi- Transparent	2 rolls/pack (stacked)	36 packs/case	2 roll pack



Filament Tapes





- Choose a more sustainable tape without compromising performance on oily surfaces
- · Solventless adhesive coating process
- · Clear polyester-backed, fiberglass reinforced tape with a modified synthetic rubber adhesive is great for holding metal appliance parts during manufacturing/shipping
- Removes cleanly
- 380 lbs./in. width of tensile strength

051125-74939-8	24mm x 55m	Clear	2 rolls/pack	18 packs/case	2 roll pack
051125-74940-4	48mm x 55m	Clear	Individually Wrapped	24 rolls/case	Rolls
051125-74941-1	72mm x 55m	Clear	Individually Wrapped	12 rolls/case	Rolls

Scotch® Filament Tape 890MSR



- · Choose a more sustainable tape without compromising performance on oily surfaces
- · Solventless adhesive coating process
- High strength, super thick tape is great for metalworking applications like coil tabbing and metal panel splicing
- 600 lbs./in. width of tensile strength

051125-74943-5	24mm x 55m	Clear	Individually Wrapped	36 rolls/case	Rolls
051125-74942-8	48mm x 55m	Clear	Individually Wrapped	24 rolls/case	Rolls

	UPC	Size	Color	Packaging	Quantity	Billing Unit
Scotch® Filament Tape 893						
Scotch 983	Clear polypropylene baUse for bundling, reinfFiberglass reinforced	,	rubber resin adhes	ive resists nicks, abrasion, m	oisture and scuffing	
	051125-74917-6	12mm x 55m	Clear	6 rolls/pack	12 packs/case	6 roll pack
4 Auto-Resissor Roller 18 mm x 35 m (27 inches 6 My 90 v) Their 270 m CBB v6 v)	051125-74918-3	18mm x 55m	Clear	4 rolls/pack	12 packs/case	4 roll pack
No. 20 = D40 y64)	051125-74919-0	24mm x 55m	Clear	2 rolls/pack	18 packs/case	2 roll pack
	051125-74920-6	48mm x 55m	Clear	Individually Wrapped	24 rolls/case	Rolls
Scotch® Filament Tape 897						
	Polypropylene backingIdeal for L-clip box cloFiberglass reinforced	•	netic rubber resin a	dhesive for light-to-medium	duty bundling, reinford	sing and securing
	051125-74893-3	18mm x 55m	Clear	12 rolls/pack	4 packs/case	12 roll pack
\$250. \$400.	051125-74894-0	24mm x 55m	Clear	3 rolls/pack	12 packs/case	3 roll pack



051125-74893-3	18mm x 55m	Clear	12 rolls/pack	4 packs/case	12 roll pack
051125-74894-0	24mm x 55m	Clear	3 rolls/pack	12 packs/case	3 roll pack
051125-74895-7	48mm x 55m	Clear	2 rolls/pack	12 packs/case	2 roll pack



- · Black polypropylene backing with a synthetic rubber resin adhesive
- · Fiberglass reinforced
- Outdoor use excellent UV resistance and good for pipe bundling

051125-74900-8	18mm x 55m	Black	2 rolls/pack	24 packs/case	2 roll pack

Filament Tapes & Strapping Tapes

	UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Filament Tape 8934						
	Clear polypropylene baFiberglass reinforcedPallet unitizing, light-di	,		re		
	051125-74889-6	12mm x 55m	Clear	18 rolls/pack	4 packs/case	18 roll pack
	051125-74890-2	18mm x 55m	Clear	12 rolls/pack	4 packs/case	12 roll pack
	051125-74891-9	24mm x 55m	Clear	9 rolls/pack	4 packs/case	9 roll pack
	051125-74892-6	48mm x 55m	Clear	Individually Wrapped	24 rolls/case	Rolls
3M™ Strapping Tape 860						
3M	Black tensilized polyprePallet unitizingGeneral strapping	opylene backing with a s	ynthetic rubber res	sin adhesive		
to the law	051125-74912-1	19mm x 55m	Black	8 rolls/pack	12 packs/case	8 roll pack
10 1 54.8 m) 10 1 54.8 m) 10 1 54.8 m) 10 1 54.8 m)						

Call Sept (CB n)						
	UPC	Size	Color	Packaging	Quantity	Billing Unit
Scotch® Reinforced Strapping Ta	ape 8651					
	 Great clarity for highly Tensilized, polypropyler Reinforced with polypro Ultra clear for excellent Ideal for L-clip closures 	ne backing with a synth opylene ribs t transparency		lhesive		
	051125-74923-7	18mm x 55m	Clear	6 rolls/pack	8 packs/case	6 roll pack
Scotch® Bi-directional Filament	Tape 8959					
	 Polypropylene backing Synthetic rubber resin Fiberglass reinforced Extra security for boxes High adhesion 	adhesive	ctions for added sec	eurity		
	051125-74901-5	50mm x 50m	Clear	Individually Wrapped	18 rolls/case	Rolls
Scotch® Strapping Tape 8898						
	 Blue tensilized polyproj Parts holding, clean rer Great for appliance ind 	noval	synthetic rubber resi	in adhesive		
	051125-74921-3	18mm x 55m	Blue	12 rolls/pack	4 packs/case	12 roll pack



• Clear polyethylene backing with a rubber resin adhesive

24mm x 55m

- Ideal for pallet unitizing and ventilated load stabilizing
- Can reduce pallet packaging waste

051125-74922-0

051125-74902-2	36mm x 55m	Opaque	2 rolls/pack	12 packs/case	2 roll pack

9 rolls/pack

4 packs/case

9 roll pack

Blue

Vinyl Tapes

Quantity UPC Size Color Packaging **Billing Unit** 3M™ Vinyl Tape 471

- · Ideal for masking, wrapping or sealing many curved or irregular surfaces
- · Excellent for lane and safety marking applications, ideal for color coding, abrasion protection, decoration and splicing applications
- . 5.2 mil thick vinyl backing with a rubber adhesive
- · Floor marking and safety identification
- · Maintains color even when exposed to heavy abrasion
- · Conformable, dead stretch properties to provide straighter lines
- · Clean removal, good solvent resistance





3M™ Safety Stripe Tapes 5702 and 5700



- · Call attention to dangerous work areas, such as traffic lanes or hazardous materials
- 5.4 mil (0.14mm) vinyl backing with a rubber adhesive
- Floor Marking and Safety Identification
- Protecting, masking and sealing
- · Resists most common solvents

051115-68829-4	5702	1" x 36 yds.	Black/Yellow	Individually Wrapped	36 rolls/case	Rolls
051115-68830-0	5702	2" x 36 yds.	Black/Yellow	Individually Wrapped	12 rolls/case	Rolls
051115-68827-0	5702	2" x 36 yds.	Black/Yellow	Individually Wrapped	24 rolls/case	Rolls
051115-68826-3	5702	3" x 36 yds.	Black/Yellow	Individually Wrapped	12 rolls/case	Rolls
051115-68820-1	5700	3" x 36 yds.	Black/White	Individually Wrapped	12 rolls/case	Rolls

Sealing Tapes






- Used in general sealing of containers, electroplating and printed circuit board masking, silicone chip holding, decorative, safety marking and color coding
- Polyethylene backing with a rubber adhesive
- Solvent resistance
- · Low sulfur and halogen content
- Conformable with good flexibility to -20°F (-28.9°C)



	, ,	/			
051115-68837-9	1" x 36 yds.	Yellow	Individually Wrapped	36 rolls/case	Rolls
051115-68831-7	1" x 36 yds.	Red	Individually Wrapped	36 rolls/case	Rolls
051115-68854-6	1" x 36 yds.	White	Individually Wrapped	36 rolls/case	Rolls
051115-68865-2	1" x 36 yds.	Black	Individually Wrapped	36 rolls/case	Rolls
051115-68869-0	1" x 36 yds.	Transparent	Individually Wrapped	36 rolls/case	Rolls
051115-68846-1	1" x 36 yds.	Blue	Individually Wrapped	36 rolls/case	Rolls
051115-68850-8	2" x 36 yds.	Yellow	Individually Wrapped	24 rolls/case	Rolls
051115-68841-6	2" x 36 yds.	Red	Individually Wrapped	24 rolls/case	Rolls
051115-68857-7	2" x 36 yds.	White	Individually Wrapped	24 rolls/case	Rolls
051115-68844-7	2" x 36 yds.	Black	Individually Wrapped	24 rolls/case	Rolls
051115-68861-4	3" x 36 yds.	White	Individually Wrapped	12 rolls/case	Rolls

3M™ Venting Tape 394

- Used in a variety of industrial applications including sealing, holding, reinforcing, identifying, masking, protection and splicing
- 4.0 mil (0.10mm), non-woven, synthetic backing with an acrylic adhesive
- Unique non-woven porous backing with high air/gas permeability, good burst strength and solids barrier for minimal voids and less clean up



051115-68833-1	3/4" x 36 yds.	White	Individually Wrapped	48 rolls/case	Rolls
051115-68836-2	1" x 36 yds.	White	Individually Wrapped	36 rolls/case	Rolls
051115-68840-9	2" x 36 yds.	White	Individually Wrapped	24 rolls/case	Rolls

3M[™] Bond Breaker Tape 8891



- Mask joints to control sealant bonding
- For building and construction
- Polypropylene backing with a synthetic rubber resin adhesive
- Resists sealant adhesion for construction seaming applications
- Good dispensing properties for on-site applications
- Recommended in corner joints where movement is anticipated
- Effective for shallow or narrow joints where backer rods are hard to handle

051125-74944-2	1/4" x 60 yds.	Black	2 rolls/pack (stacked)	72 packs/case	2 roll pack
051125-74945-9	1/2" x 60 yds.	Black	2 rolls/pack (stacked)	36 packs/case	2 roll pack

Duct Tapes





Blue

Black

Individually Wrapped

Individually Wrapped

24 rolls/case

24 rolls/case

Rolls

Rolls



021200-49832-9


021200-49833-6

48mm x 54.8m

48mm x 54.8m

Duct Tapes

	UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Duct Tape 2929						
	Identifying and markingTemporary repairs	ng				
	051115-24883-2	1-22/25" x 50 yds.	Silver	Individually Wrapped	24 rolls/case	Rolls
3M 2929						



Masking Tapes

UPC Size Color Packaging Quantity Billing Unit
3M™ High Performance Green Masking Tape 401+/233+



- Industrial-strength high performance masking tape used for critical paint masking applications
- 3M proprietary solvent-free adhesive sticks to most surfaces (including metal, rubber, glass and plastic)
 while removing cleanly in one piece
- High-strength crepe paper backing conforms to irregular surfaces and resists bleed through from most industrial paint systems for super sharp paint lines
- Great UV resistance
- Temperature use range up to 250°F (121°C) for 30 minutes
- Adhesion to Steel: 38 oz./in. width; Tensile Strength: 25 lbs/in.; Tape Thickness: 6.7 mils

05	51115-64767-3	24mm x 55m	Green	Individually Wrapped	24 rolls/case	Rolls
05	51115-64768-0	36mm x 55m	Green	Individually Wrapped	16 rolls/case	Rolls
05	51115-64769-7	48mm x 55m	Green	Individually Wrapped	12 rolls/case	Rolls

UPC Size Color Packaging Quantity Billing Unit 3M™ Performance Yellow Masking Tape 301+



- Industrial-strength performance masking tape used for paint masking, bundling, holding and identifying applications
- 3M proprietary solvent-free adhesive sticks with confidence to most surfaces (including metal, rubber, glass and plastic)
 while removing cleanly in one piece
- Strong yellow crepe paper backing conforms to irregular surfaces, resists bleed through of most industrial paint systems, and improves visibility during the paint masking process
- Temperature use range up to 225°F (107°C)
- · Great paint lines
- Medium-high conformability

051115-64756-7	24mm x 55m	Yellow	Individually Wrapped	36 rolls/case	Rolls
051115-64757-4	36mm x 55m	Yellow	Individually Wrapped	24 rolls/case	Rolls
051115-64758-1	48mm x 55m	Yellow	Individually Wrapped	24 rolls/case	Rolls

	UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ General Use Tan Masking Tane 201	_					



- · General use for light and medium-duty applications
- Rubber-based adhesive sticks to a variety of surfaces
- Smooth and conformable crepe paper backing is easy to handle, apply and remove in one piece
- Temperature use range up to 200°F (93°C)
- Good paint lines
- Medium conformability

051115-64746-8	24mm x 55m	Tan	Individually Wrapped	36 rolls/case	Rolls
051115-64747-5	36mm x 55m	Tan	Individually Wrapped	24 rolls/case	Rolls
051115-64748-2	48mm x 55m	Tan	Individually Wrapped	24 rolls/case	Rolls

UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Specialty High Temperature Masking Tape 50 ⁻	I+				



- Specialty high-temperature masking tape for super sharp paint lines and critical paint masking applications Temperature use range up to 300°F (149°C) for 30 minutes
- 3M proprietary high-temperature adhesive quickly sticks with confidence to most surfaces (including metal, rubber, glass and plastic)
 while removing cleanly in one piece. Adhesion to steel: 35 oz./in. width
- · Extra-strong tan crepe paper backing conforms to irregular surfaces and resists bleed through from most industrial paint systems
- Natural rubber adhesive and paper backing is easy to hand tear but is resistant to slivering on removal
- Thickness: 7.4 mils; Tensile Strength: 24 lbs./in. width; Elongation at Break: 9%

051115-69105-8	24mm x 55m	Tan	Individually Wrapped	36 rolls/case	Rolls
051115-69106-5	36mm x 55m	Tan	Individually Wrapped	24 rolls/case	Rolls
051115-68107-2	48mm x 55m	Tan	Individually Wrapped	24 rolls/case	Rolls

Hang Tabs, Marking & Identification Tags


	UPC	Part No.	Size	Color	Packaging	Quantity	Billing Unit
3M™ Hang Tabs							
SM William 1075	 Clear plastic with pres Allows graphics to she Sticks to most produc In-store repair of dam 	ow through reta t or packaging s	il packaging surfaces for store dis				
Services Control of the Control of t	051125-74952-7	1074	1" x 2" (Round Hole)	Clear	10 hang tabs/pads 100 hang tabs/pack	5 packs/case	100 hang tabs/box
	051125-74950-3	1075	2" x 2" (Delta Hanger)	Clear	10 hang tabs/pad 50 pads/pack	5 packs/case	50 pads/box
	051125-74951-0	1076	2" x 2" (Round Hole)	Clear	10 hang tabs/pad 50 pads/pack	5 packs/case	50 pads/box
BM™ Marking & Identification Tag	ıs 818						
Scotch 118	 Non-sticky paper end 	can be custom	printed, up to 4 color	s, to help crea	ng destinations, sorting, spl ate identification, message a synthetic rubber resin ad	or bar code	
Company of the compan	051125-74903-9	818	1" x 4"	Blue	25 tags/pad 25 pads/pack	5 packs/case	25 pads/box
	051125-74904-6	818	1" x 4"	Red	25 tags/pad 25 pads/pack	5 packs/case	25 pads/box
	051125-74905-3	818	1" x 4"	Yellow	25 tags/pad 25 pads/pack	5 packs/case	25 pads/box

Carry Handles


Turn virtually any bulky, hard-to-carry package or box into an easy-to-carry item — One-handed carrying versus two! These durable plastic strips, with adhesive at each end, adhere to both sides of a box or package, creating a small loop for easy carrying.

	UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Carry Handles 8328						
DO NOT BEND 3M	 Holds up to 30 lbs. 					
	051125-74956-5	1-3/8" x 23" x 6"	White	25 handles/pad 16 pads/pack	5 packs/case	16 pads/box
	UPC	Size	Color	Packaging	Quantity	Billing Unit
3M™ Carry Handles 8326						
DO NOT BEND	 Holds up to 10 lbs. 					
DO NOT BEND 3M	051125-74954-1	1" x 17" x 3"	White	25 handles/pad 16 pads/pack	5 packs/case	16 pads/box
	 Holds up to 15 lbs. 					
	051125-74955-8	1-3/8" x 23" x 6"	White	25 handles/pad 16 pads/pack	5 packs/case	16 pads/box

Tape Sheets & Fingerprint Lifting Tape



	UPC	Size	Color	Packaging	Quantity	Billing Unit
3M [™] Tape Sheets 3750P						
SOLUTION TO THE PROPERTY OF TH	 Pre-cut tape sheets in a Polypropylene backing v Ideal for protecting label Features a removable page 	vith a rubber resin ac s, sealing envelopes	thesive			
LOCA	051125-74888-9	2" x 6"	Clear	25 sheets/pad 40 pads/carton	5 cartons/case	40 pads/box
3M™ Tape Sheets 822						
Endos 22	 Pre-cut tape sheets in a Clear polypropylene bac Portable No dispenser required Features a removable page 	king with a rubber re	,	repair and seal damaged	packages	
	051125-74953-4	4" x 6"	Clear	25 sheets/pad 20 pads/pack	5 packs/case	20 pads/box



Packaging List Envelopes

	UPC	Part No.	Description	Size	Color	Packaging	Quantity	Billing Unit		
Packing List Envelopes										
PARTI CONTROL OF THE PARTIES OF THE	 Clear polyethylene envelopes with easy-to-remove liner High-tack rubber resin adhesive holds packing slips, invoices, cards and other shipping documents securely to packages Custom printing available on select envelopes 									
	051125-74924-4	PLE-T1	Side load, top printable	4-1/2" x 5-1/2"	Clear	500 pads/pack	2 packs/case	Packs		
	051125-74926-8	PLE-F1	Side load, top printable	4-1/2" x 5-1/2"	Clear	500 pads/pack	2 packs/case	Packs		
	051125-74928-2	PLE-NP1	Side load, non-printable	4-1/2" x 5-1/2"	Clear	500 pads/pack	2 packs/case	Packs		
	051125-74933-6	PLE-T4	Side load, top printable	5-1/2" x 10"	Clear	250 pads/pack	4 packs/case	Packs		
	051125-74925-1	PLE-FED1	Top load, non-printable	6-3/4" x 10-3/4"	Clear	100 pads/pack	10 packs/case	Packs		
	051125-74929-9	PLE-NP3	Top load, non-printable	7" x 5-1/2"	Clear	250 pads/pack	4 packs/case	Packs		
	051125-74932-9	PLE-T3	Top load, top printable	7" x 5-1/2"	Clear	250 pads/pack	4 packs/case	Packs		
	051125-74930-5	PLE-NP4	Side load, non-printable	7" x 5-1/2"	Clear	250 pads/pack	4 packs/case	Packs		
	051125-74931-2	PLE-NP5	Side load, non-printable	7" x 10"	Clear	250 pads/pack	4 packs/case	Packs		
M	051125-74927-5	PLE-NP6	Side load, non-printable	9-1/2" x 12"	Clear	100 pads/pack	10 packs/case	Packs		
	051125-74938-1	PLE-NPZXL	Side load, non-printable	10" x 12-1/2"	Clear	50 pads/pack	10 packs/case	Packs		

Label Protection Tape

	UPC	Part No.	Size	Color	Packaging	Quantity	Billing Unit
3M [™] Label Protection Tape							
Scotch Date of the Control of the Co	 821 Easy write-on surfac Protects address labe Allows bar codes to t Dispenses well and e 823 Easy-to-read-throug Dispenses easily 	els and vital ship be easily scanne easily hand-teara	d able				
Scotch 823	051125-74876-6	821	2" x 72 yds.	Pink	4 rolls/pack (2 x 2 flat pack)	6 packs/case	4 roll pack
	051125-74877-3	821	4" x 72 yds.	Pink	Individually Wrapped	8 rolls/case	Rolls
	051125-74910-7	823	96mm x 66m	Yellow	Individually Wrapped	18 rolls/case	Rolls

	UPC	Part No.	Size	Color	Packaging	Quantity	Billing Unit
3M™ Label Protection Tape							
	3565Utility grade tape proteEasy to read throughTear resistant	ects labels in no	n-critical applications				
The state of the s	051125-74911-4	3565	96mm x 100m	Clear	Individually Wrapped	18 rolls/case	Rolls

Product Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application. Warranty, Limited Remedy, and Disclaimer: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. User is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application. Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price. Limitation of Liability: Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for 3m manufacturer:

Other Similar products are found below:

SC401U 98-0003-3071-6 80-0012-6467-2 00-054007-70220-7 00-054007-34717-0 5952-3/4"x15yds 6840-2X50-GRAY 6A11-A0121-007.0-0 701-W 7993MP-2CIRCLE-100 FE-5100-5126-4 FE-5100-5273-4 FE-5100-5492-0 8124/14 812510-100 8125/17 813216 8204-3LFM 8425-8 MNG14BCX FV14-6C 920102-01-25-R 927739-40 929835-01-28-RK 951240-2520-AR-PR 960X/980X 98-0003-3075-7 HF365/16SF HF36564-100 HF625/26-30 1/2-5-4492W 1/2-5-5430 1/2-5-850S 1/2-5-3431 12X12-6-4056B 12X12-6-433 12X12-6-4930 1311 13-500-NB 14526-EZ5B-300-02C 1-4-4658F 14520-EZAB-300-0EC 14T26-SZLB-200-0LC 14T50-SZWB-100-0NC 1-5-3437 1-5-4496W 1-5-4943F 1-5-363 1-5-5451 1-5-421