


Item no.: 2092-1178
 Product description: 8 POLE PIN SPACING 5 MM / 0.197 IN



Produkt kann von Bild abweichen / product may differ

RoHS compliant

| | |
|--------------------------|------------|
| Color | light gray |
| No. of connection Points | 8 |
| No. of potentials | 8 |
| pole count | 8 |
| Height | 16.2 mm |
| Height | 0.638 in |
| Width | 40 mm |
| Width | 1.575 in |
| Depth | 13.4 mm |
| Depth | 0.528 in |
| Pin spacing from | 5 mm |
| Pin spacing from | 0.197 in |
| Pollution degree | 2 |
| Measured voltage EN | 320 V |
| Measured shock voltage | 4 kV |
| Current intensity EN | 16 A |
| Pollution degree | 2 |
| Measured voltage EN | 630 V |
| Measured shock voltage | 4 kV |

Current intensity EN
Connection method
Cross section [mm²]

16 A
CAGE CLAMP®S Connection
0.2 - 2.5 mm²



| | |
|----------------------------------|----------------------------|
| Wiring method | solid |
| Cross section [mm ²] | 0.2 - 2.5 mm ² |
| Cross section [mm ²] | 0.25 - 1.5 mm ² |
| Cross section [mm ²] | 0.25 - 2.5 mm ² |
| Cross section [AWG] | 24 - 12 AWG |
| Strip length from | 9 mm |
| Strip length to | 10 mm |
| Solder pin width, diam. [mm] | 1.4 mm |
| Material group | I |
| Customs Tariff No. | 85366990 |

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [wago](#) manufacturer:

Other Similar products are found below :

[750-460](#) [231-118/026-000](#) [231-303/026-000](#) [231-620/019-000](#) [257-403](#) [280-438](#) [280-831](#) [284-624](#) [210-111](#) [231-303/037-000](#) [231-446/001-000_NR](#) [232-216/026-000](#) [234-510](#) [264-726](#) [280-339](#) [0283-0671](#) [830-800/000-305](#) [750-512](#) [750-455](#) [51251782](#) [286-312](#) [713-1428/107-000](#) [731-138/048-000](#) [750-459](#) [750-517](#) [750-602](#) [793-3505](#) [826-172](#) [859-304](#) [280-335](#) [231-535/001-000](#) [2604-1105](#) [2604-1106](#) [2604-1504](#) [2606-1103/020-000](#) [2624-1103](#) [2626-3103/020-000](#) [821-104](#) [713-1107](#) [852-1411](#) [2106-1307](#) [2116-5307](#) [832-1205](#) [832-3604](#) [2009-110](#) [281-512/281-501](#) [286-336](#) [750-421](#) [750-838](#) [753-559](#)