
Add to basket



19" complete chassis from aluminium, plain top cover and base plate



Photo shows 1 U




Features:

- Complete chassis from aluminium
- Detachable rear panel for easy machining
- EMC shielding of approx. 30 dB(A) at 1 GHz (without additional shielding material)
- In accordance with standard IEC 60297-3-100, -101, -105







h = clear height (overall) (H -8.1 mm) b = clear installation width = 403 mm

Technical information:

Description	Height	Height H	Depth T
Solid top cover and base plate	4 U	177 mm	460 mm

Downloads:

3D PDF with CAD data (STEP/DWG/DXF/PDF) (**Log in** Required) User manual (**Log in** Required)



To gain access to the additional information you must Log in. If you do not yet have a user name, you may Register here.

Delivery comprises: Kit

Item	Qty	Description
1	1	Front panel, Al extrusion, 3 mm; front and rear side of front panels clear passivated
2	1	Rear panel, Al, 2 mm, etched
3	1	Base plate, plain, Al, 1 mm
4	1	Cover plate, plain, Al, 1 mm
5	2	Side panel, Al extrusion, raw; with grooves for threaded insert (2 × 7)
6	1	Assembly kit

Accessories:

Part no.	Description	
20860-259	Front handles incl. assembly kit for 4 U, Al extrusion, anodised, PU 2 pieces	Add to basket

1 of 2 13/12/2010 13:37

2 of 2

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for schroff manufacturer:

Other Similar products are found below:

24566-125 14575271 14576145 14575265 20117-156 20817772 20827088 20846211 20860229 21100777 23130082 24571331 24571586 24572066 26230-374 30825080 20849021 20860240 23001021 24560080 24571303 24572054 24572056 30219-113 20848-410 20838-125 20860-605 10225-602 10225-623 10828058 13100103 13100123 28230-439-C 24563-457 24563-444 20848-601 21101-853 24563-133 24563-134 24564-431 24827-107 24563-142 24563-157 24563-442 A265HC-5.80EH 24561-331 10225640 10225696 16230005 16230007