



- Eliminates the need to trim and file the short arm
- Chamfered short arm eliminates burrs
- Ball End inserts into screw at a 25° angle
- 25° angle allows natural hand and wrist movement




Color Coded

 Inch


 Metric

**BONDHUS**  
**LIFETIME WARRANTY**

If any Bondhus® tool breaks or fails to meet your expectations in any way, simply return it. We will replace it free of charge.



Stubby L-Wrenches eliminate the need to trim and file the short arm. A trimmed L-Wrench introduces burrs, and still does not have the tight radius of a dedicated Stubby L-Wrench.



Stubby tools fit in tight spaces where there is not enough overhead clearance for a standard hex key



High Torque Steel:

Up to 20% stronger, with more torque and twice the wear resistance of standard grades of steel.

## FINISH OPTIONS:



Corrosion-resistant finish:

Environmentally safe, provides better tool grip, resists solvents and is 5 times more corrosion resistant than competitor finishes.



Next generation chrome finish:

Traditional plated tool look with superior protection and durability.



Tighter inside radius means full smooth entry into screw head

# Stubby Ball End L-Wrenches



## Multi Packs



Corrosion-resistant finish:

Environmentally safe, provides better tool grip, resists solvents and is 5 times more corrosion resistant than competitor finishes.

| PART# | MODEL# | PCS | LENGTH | CONTENTS                             | QTY |
|-------|--------|-----|--------|--------------------------------------|-----|
| 20599 | SBLX22 | 22  | Long   | 16537 (.050-3/8") + 16599 (1.5-10mm) | 1   |



## ProGuard™ Sets

| Sets          | PART# | MODEL# | PCS | LENGTH | CONTENTS   | QTY |
|---------------|-------|--------|-----|--------|--|-----|
| <b>Inch</b>   | 16538 | SBLX10 | 10  | Long   | 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"                  | 1   |
|               | 16537 | SBLX13 | 13  | Long   | .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" | 1   |
| <b>Metric</b> | 16592 | SBLX7M | 7   | Long   | 1.5, 2, 2.5, 3, 4, 5, 6mm  | 1   |
|               | 16599 | SBLX9M | 9   | Long   | 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm   | 1   |



## BriteGuard™ Sets



Next generation chrome finish:

Traditional plated tool look with superior protection and durability.

| Sets          | PART# | MODEL#  | PCS | LENGTH     | CONTENTS   | QTY |
|---------------|-------|---------|-----|------------|--|-----|
| <b>Inch</b>   | 16738 | SBLX10B | 10  | Long       | 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"                  | 1   |
|               | 16737 | SBLX13B | 13  | Long       | .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" | 1   |
| <b>Metric</b> | 16792 | SBLX7MB | 7   | Extra Long | 1.5, 2, 2.5, 3, 4, 5, 6mm  | 1   |
|               | 16799 | SBLX9MB | 9   | Extra Long | 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm   | 1   |

Distributed by:

### Bondhus Corporation

1400 E Broadway • PO Box 660 • Monticello, MN 55362  
Tel: 763-295-2162 • Toll Free: 800-328-8310 • Fax: 763-295-4440

Bondhus, Protanium, ProGuard and BriteGuard are trademarks of Bondhus Corporation.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Screwdrivers, Nut Drivers & Socket Drivers](#) category:*

*Click to view products by [Bondhus](#) manufacturer:*

Other Similar products are found below :

[1406504-2](#) [27850](#) [CE-16-03400-00-HNDLE-TORQ](#) [30246](#) [323451-000](#) [46722](#) [96025](#) [96030](#) [96560](#) [96703](#) [96430](#) [31830](#) [92270](#) [96012](#)  
[96436](#) [96536](#) [92064](#) [92008](#) [72820](#) [92005](#) [76070](#) [96520](#) [92040](#) [36372](#) [96416](#) [92024](#) [96420](#) [76005](#) [96570](#) [72823](#) [96325](#) [96525](#) [96720](#)  
[31832](#) [76019](#) [92004](#) [76007](#) [92069](#) [92020](#) [76021](#) [96523](#) [96510](#) [96427](#) [96425](#) [96415](#) [96320](#) [92073](#) [92052](#) [92026](#) [92012](#)