

# Wiha Finish Handle Concept.

The Revolution in Screwdriver Design.

Wiha SoftFinish®



Wiha MicroFinish®



Introducing the next generation of screw-drivers from Wiha: the SoftFinish® and the MicroFinish®, because functionality and ergonomic styling together make up the most important aspect of a screwdriver.


The generation of Wiha Finish handles with its total of four handle sizes was developed on the basis of extensive studies into handle ergonomics with the support of high-profile research institutes. The result is a completely ergonomic design and optimal handle lengths and diameters. The user is guaranteed a perfect hold with every handle size.


**The feel good factor**  
Due to the combination of material and handle size, each Finish screwdriver fits perfectly into the palm of the hand. There is no strain on muscles, ligaments and joints, with the result that minimum force is required for maximum torque.

SoftFinish® oder MicroFinish® Screwdrivers used in dry working environments have to have a different handle surface to those used in oily working environments. Wiha has taken this on board and has developed a Finish screwdriver for dry and general applications and one for oily applications.

The handle core of both models consists of impact-resistant, recyclable special plastic material. The torque strengthening Finish zone of the SoftFinish® version is made of a soft, thermoplastic elastomer and is ideal for dry and general applications.

The Finish zone of the MicroFinish® version is made of impact-resistant cellulose acetate that is also resistant to oil and chemicals. Its micro-fine surface structure ensures convincing high-torque transmission without slipping, even with oily hands.





*Solid moulded core made of high-impact plastic material.*

*Large optimised handle diameter allows higher torque with less user hand fatigue.*

*Roll-off protection.*

*Reinforced connection between blade and moulded core.*

*Round, smooth handle end.*

*SoftFinish® Zone for unbeatable comfort and maximum torque.*

*Blade made of high quality chrome-vanadium-molybdenum steel, super hardened and chrome-plated for unmatched durability.*

# Wiha SoftFinish®.

The Specialist for Dry and General Applications.



design award  
winner



The right tool at a glance, thanks to the printed screw symbol on the handle end.

The Wiha SoftFinish® zone features a solid moulded core with soft outer grip. This requires less force, yet achieves 40% more torque than conventional handles. The handle is shaped to fit comfortably in the hand, providing maximum torque forces in dry and general working conditions.

If a stuck screw has to be loosened, a precise hammer blow can be applied to the solid steel cap. Due to the hex blade extending through the handle to the steel cap, there is no loss of impact energy.



The solid steel cap at the end of the SoftFinish® handle enables controlled hammer blows, for example, when loosening a tight screw.



Thermoplastic elastomer tolerates high loads and feels soft and pleasant to the touch.



## Wiha SoftFinish®:

- Multi-component SoftFinish® handle provides maximum user comfort
- Ergonomically perfect handle design
- Printed screw symbol on handle end for fast identification
- Available in versions with round blade, hex blade or hex blade with solid steel cap
- Blade made of high quality CVM-steel, through-hardened and chrome plated
- Wiha ChromTop®-finish on tip for a perfect fit every time



Due to the solid steel cap and hex blade extending through the handle, there is no loss of impact energy when a precise hammer blow is applied.



Blade with hex bolster for wrenches to use on particularly tight screws.

For Slotted Screws.



**302** SoftFinish® Slotted Screwdriver.  
Round Blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Standards: DIN 5265, ISO 2380.

Application: Especially for dry and general applications.

| Order-No. | ⌀    | ↔   | ⊘   | ●    | ↔   | ↔  | ↔  | £     |
|-----------|------|-----|-----|------|-----|----|----|-------|
| 00684 6   | 2.0• | 65  | 0.4 | 2.0  | 169 | 23 | 10 | 2.15  |
| 00685 3   | 2.5  | 75  | 0.4 | 2.5  | 179 | 23 | 10 | 2.30  |
| 00686 0   | 3.0• | 80  | 0.5 | 3.0  | 184 | 23 | 10 | 2.50  |
| 00687 7   | 3.0  | 100 | 0.5 | 3.0  | 204 | 23 | 10 | 2.65  |
| 00689 1   | 3.0• | 150 | 0.5 | 3.0  | 254 | 23 | 10 | 3.10  |
| 00690 7   | 3.0• | 200 | 0.5 | 3.0  | 304 | 23 | 10 | 3.65  |
| 00691 4   | 3.5  | 100 | 0.6 | 3.5  | 204 | 23 | 10 | 2.60  |
| 26931 9   | 3.5• | 200 | 0.5 | 3.5  | 304 | 23 | 10 | 3.65  |
| 00692 1   | 4.0  | 100 | 0.8 | 4.0  | 211 | 30 | 10 | 3.05  |
| 00694 5   | 4.0• | 150 | 0.8 | 4.0  | 261 | 30 | 10 | 3.40  |
| 00695 2   | 4.0• | 200 | 0.8 | 4.0  | 311 | 30 | 10 | 3.40  |
| 00696 9   | 4.0• | 300 | 0.8 | 4.0  | 411 | 30 | 5  | 4.70  |
| 27753 6   | 4.5• | 80  | 0.8 | 4.5  | 191 | 30 | 10 | 3.50  |
| 00697 6   | 4.5• | 125 | 0.8 | 4.5  | 236 | 30 | 10 | 3.30  |
| 00698 3   | 5.5  | 125 | 1.0 | 5.5  | 236 | 30 | 10 | 4.65  |
| 00700 3   | 5.5  | 150 | 1.0 | 5.5  | 261 | 30 | 10 | 4.85  |
| 00701 0   | 5.5• | 200 | 1.0 | 5.5  | 311 | 30 | 10 | 5.20  |
| 00702 7   | 5.5• | 300 | 1.0 | 5.5  | 411 | 30 | 5  | 5.80  |
| 27754 3   | 6.0  | 100 | 1.2 | 6.0  | 218 | 36 | 10 | 5.65  |
| 27755 0   | 6.0  | 150 | 1.2 | 6.0  | 268 | 36 | 10 | 6.15  |
| 00704 1   | 6.5  | 100 | 1.2 | 6.0  | 218 | 36 | 10 | 4.95  |
| 00703 4   | 6.5  | 150 | 1.2 | 6.0  | 268 | 36 | 10 | 5.40  |
| 00706 5   | 6.5• | 200 | 1.2 | 6.0  | 318 | 36 | 5  | 5.90  |
| 00708 9   | 8.0  | 150 | 1.2 | 7.0  | 274 | 41 | 10 | 6.70  |
| 00707 2   | 8.0  | 175 | 1.2 | 7.0  | 299 | 41 | 5  | 7.00  |
| 00709 6   | 8.0  | 175 | 1.6 | 7.0  | 299 | 41 | 5  | 7.00  |
| 00711 9   | 10.0 | 200 | 1.6 | 8.0  | 324 | 41 | 5  | 8.80  |
| 00712 6   | 12.0 | 250 | 2.0 | 8.0  | 374 | 41 | 5  | 11.10 |
| 00713 3   | 14.0 | 250 | 2.5 | 11.0 | 374 | 41 | 5  | 12.20 |

• Additional dimension. Non-DIN size.

For Slotted Screws.



**308** SoftFinish® Slotted Screwdriver.  
Hex Blade with Hex Bolster.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Standards: DIN 5265, ISO 2380.

Application: Especially for dry and general applications.

| Order-No. | ⌀    | ↔   | ⊘   | ●    | ⊘  | ↔   | ↔  | ↔  | £     |
|-----------|------|-----|-----|------|----|-----|----|----|-------|
| 00731 7   | 3.5  | 75  | 0.6 | 4.0  | -  | 186 | 30 | 10 | 3.45  |
| 00732 4   | 4.5• | 90  | 0.8 | 4.0  | -  | 201 | 30 | 10 | 4.25  |
| 00733 1   | 5.5  | 100 | 1.0 | 5.0  | 8  | 213 | 36 | 10 | 6.10  |
| 00734 8   | 6.5  | 125 | 1.2 | 6.0  | 10 | 238 | 36 | 10 | 6.70  |
| 00735 5   | 7.0• | 125 | 1.1 | 6.0  | 10 | 238 | 36 | 10 | 6.70  |
| 00736 2   | 8.0  | 150 | 1.2 | 8.0  | 13 | 268 | 41 | 10 | 8.70  |
| 00737 9   | 9.0• | 150 | 1.4 | 8.0  | 13 | 268 | 41 | 10 | 8.70  |
| 00738 6   | 10.0 | 175 | 1.6 | 8.0  | 13 | 293 | 41 | 5  | 10.50 |
| 00739 3   | 12.0 | 200 | 2.0 | 10.0 | 16 | 318 | 41 | 5  | 12.60 |
| 00740 9   | 14.0 | 250 | 2.5 | 10.0 | 16 | 368 | 41 | 5  | 14.60 |

• Additional dimension. Non-DIN size.



**530** SoftFinish® Slotted Screwdriver.  
Hex Blade with Hex Bolster, Solid Steel Cap.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Standards: DIN 5265, ISO 2380.

Application: Especially for dry and general applications.

| Order-No. | ⌀    | ↔   | ⊘   | ●    | ⊘  | ↔   | ↔  | ↔  | £     |
|-----------|------|-----|-----|------|----|-----|----|----|-------|
| 03223 4   | 3.5  | 75  | 0.6 | 4.0  | -  | 186 | 30 | 10 | 5.70  |
| 03224 1   | 4.5• | 90  | 0.8 | 4.0  | -  | 201 | 30 | 10 | 6.30  |
| 03225 8   | 5.5  | 100 | 1.0 | 5.0  | 8  | 213 | 36 | 10 | 8.00  |
| 03226 5   | 6.5  | 125 | 1.2 | 6.0  | 10 | 238 | 36 | 10 | 10.00 |
| 03228 9   | 8.0  | 150 | 1.2 | 8.0  | 13 | 271 | 41 | 5  | 13.40 |
| 03230 2   | 10.0 | 175 | 1.6 | 8.0  | 13 | 296 | 41 | 5  | 16.70 |
| 03231 9   | 12.0 | 200 | 2.0 | 10.0 | 16 | 321 | 41 | 5  | 21.30 |
| 03232 6   | 14.0 | 250 | 2.5 | 10.0 | 16 | 371 | 41 | 5  | 25.80 |

• Additional dimension. Non-DIN size.

# Wiha SoftFinish®.

The Specialist for Dry and General Applications.

## For Phillips Screws.



**311** SoftFinish® Phillips Screwdriver.  
**Round Blade.**  
 Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
 Wiha ChromTop® finish on tip for a perfect fit every time.  
 Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.  
 Standards: ISO 8764.  
 Application: Especially for dry and general applications.

| Order-No. | ⊕    | ↔   | ●    | ↔   | ↔  | ↔ | ↔  | £    |
|-----------|------|-----|------|-----|----|---|----|------|
| 00754 6   | PH0  | 60  | 3.0  | 164 | 23 |   | 10 | 3.00 |
| 27756 7   | PH0  | 100 | 3.0  | 204 | 23 |   | 10 | 3.75 |
| 00756 0   | PH1  | 80  | 4.5  | 191 | 30 |   | 10 | 3.55 |
| 27757 4   | PH1  | 100 | 4.5  | 211 | 30 |   | 10 | 4.35 |
| 00757 7   | PH1• | 200 | 4.5  | 311 | 30 |   | 10 | 4.50 |
| 03738 3   | PH1• | 300 | 4.5  | 411 | 30 |   | 5  | 5.20 |
| 00759 1   | PH2  | 100 | 6.0  | 218 | 36 |   | 10 | 4.90 |
| 27758 1   | PH2  | 150 | 6.0  | 268 | 36 |   | 10 | 6.20 |
| 00760 7   | PH2• | 200 | 6.0  | 318 | 36 |   | 5  | 5.80 |
| 03739 0   | PH2• | 300 | 6.0  | 418 | 36 |   | 5  | 6.40 |
| 00762 1   | PH3  | 150 | 8.0  | 274 | 41 |   | 10 | 7.00 |
| 00763 8   | PH4  | 200 | 10.0 | 324 | 41 |   | 5  | 9.40 |

• Additional dimension. Non-DIN size.



**312** SoftFinish® Phillips Screwdriver.  
**Hex Blade with Hex Bolster.**  
 Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
 Wiha ChromTop® finish on tip for a perfect fit every time.  
 Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.  
 Standards: ISO 8764.  
 Application: Especially for dry and general applications.

| Order-No. | ⊕   | ↔   | ●    | ⬡  | ↔   | ↔  | ↔  | £     |
|-----------|-----|-----|------|----|-----|----|----|-------|
| 00764 5   | PH1 | 80  | 5.0  | 8  | 186 | 30 | 10 | 4.80  |
| 00765 2   | PH2 | 100 | 6.0  | 10 | 213 | 36 | 10 | 6.60  |
| 00766 9   | PH3 | 150 | 8.0  | 13 | 268 | 41 | 10 | 9.30  |
| 00767 6   | PH4 | 200 | 10.0 | 16 | 318 | 41 | 5  | 11.80 |



**531** SoftFinish® Phillips Screwdriver.  
**Hex Blade with Hex Bolster, Solid Steel Cap.**  
 Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
 Wiha ChromTop® finish on tip for a perfect fit every time.  
 Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.  
 Standards: ISO 8764.  
 Application: Especially for dry and general applications.

| Order-No. | ⊕   | ↔   | ●   | ⬡  | ↔   | ↔  | ↔  | £     |
|-----------|-----|-----|-----|----|-----|----|----|-------|
| 03237 1   | PH1 | 80  | 5.0 | 8  | 186 | 30 | 10 | 7.10  |
| 03238 8   | PH2 | 100 | 6.0 | 10 | 213 | 36 | 10 | 10.20 |
| 03239 5   | PH3 | 150 | 8.0 | 13 | 268 | 41 | 10 | 14.90 |

## For Pozidriv Screws.



**313** SoftFinish® Pozidriv Screwdriver.  
**Round Blade.**  
 Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
 Wiha ChromTop® finish on tip for a perfect fit every time.  
 Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.  
 Standards: ISO 8764.  
 Application: Especially for dry and general applications.

| Order-No. | ⊕   | ↔   | ●   | ↔   | ↔  | ↔ | ↔  | £    |
|-----------|-----|-----|-----|-----|----|---|----|------|
| 00768 3   | PZ0 | 60  | 3.0 | 164 | 23 |   | 10 | 3.40 |
| 00770 6   | PZ1 | 80  | 4.5 | 191 | 30 |   | 10 | 4.10 |
| 26454 3   | PZ1 | 300 | 4.5 | 411 | 30 |   | 10 | 6.50 |
| 00772 0   | PZ2 | 100 | 6.0 | 218 | 36 |   | 10 | 5.80 |
| 26455 0   | PZ2 | 300 | 6.0 | 418 | 36 |   | 10 | 8.10 |
| 00774 4   | PZ3 | 150 | 8.0 | 274 | 41 |   | 10 | 8.60 |



**314** SoftFinish® Pozidriv Screwdriver.  
**Hex Blade with Hex Bolster.**  
 Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
 Wiha ChromTop® finish on tip for a perfect fit every time.  
 Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.  
 Standards: ISO 8764.  
 Application: Especially for dry and general applications.

| Order-No. | ⊕   | ↔   | ●    | ⬡  | ↔   | ↔  | ↔  | £     |
|-----------|-----|-----|------|----|-----|----|----|-------|
| 00776 8   | PZ1 | 80  | 5.0  | 8  | 186 | 30 | 10 | 6.00  |
| 00777 5   | PZ2 | 100 | 6.0  | 10 | 213 | 36 | 10 | 7.80  |
| 00778 2   | PZ3 | 150 | 8.0  | 13 | 268 | 41 | 10 | 11.40 |
| 00779 9   | PZ4 | 200 | 10.0 | 16 | 318 | 41 | 5  | 14.40 |



**532** SoftFinish® Pozidriv Screwdriver.  
**Hex Blade with Hex Bolster, Solid Steel Cap.**  
 Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
 Wiha ChromTop® finish on tip for a perfect fit every time.  
 Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.  
 Standards: ISO 8764.  
 Application: Especially for dry and general applications.

| Order-No. | ⊕   | ↔   | ●   | ⬡  | ↔   | ↔  | ↔  | £     |
|-----------|-----|-----|-----|----|-----|----|----|-------|
| 03245 6   | PZ1 | 80  | 5.0 | 8  | 186 | 30 | 10 | 7.60  |
| 03246 3   | PZ2 | 100 | 6.0 | 10 | 213 | 36 | 10 | 11.00 |
| 03247 0   | PZ3 | 150 | 8.0 | 13 | 271 | 41 | 10 | 15.60 |

For TORX® Screws.



**362** SoftFinish® TORX® Screwdriver.  
Round Blade.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: Especially for dry and general applications.

| Order-No. | ⊕   | ↔   | ●t  | ↔   | ↔  | ↔  | £    |
|-----------|-----|-----|-----|-----|----|----|------|
| 26259 4   | T3  | 60  | 2.5 | 164 | 23 | 10 | 4.60 |
| 26260 0   | T4  | 60  | 2.5 | 164 | 23 | 10 | 4.60 |
| 01285 4   | T5  | 60  | 2.5 | 164 | 23 | 10 | 4.60 |
| 01286 1   | T6  | 60  | 3.5 | 164 | 23 | 10 | 3.50 |
| 01287 8   | T7  | 60  | 3.5 | 164 | 23 | 10 | 3.50 |
| 01288 5   | T8  | 60  | 3.5 | 164 | 23 | 10 | 3.50 |
| 01289 2   | T9  | 60  | 4.0 | 171 | 30 | 10 | 3.80 |
| 01290 8   | T10 | 80  | 4.0 | 191 | 30 | 10 | 3.95 |
| 01291 5   | T15 | 80  | 4.0 | 191 | 30 | 10 | 3.90 |
| 01292 2   | T20 | 100 | 4.0 | 218 | 36 | 10 | 4.15 |
| 01293 9   | T25 | 100 | 4.5 | 218 | 36 | 10 | 4.25 |
| 01294 6   | T27 | 115 | 5.5 | 233 | 36 | 10 | 4.50 |
| 01295 3   | T30 | 115 | 6.0 | 233 | 36 | 10 | 4.90 |
| 01296 0   | T40 | 130 | 7.0 | 254 | 41 | 10 | 4.90 |
| 01297 7   | T45 | 130 | 8.0 | 254 | 41 | 5  | 6.40 |

For TORX® Tamper Resistant Screws.



**362TR** SoftFinish® TORX® Tamper Resistant Screwdriver.  
With Borehole in the Blade Tip.  
For TORX® Screws with Locking Pin.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.  
With borehole in the blade tip.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: For Turning TORX® Tamper Resistant Safety Screws.

| Order-No. | ⊕    | ↔   | ●t  | ↔   | ↔  | ↔  | £    |
|-----------|------|-----|-----|-----|----|----|------|
| 03106 0   | T7H  | 60  | 3.5 | 164 | 23 | 10 | 5.60 |
| 03107 7   | T8H  | 60  | 3.5 | 164 | 23 | 10 | 5.60 |
| 03108 4   | T9H  | 60  | 4.0 | 171 | 30 | 10 | 5.60 |
| 26456 7   | T9H  | 300 | 4.0 | 411 | 30 | 5  | 6.70 |
| 01300 4   | T10H | 80  | 4.0 | 191 | 30 | 10 | 5.60 |
| 26457 4   | T10H | 300 | 4.0 | 411 | 30 | 5  | 6.70 |
| 01301 1   | T15H | 80  | 4.0 | 191 | 30 | 10 | 5.90 |
| 26458 1   | T15H | 300 | 4.0 | 411 | 30 | 5  | 6.90 |
| 01302 8   | T20H | 100 | 4.0 | 211 | 30 | 10 | 5.90 |
| 28005 5   | T20H | 300 | 4.0 | 411 | 30 | 5  | 7.55 |
| 01303 5   | T25H | 100 | 4.5 | 211 | 30 | 10 | 6.00 |
| 01304 2   | T27H | 115 | 5.5 | 233 | 36 | 10 | 6.20 |
| 01305 9   | T30H | 115 | 6.0 | 233 | 36 | 10 | 6.60 |
| 01306 6   | T40H | 130 | 7.0 | 254 | 41 | 10 | 6.90 |



**362R** SoftFinish® TORX® MagicSpring Screwdriver.  
Retaining Spring Holds TORX® Screws in Place.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.  
Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Ergonomic Wiha SoftFinish® multi-component handle with roll-off protection.

Application: For setting and tightening TORX® screws in areas that are difficult to access.

| Order-No. | ⊕   | ↔   | ●t  | ↔   | ↔  | ↔  | £    |
|-----------|-----|-----|-----|-----|----|----|------|
| 27736 9   | T6  | 60  | 3.5 | 164 | 23 | 10 | 4.60 |
| 27737 6   | T7  | 60  | 3.5 | 164 | 23 | 10 | 4.20 |
| 27738 3   | T8  | 60  | 3.5 | 164 | 23 | 10 | 4.20 |
| 27739 0   | T9  | 60  | 4.0 | 171 | 30 | 10 | 4.85 |
| 27740 6   | T10 | 80  | 4.0 | 191 | 30 | 10 | 5.05 |
| 27741 3   | T15 | 80  | 4.0 | 191 | 30 | 10 | 5.10 |
| 27742 0   | T20 | 100 | 4.0 | 218 | 36 | 10 | 5.45 |
| 27743 7   | T25 | 100 | 4.5 | 218 | 36 | 10 | 5.65 |
| 27811 3   | T27 | 115 | 5.5 | 233 | 36 | 10 | 5.90 |
| 27744 4   | T30 | 115 | 6.0 | 233 | 36 | 10 | 6.45 |
| 27745 1   | T40 | 130 | 7.0 | 254 | 41 | 10 | 7.05 |

Wiha Info

Ergonomics.  
Minimise the stress to your body by working with ergonomically designed tools!  
Wiha's ergonomically designed hand tools improve operator comfort, reduce injuries and increase productivity.



## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [wiha](#) manufacturer:*

Other Similar products are found below :

[56818](#) [00573](#) [01030](#) [75802](#) [21248](#) [26307](#) [27302](#) [27835](#) [28050](#) [28084](#) [28390](#) [28501](#) [28507](#) [26113](#) [26539](#) [26626](#) [26629](#) [26804](#) [28522](#)  
[28882](#) [32573](#) [32705](#) [32712](#) [32752](#) [32954](#) [34700](#) [36268](#) [36791](#) [38043](#) [43618](#) [44506](#) [54095](#) [31705](#) [31890](#) [32090](#) [32093](#) [32714](#) [32793](#)  
[36453](#) [37225](#) [39104](#) [41106](#) [44503](#) [45811](#) [46796](#) [09393](#) [66991](#) [74586](#) [74732](#) [27235](#)