



General ordering data

Order No.	9019190000
Part designation	H4,0/17D GR
Version	Wire-end ferrule, 4 mm ² , 10 mm, Colour code: DIN, grey
EAN	4008190141349
Qty.	500 pc(s).

Technical data

Length	17 mm
Width	5.4 mm
Height	5.4 mm

Product data

Conductor rated cross-section	4 mm ²
AWG	12
Total length (L1)	17 mm
Contact surface length (L2)	10 mm
Contact surface diameter (D1)	2.8 mm
Collar diameter (D2)	4.8 mm
Metal sleeve thickness (S1)	0.2 mm
Plastic collar thickness (S2)	0.3 mm

Approvals

Approvals institutes



Classifications

ETIM 2.0	EC000005
ETIM 3.0	EC000005
eClass 4.1	27-06-07-01
eClass 5.0	27-40-02-01
eClass 5.1	27-40-02-01

Classifications

Similar products

Order No.	Part designation	Version
902110000	H4,0/17T OR	Wire-end ferrule, 4 mm ² , 10 mm, Colour code: Miscellaneous, Orange
901920000	H4,0/20D GR	Wire-end ferrule, 4 mm ² , 12 mm, Colour code: DIN, grey
902111000	H4,0/20T OR	Wire-end ferrule, 4 mm ² , 12 mm, Colour code: Miscellaneous, Orange
901921000	H4,0/26D GR	Wire-end ferrule, 4 mm ² , 18 mm, Colour code: DIN, grey
902112000	H4,0/26T OR	Wire-end ferrule, 4 mm ² , 18 mm, Colour code: Miscellaneous, Orange

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Terminals](#) category:

Click to view products by [Weidmuller](#) manufacturer:

Other Similar products are found below :

[HT-13-10](#) [71M-250-32-NB](#) [01-2065-1-0216](#) [00581P0075](#) [M10-10RX](#) [M10BCK](#) [60205-1](#) [604200-1](#) [60598-1-CUT-TAPE](#) [60617-1-C](#) [60873-1](#) [M14-516R/SK](#) [M14-6RSX](#) [M18-10FLX](#) [M18-8FBX](#) [M18-8R/LX](#) [M18BCK](#) [61314-6-C](#) [61-S](#) [61-SN-A](#) [62149-1](#) [62-NBM-A](#) [63-S](#) [640179-1](#) [640917-2-CUT-TAPE](#) [6501550002](#) [66107-2-C](#) [66107-4-C](#) [696683-1](#) [696834-1](#) [696861-1](#) [696931-1](#) [696999-1](#) [M8-516RK](#) [M86700006](#) [MA250DMFMX-A](#) [701-2007](#) [701-2307](#) [701-7761-03](#) [70F-110-32-PB](#) [718-N-A](#) [71M-187-20-NBL](#) [71M-250-32-NBL](#) [72F-187-20-NBL](#) [72M-250-32-NBL](#) [7310](#) [73F-250-32](#) [73F-250-32-NBL](#) [73F-250-32-NL](#) [F-1M](#)