


# FRONT-MC 1,5/ 7-STF-3,81 BK AU - 1707493

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Plug component, Nominal current: 8 A, Rated voltage (III/2): 160 V, Number of positions: 7, Pitch: 3.81 mm, Connection method: Front screw connection, Color: black, Contact surface: Gold



## Key Commercial Data

|                      |   |
|----------------------|---|
| Packing unit         | 50 STK  |
| GTIN                 | <br>4 046356 939058 |
| GTIN                 | 4046356939058   |
| Custom tariff number | 85366990  |
| Note                 | Made to Order (non-returnable)  |

## Technical data

### Environmental Product Compliance

|            |   |
|------------|---|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|            | No hazardous substances above threshold values          |

## Approvals


### Approvals

#### Approvals

CSA / VDE report with production monitoring / cULus Recognized / IECEE CB Scheme / EAC

#### Ex Approvals


### Approval details

|   |       |       |
|---|-------|-------|
| CSA  <a href="http://www.csagroup.org/services/testing-and-certification/certified-product-listing/">http://www.csagroup.org/services/testing-and-certification/certified-product-listing/</a> 13631 |       |       |
|   | B     | D     |
| mm²/AWG/kcmil   | 28-16 | 28-16 |

# FRONT-MC 1,5/ 7-STF-3,81 BK AU - 1707493

## Approvals


|                    | B     | D     |
|--------------------|-------|-------|
| Nominal current IN | 8 A   | 8 A   |
| Nominal voltage UN | 300 V | 300 V |

VDE report with production monitoring  <http://www.vde.com/en/Institute/OnlineService/VDE-approved-products/Pages/Online-Search.aspx> 40011723

|                            |         |
|----------------------------|---------|
| mm <sup>2</sup> /AWG/kcmil | 0.2-1.5 |
| Nominal current IN         | 8 A     |
| Nominal voltage UN         | 160 V   |

cULus Recognized <http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm> E60425-20110128

|                            | B     | D     |
|----------------------------|-------|-------|
| mm <sup>2</sup> /AWG/kcmil | 30-16 | 30-16 |
| Nominal current IN         | 8 A   | 8 A   |
| Nominal voltage UN         | 300 V | 300 V |

IECEE CB Scheme  <http://www.iecee.org/> DE1-56063-B1B2

|                            |         |
|----------------------------|---------|
| mm <sup>2</sup> /AWG/kcmil | 0.2-1.5 |
| Nominal current IN         | 8 A     |
| Nominal voltage UN         | 160 V   |

EAC B.01742

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Pluggable Terminal Blocks](#) category:*

*Click to view products by [Phoenix Contact](#) manufacturer:*

Other Similar products are found below :

[57.404.7553](#) [57.504.0053.7](#) [57.510.0053](#) [57.910.6153](#) [01.112.1453](#) [CTB932VE/6](#) [MC 1.5/ 6-ST-3.5 GY AU](#) [ET02015000J0G](#) [734-104](#) [734-302](#) [734-304](#) [8-141-P](#) [FKCT 2.5/ 3-ST KMGY](#) [860505](#) [860508](#) [860516](#) [860810](#) [861908](#) [GBPACX-12](#) [93.731.4953.0](#) [PV05-5,08-K](#) [PVP02-5,00](#) [PVP04-3,50](#) [PVS02-5,00](#) [1-1986160-3](#) [H-10](#) [ELFH09150](#) [ELFH16150](#) [ELFP03110](#) [ELFT06250](#) [ELFT07250](#) [ELVF09400](#) [ELVP03100](#) [ELXH03100](#) [ELXH071G0E](#) [ELXP041G0](#) [ELXT046G0](#) [1700101](#) [1700410](#) [1700425](#) [1703176](#) [1705229](#) [1710175](#) [1714537](#) [1717806](#) [1719600](#) [1729386](#) [1734692](#) [1734795](#) [1736036](#)