


HYB35C05, HYB35C05A


COOLING of ELECTRONIC CIRCUITS



AIR PERFORMANCE DIAGRAM



SHAPE AND DIMENSION



PERFORMANCE

	HYB35C05	HYB35C05A
Operating Voltage [V]	3.5 ... 5.0 ... 5.5	
Operating Current [mA]	80	
Max. Current [mA]	160	
Max. Air Flow [l/min - m ³ /h]	27 - 1.62	
Max. Air Pressure [mmH ₂ O - Pa]	3.0 - 29.4	
Typ. Noise @ 1m [dB(A)]	27	
Operating Temperature [°C]	-40...+70	
Rotor Speed [RPM]	7400	
Pulse Output (HYB35C05A only) [Pulse/Rev]	-	3
Life Expectancy L ₁₀ /MTBF [h]	95000/280000@20°C, 20000/55000@70°C	
Bearing System	ball bearing ZZ	
Weight [g]	10	
Standard Packing [PCs]	50 - 250 - 1000	

This **SEPA**[®] high-tech miniature fan is suitable for industrial or automotive use and has a remarkable air flow performance despite its small dimensions. Due to a nearly linear air performance characteristic, the fan is applicable for different uses. It is permanently protected electrically against reverse polarity, blocking and thermal overloading. Due to the low rotor weight and precision balancing, it is virtually vibration-free. It is also insensitive to shock.

Further features of this fan are its extremely robust and torsionally rigid plastic housing of PBT (UL E54695), ball bearings with narrow tolerances, of special steel, polyester-based PCB (UL E44247) and absolute reliability due to 100% burn-in.

Technical changes without notice • 01/05

• ALARM OUTPUT


The **SEPA**® HYB35C05A includes a pulse output, which allows monitoring the correct function of the fan. An alarm-board is available on request.

The pulse is like a rectangular wave, the frequency correlates to 3 x rotor speed. At blocked rotor the output signal could be L or H ($L=0.5V_{max}$, $H=2.5V_{min}$).

IMPORTANT: The pulse output is *not* protected against short circuit and must not connect to GND or Vcc without series-resistor. A pull-up-resistor is not needed.

Do not connect not used pulse output to GND or Vcc (insolate).

The HYB35C05(A) have tinned lead wire ends (without connector).



• ACCESSORIES:

CONNECTOR: on request

• ORDER INFORMATION:

HYB35C05	SEPA ® Miniature fan 35x35x7mm, ball bearings, CE	513051000
HYB35C05A	SEPA ® Miniature fan 35x35x7mm, ball bearings, pulse, CE	513051010

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [sepa](#) manufacturer:

Other Similar products are found below :

[HXB50E12](#) [MFB60D05](#) [MFB25B05](#) [FG80](#) [FM40](#) [FG40](#) [MFB50E12](#) [HFB44B12A](#) [MFB40H12A](#) [FG92](#) [MFB40H12](#) [FG30](#) [FG50](#) [FM120](#)
[FM80](#)