



List Price \$325.00 USD

Availability **Stock Item: This item is normally stocked in our distribution facility.****Technical Characteristics**

Depth	6.38 Inches
Height	17.50 Inches
Width	9.00 Inches
Action	Single Throw
Ampere Rating	60A
Approvals	UL Listed
Catalog Reference Number	3100CT9801
Electrical Interlock	None
Enclosure Material	Steel
Enclosure Rating	NEMA 1
Enclosure Type	General Purpose (Indoor)
Factory Installed Neutral	No
Disconnect Type	Non-Fusible
Terminal Type	Lugs
Mounting Type	Surface
Wire Size	#12 to #2 AWG(Al) or #14 to #2 AWG(Cu)
Type of Duty	Heavy Duty
Short Circuit Current Rating	200kA(max)
Number of Poles	3-Pole
Maximum Voltage Rating	600V

Shipping and Ordering

Category	00008 - Safety Switch, Heavy Duty, 2 & 3 Pole, 30-200 Amp, Indoor
Discount Schedule	DE1
Article Number	785901505808
Package Quantity	1
Weight	14.8 lbs.
Availability Code	Stock Item: This item is normally stocked in our distribution facility.
Returnability	Y

As standards, specifications, and designs change from time to time, please ask for confirmation of the information given in this document.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [schneider](#) manufacturer:

Other Similar products are found below :

[LU9M1](#) [7D](#) [7S](#) [7XA1](#) [FNQR2](#) [8501RS44V24](#) [8501RSD14P14V51](#) [8501XO20V03Y414](#) [9001KXRK](#) [9001SKR9P35RH25](#) [9001SKT35L31](#)
[9003K2C003GA](#) [9007AA1](#) [9007BA1](#) [9007C54D](#) [9007C62A2](#) [9007CA11](#) [9007FA3](#) [9007HA4](#) [9007HA6](#) [9007KA1](#) [9007KB11](#)
[9007MS01S0206](#) [9007MS02S0300](#) [9012GAR4](#) [9012GAW2](#) [9012GBW1](#) [9012GDW5E3](#) [9012GFW1](#) [9012GNG1](#) [9012GNG3](#) [9012GNG6](#)
[9013FHG39J69](#) [9013GHG2J30](#) [9050JCK2F30V14](#) [GV2ME32](#) [GVAN20](#) [GZ1E02](#) [A9F04102](#) [A9F04106](#) [A9F05110](#) [A9F07102](#)
[ABL8RPS24030](#) [DL1BLB](#) [ATS01N206QN](#) [RSL1PRJU](#) [9001KA35](#) [9001KA3G](#) [9001KA4](#) [9001KR1GH5](#)