







用途	一般等级
	Wire Wound 绕组
特点	Ferrite Core 铁氧体磁芯
	Shield磁屏蔽
系列	VLF
状态	量产体制



	尺寸
长度(L)	10.00mm Nom.
宽度(W)	9.70mm Nom.
厚度(T)	4.50mm Max.
推荐焊盘布局(A)	1.70mm Nom.
推荐焊盘布局(B)	7.30mm Nom.
推荐焊盘布局(C)	3.60mm Nom.

电气特性			
电感	47 μ H \pm 20% at 100kHz		
额定电流(基于L变化) [Typ.]			
额定电流(基于L变化) [Max.]	1.9A (30% Down)		
额定电流(基于温度上升) [Typ.]	2.2A (40 ° C Rise)		
额定电流(基于温度上升) [Max.]			
直流电阻 [Typ.]	97.6m		
直流电阻 [Max.]	112m		
自己共振频率 [Min.]			
自己共振频率 [Typ.]			
Q [Min.]			
Q [Typ.]			

	其他
使用温度范围(包括自我温度上升)	-40 ~ 105 ° C
焊接方法	回流
AEC-Q200	No
包装形式	塑封编带 (330mm卷筒)
包装个数	500pcs
重量	1.49g

[!] Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.













特性图表(这是参考数据,并不保证产品的特性。)













[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.










特性图表(这是参考数据,并不保证产品的特性。)



[!] Images are for reference only and show exemplary products.
! This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.










Associated Images



[!] Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Fixed Inductors category:

Click to view products by TDK manufacturer:

Other Similar products are found below:

MLZ1608M6R8WTD25 MLZ1608N6R8LT000 MLZ1608N3R3LTD25 MLZ1608N3R3LTD00 MLZ1608N150LT000 MLZ1608N150WTD05 MLZ1608M3R3WTD25 MLZ1608M3R3WT000 MLZ1608M150WT000 MLZ1608A1R5WT000 MLZ1608N1R5LT000 B82432C1333K000 PCMB053T-1R0MS PCMB053T-1R5MS PCMB104T-1R5MS CR32NP-100KC CR32NP-151KC CR32NP-180KC CR32NP-181KC CR32NP-1R5MC CR32NP-390KC CR32NP-390KC CR32NP-389MC CR32NP-680KC CR32NP-820KC CR32NP-8R2MC CR43NP-390KC CR43NP-560KC CR43NP-680KC CR54NP-181KC CR54NP-470LC CR54NP-820KC CR54NP-8R5MC MGDQ4-00004-P MGDU1-00016-P MHL1ECTTP18NJ MHL1JCTTD12NJ PE-51506NL PE-53601NL PE-53630NL PE-53824SNLT PE-62892NL PE-92100NL PG0434.801NLT PG0936.113NLT PM06-2N7 PM06-39NJ HC2LP-R47-R HC2-R47-R HC3-2R2-R HC8-1R2-R