87 0 KNIPEX Cobra® Hightech Water Pump Pliers

with tether attachment point

DIN ISO 8976





87 02 180 T

- push the button for adjustment on the workpiece
- fine adjustment for optimum adaptation to different sizes of workpieces and a comfortable handle width
- self-locking on pipes and nuts: no slipping on the workpiece and low handforce required
- gripping surfaces with special hardened teeth, teeth hardness approx. 61 HRC: high wear resistance and stable gripping
- box-joint design for high stability due to double guide
- reliable catching of the hinge bolt: no unintentional shifting
- guard prevents operators' fingers being pinched
- Chrome vanadium electric steel, forged, oil-hardened

87 02 180 T:

• Pliers with tether attachment point for mounting a fall protection

87 02 300 T:

• Pliers with tether attachment point for mounting a fall protection

87 02 250 T:

• Pliers with tether attachment point for mounting a fall protection

KNIPEX Cobra® - the Hightech Water Pump Pliers. No more time-consuming presetting of the required opening size. Just position the upper jaw to the workpiece, push button and move close the lower jaw, ingeniously simple.

Article No.	EAN 4003773-	Pliers	Head	Handles	O] Ø Inch	O] Ø mm		Adjustment positions	d— mm	ΔΔ
87 02 180 T	080145	 grey atramentized	polished	with multi- component grips	1 1/2	42	36	18	180	200
87 02 300 T	080169	grey atramentized	polished	with multi- component grips	2 3/4	70	60	30	300	600
87 02 250 T	080152	 grey atramentized	polished	with slim multi- component grips	2	50	46	25	250	370

technical change and errors excepted



Fine adjustment by pushing a button: fast and comfortable.



Fast and firm adjustment directly on the workpiece



Teeth set against the

direction of rotation have a self-locking effect and prevent slipping on the workpiece.













X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for knipex manufacturer:

Other Similar products are found below:

00 21 41 LE 7006140 70 07 160 7902125 86 03 300 88 06 250 92 22 13 97 43 05 97 49 08 97 49 15 98 03 09 98 03 11 34 12 130 48 11 J1 0301160 09 02 240 11 17 160 64 62 120 87 03 250 00 20 16 P ESD 00 20 18 ESD 00 21 35 LE 02 02 225 97 91 01 97 54 26 97 49 24 48 21 J21 41 04 250 49 11 A4 49 21 A41 95 32 320 02 06 200 92 27 62 88 02 250 79 52 125 79 42 125 ESD 98 67 05 95 36 315 A 1301160 12 80 040 SB 77 32 120 H ESD 78 91 125 79 12 125 81 11 250 12 19 02 67 01 200 12 12 13 8705250 61 01 200 73 72 180