


8 GENERAL TOOLING

ISORYL SCREWDRIVERS

▼ AG FOR SLOTTED HEADS - FORGED BLADES

- Optimum tip grain structure for exceptional torsional strength.
- Polished chrome finish.


➤	e x A mm	T mm	Ø1 x L1 mm	Ø2 x L2 mm	L mm	ΔΔ g
AG.5.5X100	1,0 x 5,5	0,6	5 x 100	28 x 100	200	67
AG.5.5X150	1,0 x 5,5	0,6	5 x 150	28 x 100	250	75
AG.6.5X150	1,2 x 6,5	0,7	6 x 150	30 x 110	260	108
AG.8X150	1,2 x 8,0	0,7	7 x 150	30 x 110	360	123
AG.8X200	1,2 x 8,0	0,7	7 x 200	30 x 110	310	139
AG.8EX200	1,6 x 8,0	1,0	8 x 200	34 x 120	320	191
AG.10X200	1,6 x 10,0	1,0	9 x 200	34 x 120	320	219
AG.10X250	1,6 x 10,0	1,0	9 x 250	34 x 120	370	242



▼ AGT FOR SLOTTED HEADS - FORGED BLADES - TEE-HANDLE

- High torque capability.
- Chrome finish.





➤	e x A mm	T mm	L2 x L3 mm	Ø1 x L1 mm	L mm	ΔΔ g
AGT.8X100	1,2 x 8,0	1,0	30 x 85	8 x 100	130	150
AGT.10X100	1,6 x 10,0	1,0	30 x 85	10 x 100	130	160



▼ ARB FOR SLOTTED HEADS - SHORT BLADES

- For use in confined spaces.
- Polished chrome finish.

➤	e x A mm	T mm	Ø1 x L1 mm	Ø2 x L2 mm	L mm	ΔΔ g
ARB.4X40	0,8 x 4,0	0,5	4,0 x 40	29 x 50	90	38
ARB.5.5X40	1,0 x 5,5	0,6	5,5 x 40	29 x 50	90	39
ARB.6.5X40	1,2 x 6,5	0,7	6,5 x 40	29 x 50	90	42



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [facom](#) manufacturer:

Other Similar products are found below :

[92A.5,5](#) [ARB.5.5X40](#) [AMR](#) [ANXR10X75](#) [AEF.J6](#) [AEF.J1](#) [EH.107](#) [EH.103](#) [256.2.5](#) [MT.J3](#) [986058](#) [75.10](#) [84E.J1](#) [455B](#) [440.19](#) [44.6X7](#)
[440.6](#) [440.21](#) [R.306-25D](#) [R.217](#) [R.5](#) [J.13LA](#) [431.LE](#) [405.10](#) [425.E](#) [405.12E](#) [R.216](#) [601](#) [AEF.1,5X35](#) [AEFP.00X35](#) [AEX.J2](#) [AEX.9X75](#)
[AEX.7X35](#) [251A.2.5](#) [HB.2B](#) [440.20](#) [435.E](#) [432.LMT](#) [44.12X13](#) [440.5H](#) [440.22](#) [R.304DA](#) [427.MT](#) [416.PMT](#) [113A.6C](#) [113A.10C](#) [251A.3](#)
[89S.JP8](#) [AEF.1,8X35](#) [75.7](#)