



ETCHING

Ferric Chloride

Ferric Chloride granules
Granules to be dissolved in water

Bag for 1 L
30 Kg

Reference
AR 37
AR 38

Ferric Chloride granules

Just fill the bottle up with water to obtain 2 liters of chloride at 36° B

2L jerry can

AR 371

Ferric Chloride liquid

AT 36° B for dish etching

Bottle 1 L
jerry can 2,5 L
jerry can 5 L
jerry can 20 L

Reference
AR 39
AR 412
AR 41
AR 42

AT 41° B for foam etching machine exclusively

Bottle 1 L
jerry can 2,5 L
jerry can 5 L
jerry can 20 L

AR 4
AR 413
AR 5
AR 6

Boosted Ferric Chloride

For spray & vertical etching machines
Faster etching, longer life



Bottle 1 L
Jerry can 2,5 L
Jerry can 5 L
Jerry can 20 L

Reference
AR 66
AR 414
AR 43
AR 78

36° B ferric chloride is for dish etching and ordinary undiluted 41° B is for our foam etching machines... If you have Ferric Chloride at 36° B, add 100g of crystals per litre to increase the density. Boosted 36° B (cleaner and faster for BB4 vertical machines) must be used for spray etching machines. The chloride in bags is obtained by re-crystallising liquid; to obtain a solution at 36° B, dilute 400 g of crystals in 0.75 litres of water; this will give 0.9 litres.

Ammonium persulphate

(Hot etching at 40°C) for rapid etching
Persulphate has less etching power than ferric chloride and re-crystallises when cold.

Bag 1 L

Reference
AR 44

Cleaner Pot of 100 g net

For chloride. Effective for sinks, PVC, coats, etc.
for cleaning machines.

100 gr. Pot

Reference
AR 36

Polyethylene disposable gloves

For etching products, acids, etc.

Bag of 10
Bag of 100

Reference
AR 35
AR 135

Latex disposable gloves

Flexible, waterproof, good sensitivity.
For fine work.

Bag of 10
Bag of 100

Small size
AR 119
AR 219

Large size
AR 120
AR 220

Plastic tray

Economic model

Size in mm
50 x 230 x 330
110 x 360 x 560

Reference
AR 23
AR 77

PVC tray

Professional model - For developing

Size in mm
240 x 300
300 x 400

Reference
AR 234
AR 236

Plastic tweezers for films and circuits

Reference
AR 224

DEVELOPING & STRIPPING

Positive developer

For pre-sensitised positives.

Bag for 1 L
1 L ready for use
jerry can 5 L
jerry can 5 L

Reference
AR 45
AR 46
AR 60
AR 26

For development in antifoam machines.

Positive stripper

For use in antifoam machines.

Bag for 1 L
1 L ready for use
jerry can 5 L
jerry can 5 L

AR 61
AR 62
AR 63
AR 122

PHOTOSENSITIVE RESIN

For the production of 40 square m with 1 litre.
Resolution appr. 2 microns. Can be applied by rolling, dipping or alcaic developing.
Blue colored, exposure with UV 365 NM, acid resistant.
Can be etched, chemical removed, used for stencils, or glass etching.

Model
Resin
Solvent

Conditioning
1 L
1 L

Reference
AR 58
AR 580



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [cif manufacturer](#):

Other Similar products are found below :

[AJB58](#) [V900130](#) [AL441](#) [DU68.10](#) [AAC20](#) [AD20](#) [V900131](#) [V900132](#) [AN10](#) [DU64.10](#) [V900121](#) [ABC16](#) [AAC16](#) [DU80](#) [DU67](#) [AEB16](#)
[AB15](#) [AR224](#) [DW101010](#) [AEB20](#) [AGP20](#) [AJP20](#) [AA20](#) [DU77](#) [DU71](#) [AJP58](#) [AGP30](#) [AA15](#) [ABB16](#) [DU66](#) [AGB30](#) [DU65.10](#) [ADB16](#)
[AR234](#) [AL435](#) [DU69](#) [AAT10](#) [DU85](#) [ADB20](#) [AR45](#) [AE20](#) [AAB16](#) [AB16](#) [AD16](#) [AJB22](#) [AJP22](#) [AGB10](#) [AR412](#) [AR21](#) [AJP16](#)