



# SFP Modules 100Base-FX LC



ETHERNET via fiber optic cables offers a multitude of advantages for industrial applications. High immunity to interference, electrical isolation, and long ranges are important parameters here.

Description			Item no.	Pack. unit
<b>SFP Module 2: 1310nm, 100Base-FX Multi-mode LC, 2 km</b>	Connector	Duplex LC,	<b>852-201/107-002</b>	<b>1</b>
	Wavelength	1310 nm,		
	Fiber type	Multi-mode 62.5/125 µm, 50/125 µm,		
	Maximum distances	2000 m,		
	Operating temperature	0 °C ... +60 °C,		
	Storage temperature	-20 °C ... +80 °C,		
	Dimensions (mm) W x H x D:	13.4 x 13.3 x 56.6;		
<b>SFP Module 30: 1310nm, 100Base-FX Single-mode LC, 30 km</b>	Laser	Class 1 acc. to EN 60825-1	<b>852-201/107-030</b>	<b>1</b>
	Connector	Duplex LC,		
	Wavelength	1310 nm,		
	Fiber type	Single-mode 9/125 µm,		
	Maximum distances	30000 m,		
	Operating temperature	0 °C ... +60 °C,		
	Storage temperature	-20 °C ... +80 °C,		
Dimensions (mm) W x H x D:	13.4 x 13.3 x 56.6;			
Laser	Class 1 acc. to EN 60825-1			

### Characteristics:

- Duplex LC optical connector
- Industry standard small form pluggable (SFP) package
- Compliant with Fast ETHERNET standard;
- Differential LVPECL inputs and outputs;
- Single 3.3V power supply;
- TTL signal detect indicator;
- Hot pluggable capability

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [wago manufacturer](#):*

Other Similar products are found below :

[750-460](#) [231-118/026-000](#) [231-303/026-000](#) [231-620/019-000](#) [257-403](#) [280-438](#) [280-831](#) [284-624](#) [210-111](#) [231-303/037-000](#) [231-446/001-000\\_NR](#) [232-216/026-000](#) [234-510](#) [264-726](#) [280-339](#) [0283-0671](#) [830-800/000-305](#) [750-512](#) [750-455](#) [51251782](#) [286-312](#) [713-1428/107-000](#) [731-138/048-000](#) [750-459](#) [750-517](#) [750-602](#) [793-3505](#) [826-172](#) [859-304](#) [280-335](#) [231-535/001-000](#) [2604-1105](#) [2604-1106](#) [2604-1504](#) [2606-1103/020-000](#) [2624-1103](#) [2626-3103/020-000](#) [821-104](#) [713-1107](#) [852-1411](#) [2106-1307](#) [2116-5307](#) [832-1205](#) [832-3604](#) [2009-110](#) [281-512/281-501](#) [286-336](#) [750-421](#) [750-838](#) [753-559](#)