




Features:

- Standard self locking range

Specifications:

Material : Nylon 66, 94V-2 recognised by UL. Heat-resisting, insulates well and not apt to age
 Operating temperature : -35°C to 85°C
 Colours : Natural (or white, standard colour)



Nylon Cable Ties – Standard Self Locking Range

Part Number Table

Description	Part Number
Cable Tie, 100 × 2.5 mm NAT 100 PK	CBBR6666
Cable Tie, 100 × 2.5 mm NAT 1000 PK	CBBR6667
Cable Tie, 140 × 2.5 mm NAT 100 PK	CBBR6670
Cable Tie, 140 × 3.5 mm NAT 100 PK	CBBR6672
Cable Tie, 150 × 6.3 mm NAT 100 PK	CBBR6674
Cable Tie, 180 × 4.5 mm NAT 1000 PK	CBBR6677
Cable Tie, 200 × 2.5 mm NAT 100 PK	CBBR6678
Cable Tie, 200 × 2.5 mm NAT 1000 PK	CBBR6679
Cable Tie, 200 × 3.5 mm NAT 100 PK	CBBR6681
Cable Tie, 200 × 3.5 mm NAT 1000 PK	CBBR6682
Cable Tie, 200 × 4.5 mm NAT 100 PK	CBBR6683
Cable Tie, 200 × 4.5 mm NAT 1000 PK	CBBR6684
Cable Tie, 250 × 6.8 mm NAT 100 PK	CBBR6685
Cable Tie, 300 × 3.5 mm NAT 100 PK	CBBR6686
Cable Tie, 300 × 3.5 mm NAT 1000 PK	CBBR6687
Cable Tie, 300 × 4.5 mm NAT 100 PK	CBBR6688

Description	Part Number
Cable Tie, 300 × 4.5 mm NAT 1000 PK	CBBR6689
Cable Tie, 370 × 3.5 mm NAT 100 PK	CBBR6690
Cable Tie, 370 × 4.7 mm NAT 100 PK	CBBR6692
Cable Tie, 370 × 4.7 mm NAT 1000 PK	CBBR6693
Cable Tie, 370 × 7.5 mm NAT 100 PK	CBBR6694
Cable Tie, 400 × 4.7 mm NAT 100 PK	CBBR6695
Cable Tie, 500 × 4.7 mm NAT 100 PK	CBBR6696
Cable Tie, 100 × 2.5 mm BLK 100 PK	CBBR6697
Cable Tie, 120 × 4.5 mm BLK 100 PK	CBBR6699
Cable Tie, 120 × 4.5 mm BLK 1000 PK	CBBR7241
Cable Tie, 140 × 2.5 mm BLK 100 PK	CBBR7242
Cable Tie, 140 × 2.5 mm BLK 1000 PK	CBBR7243
Cable Tie, 140 × 3.5 mm BLK 100 PK	CBBR7244
Cable Tie, 140 × 3.5 mm BLK 1000 PK	CBBR7245
Cable Tie, 150 × 6.8 mm BLK 100 PK	CBBR7246
Cable Tie, 160 × 2.5 mm BLK 100 PK	CBBR7247

Nylon Cable Ties – Standard Self Locking Range

Part Number Table

Description	Part Number
Cable Tie, 180 × 4.5 mm BLK 100 PK	CBBR7248
Cable Tie, 180 × 4.5 mm BLK 1000 PK	CBBR7249
Cable Tie, 200 × 2.5 mm BLK 100 PK	CBBR7250
Cable Tie, 200 × 2.5 mm BLK 1000 PK	CBBR7251
Cable Tie, 200 × 6.8 mm BLK 100 PK	CBBR7252
Cable Tie, 200 × 3.5 mm BLK 100 PK	CBBR7253
Cable Tie, 200 × 4.5 mm BLK 100 PK	CBBR7255
Cable Tie, 200 × 4.5 mm BLK 1000 PK	CBBR7256
Cable Tie, 300 × 3.5 mm BLK 100 PK	CBBR7258
Cable Tie, 300 × 3.5 mm BLK 1000 PK	CBBR7259
Cable Tie, 300 × 4.5 mm BLK 100 PK	CBBR7260
Cable Tie, 300 × 4.5 mm BLK 1000 PK	CBBR7261
Cable Tie, 370 × 3.5 mm BLK 100 PK	CBBR7262
Cable Tie, 370 × 4.7 mm BLK 100 PK	CBBR7264
Cable Tie, 370 × 4.7 mm BLK 1000 PK	CBBR7265
Cable Tie, 370 × 7.5 mm BLK 100 PK	CBBR7266
Cable Tie, 400 × 4.7 mm BLK 100 PK	CBBR7267
Cable Tie, 500 × 4.7 mm BLK 100 PK	CBBR7268

Nylon Cable Ties - Standard Self Locking - Weather Resistant

Part Number Table

Description	Part Number
100 × 2.5 mm Weather Proof CBL Tie 100	CBBR7702
120 × 4.8 mm Weather Resistant CBL Ties 100 PKS	CBBR7703
142 × 2.5 mm Weather Resistant Cable Ties 100 PK	CBBR7704
142 × 3.2 mm Weather Resistant CBL Ties 100 PK	CBBR7705
165 × 2.5 mm Weather Resistant CBL Ties 100 PK	CBBR7706
160 × 4.8 mm Weather Resistant CBL Ties 100 PK	CBBR7707
203 × 2.5 mm Weather Resistant CBL Ties 100 PK	CBBR7708
203 × 3.6 mm Weather Resistant CBL Ties 100 PK	CBBR7709
203 × 4.6 mm Weather Proof Cable Ties 100 PKS	CBBR7710
292 × 3.6 mm Weather Resistant CBL Ties 100 PK	CBBR7711
300 × 4.8 mm Weather Proof Cable Ties 100 PKS	CBBR7712
370 × 3.6 mm Weather Proof Cable Ties 100 PKS	CBBR7713
370 × 4.8 mm Weather Resistant CBL Ties 100 PK	CBBR7714
380 × 7.6 mm Weather Resistant CBL Ties 100 PK	CBBR7715

Nylon Cable Ties - Releasable



Material : Nylon 66, 94V-2

Part Number Table

Description	Part Number
Releasable Cable Ties 120 mm × 7.6 mm Black 100 Pack	CBBR7722
Releasable Cable Ties 150 mm × 7.6 mm Black 100 Pack	CBBR7723
Releasable Cable Ties 200 mm × 8 mm Black 100 Pack	CBBR7724
Releasable Cable Ties 250 mm × 7.6 mm Black 100 Pack	CBBR7725
Releasable Cable Ties 300 mm × 8 mm Black 100 Pack	CBBR7726
Releasable Cable Ties 125 mm × 7.6 mm Natural 100 Pack	CBBR7727
Releasable Cable Ties 150 mm × 7.6 mm Natural 100 Pack	CBBR7728
Releasable Cable Ties 200 mm × 8 mm Natural 100 Pack	CBBR7729
Releasable Cable Ties 300 mm × 8 mm Natural 100 Pack	CBBR7731

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-POWER is the registered trademark of the Group. © Premier Farnell plc 2011.

X-ON Electronics

Authorized Distributor

Click to view similar products for [Wire Identification](#) category.

Click to view products by [Pro Power](#) manufacturer.

Other Similar products are found below :

[N100X125C2C](#) [S075X150VAC](#) [PCLCP300AZ](#) [PCA18R](#) [H200X044H2T](#) [H200X034F1T](#)
[H100X084F2T](#) [H100X044F13](#) [H100X025H1T2](#) [H100X025F1TB](#) [11631010](#) [PT2SBLK](#)
[PT2SARW](#) [PPM15](#) [PMDR4049](#) [D10273000](#) [RT250R9X2](#) [SBPTFE9NATURAL](#)
[RO2011401WH](#) [WMAPK](#) [SPC35207](#) [SPC35245](#) [STDX](#) [MW16BLACK10PCPKS](#)
[LHS124TW0](#)