

9

GENERAL TOOLING

DIAGONAL AND END CUTTERS

DIAGONAL CUTTERS

▼ 192 "PIANO WIRE" CUTTERS

- ▷ ISO 5749, DIN ISO 5749, NF E 73-105
- High-frequency hardened cutting edges ensure durable cut quality for hard wire up to 200 kg/mm².
- Offset pivot for reduced cutting effort.
- 4 options:
 - CPE: Chrome finish, ergonomic grips with return spring.
 - TE: Varnish finish, ergonomic grips with return spring.
 - G: Varnish finish, PVC grips.
 - VE: Varnish finish, return spring, 1000V insulated grips for electrical safety to EN 60900 and for working on or near live components.



192.CPE



192.TE




192.G



192.VE





№	Ø max mm 200kg/m ²	A mm	B1 mm	B2 mm	C mm	L mm	ΔΔ g
192.14CPE	1,4	15,5	21,5	14	9,5	145	160
192.16CPE	1,6	18,0	24,0	15	10,0	160	200
192.18CPE	1,8	20,0	26,0	18	11,0	180	260
192.20CPE	2,0	22,0	28,0	22	11,5	200	320
192.14TE	1,4	15,5	21,5	14	9,5	145	160
192.16TE	1,6	18,0	24,0	15	10,0	160	200
192.18TE	1,8	20,0	26,0	18	11,0	180	260
192.20TE	2,0	22,0	28,0	22	11,5	200	320
192.14G	1,4	15,5	21,5	14	9,5	140	130
192.16G	1,6	18,0	24,0	15	10,0	160	170
192.18G	1,8	20,0	26,0	18	11,0	180	230
192.20G	2,0	22,0	28,0	22	11,5	200	290
192.14VE	1,4	15,5	21,5	14	9,5	145	160
192.16VE	1,6	18,0	24,0	15	10,0	160	200
192.18VE	1,8	20,0	26,0	18	11,0	180	260



▼ "COMPACT" DIAGONAL CUTTERS

405.15

- ▷ ISO 5749, DIN ISO 5749, NF E 73-105
- Capacity:
 - hard wire 160 kg/mm², Ø 1.6 mm.
 - semi-hard wire 100 kg/mm², Ø 1.8 mm.
- Varnished burnish finish, red PVC grips.
- ΔΔ: 195 g.



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [facom](#) manufacturer:

Other Similar products are found below :

[92A.5,5](#) [ARB.5.5X40](#) [AMR](#) [ANXR10X75](#) [AEF.J6](#) [AEF.J1](#) [EH.107](#) [EH.103](#) [256.2.5](#) [MT.J3](#) [986058](#) [75.10](#) [84E.J1](#) [455B](#) [440.19](#) [44.6X7](#)
[440.6](#) [440.21](#) [R.306-25D](#) [R.217](#) [R.5](#) [J.13LA](#) [431.LE](#) [405.10](#) [425.E](#) [405.12E](#) [R.216](#) [601](#) [AEF.1,5X35](#) [AEFP.00X35](#) [AEX.J2](#) [AEX.9X75](#)
[AEX.7X35](#) [251A.2.5](#) [HB.2B](#) [440.20](#) [435.E](#) [432.LMT](#) [44.12X13](#) [440.5H](#) [440.22](#) [R.304DA](#) [427.MT](#) [416.PMT](#) [113A.6C](#) [113A.10C](#) [251A.3](#)
[89S.JP8](#) [AEF.1,8X35](#) [75.7](#)