

United Kingdom

LPH350

112-00401



These cable ties are "outside serrated", presenting a smooth surface to the cable bundle and avoiding any problems with damage to the insulation, the width of the ties gives a broad contact area with the cable, again minimising the risk of damage. The PE/RPE ranges have the benefit of EDF (French Electrivcity Board) approval. The "Low Profile" design of the head allows for use in applications with restricted space. The RP ties are releasable and reusable allowing for the addition or removal of cables after installation.

Designed primarily for use within the electrical supply industry these ties are particularly useful in areas with limited space, e.g.cable bundling in shafts and are particularly suitable for outdoor use as they are manufactured from "UV" resistant polyamides.

Base Data

Colour

Black (BK)

Package Content

100

Quantity per

Bag

Recommended Application Tool

MK6, MK9P, MK6PN, MK9, MK9HT, MK21

Logisitic and Packaging

EAN code

5016371006225

Material and Specifications

Flammability

UL94 V2

Material

Polyamide 6.6 (PA66)

Material Shortcut

PA66

Operating Temperature (Metric)

-40 °C to +85 °C Continuous, (+105 °C for 500 h)

Product Dimensions

Bundle Diameter max (Metric)

92

Bundle Diameter min (Metric)

25

Length L (Metric)

355

Minimum Tensile Strength (N)

480

Width W (Metric)

9

© HellermannTyton 2006

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Wire Identification category:

Click to view products by Hellermann manufacturer:

Other Similar products are found below:

CU6337-000 CU6342-000 FCA-410-12 11631010 1-1768037-1 1-1768037-2 1-1768050-0 PXLK-VI Q62184-1 A64304-000 QMT221 HK032WE1NF038B 1330-0519-10 1395199-1 1395200-1 1395202-1 DMVF050WE-300S6 D-SCE-1K-2.4-50-4-CS7834 1538738-1 E90935-000 EC1238-000 EC1465-000 EC1855-000 EC1859-000 EC1863-000 EC5415-000 EC7277-000 EC7352-000 EC7603-000 EC7707-000 EC7735-000 EC7768-000 EC7828-000 EC7854-000 EC7952-000 EC8128-000 1768037-8 1768041-7 NC-127191-10-9 HS048WE2NF038B C03232-000 HTCM-SCE-14-4H-9 HTMS-3/16-9 HT-SCE-1/4-2.0-4 HT-SCE-3/16-2.0-4 HTTMS-1/2-1.50-9 HTTMS-CM-1/2-4H-9 HX-SCE-19.0-50-9 HX-SCE-6.4-50-4 C25254-000