


533 Maryville University Drive St. Louis, MO 63141 Telephone 1-800-383-7323 Internet: www.energizer.com

Engineering Data

AAA Alkaline 1.5V No Added Mercury or Cadmium

ENERGIZER NO. E92

Dimensions (mm)



Millimeters	Inches
0.10	0.004
0.80	0.031
3.80	0.15
9.50	0.374
10.50	0.413
42.35	1.667
42.85	1.687
43.30	1.705
44.50	1.752

Chemical System: Zinc-Manganese Dioxide (Zn/MnO₂)

Designation: ANSI-24A, IEC-LR03 Battery Voltage: 1.5 Volts

Average Weight: 11.5 grams (0.4 oz.)
Volume: 3.8cubic centimeters (0.2 cubic inch)


Average Service capacity (to 0.8 Volts / cell): 1250 mAh


(Rated Capacity at 25 mA continuous drain)


Cell: One No. 3-312 (size "AAA")

Jacket: Plastic Label Shelf Life: 7 years


Temperature Effects Typical Service to 0.8 Volts









ENERGIZER NO. E92




Typical Applications














Important Notice

This data sheet contains information specific to batteries manufactured at time of its publication. Please contact your Energizer representative for most current information. Contents herein do not constitute a warranty.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for energizer manufacturer:

Other Similar products are found below:

A544 1215F2X3 E11A B2 LR43 186 AC13 AC312 AC675 3LR12 603298 625302 625304 635706 637871 638006 639830 S9025

7638900426687 7638900414660 E92 MAX E91 MAX HARD CASE RECHARGEABLE HARD CASE PRO MULTI USE HCHD311

S9029 639826 603386 HARD CASE PROFF 4AA HARDCASE PRO HEADLIGHT 639618 RCLINM2WR S8865 S8707 S8100

7638900424478 7638900313130 626177 E300116200 639838 HARDCASE PRO WORK LIGHT 603305 E300280600 METAL LED 6AA

S8864 HDD32E MS2AALED ENERGIZER® 2-IN-1 LANTERN HANDHELD E300124200 E300171700 ENFFL81E E300112600