




◀ PAGE BACK ✕ CLOSE

Product Name **Multilayer Inductor for Ultra High**
Series **Frequency Range**
Type **MLK Series**
Part Number **1005 Type**
 MLK1005S6N8DT000

Product Lifecycle Stage PROD



Specification

Mounting Method Flag	Yes	
Processing	MULTI-LAYER	
Shape	SMD	
Size Code	1005	
Body Length(L)	Nom	1 m m
Body Breadth(W)	Nom	0.5 m m
Body Height(T)	Nom	0.5 m m
Rated Inductance	Nom	6.8 n H
Inductance Tolerance (Value)	Min	-0.5 n H
	Max	0.5 n H
Test Frequency of Inductance	Nom	100 M Hz
	Min	7
Q	Typ	9
	Nom	100 M Hz
Test Frequency of Q	Min	5.5 G Hz
	Typ	6.3 G Hz
DC Resistance	Max	0.35 Ohm
	Nom	0.18 Ohm
Rated Current	Max	400 m A
IDC1 (Inductance Change)	Max	400 m A
IDC2 (Temperature Rise)	Max	400 m A
Temperature Rise	Max	20 Cel
Terminal Material	Ag(100%)/Sn plating	
Polarity Marking	No	
Magnetic Shielding	No	
Soldering Method	Reflow,Iron Soldering	
Measuring Equipment(L, Q, Rdc)	L,Q:HP4291A+16193A, Rdc:YOKOGAWA TYPE7561	
Category Temperature Range	Min	-55 Cel
	Max	125 Cel
Storage Temperature Range	Min	-55 Cel

Summary/Applications/Feature

Summary	Small size High-Q RF coil for high frequency circuit of mobile application. Pb free and correspond to Pb free soldering.
Applications	Cellular,VCO module,PA module,Bluetooth,other high frequency circuit for mobile applications
Feature	Small size High-Q RF coil for high frequency circuit of mobile application. High Self Resonance Frequency (SRF). No polarity. Lead free, lead free soldering, and RoHS compliant

Packaging

Packing	Punched (Paper)Taping [180mm Reel]	
Minimum Package Qty	Nom	10000 Pcs
Minimum Order Qty	Nom	10000 Pcs

[Details](#)

	Max	125 Cel
Weight	Nom	0.001 g

◆ [**Caution**]

Specifications which provide more details for the proper and safe use of the described product are available upon request.

◆ [**Notice of Revision and Improve**]

All specifications are subject to change without notice.

[PAGE TOP](#) 

Copyright(c) 1996-2008 All rights reserved.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Fixed Inductors](#) category:

Click to view products by [TDK](#) manufacturer:

Other Similar products are found below :

[MLZ1608M6R8WTD25](#) [MLZ1608N6R8LT000](#) [MLZ1608N3R3LTD25](#) [MLZ1608N3R3LT000](#) [MLZ1608N150LT000](#)
[MLZ1608M150WTD25](#) [MLZ1608M3R3WTD25](#) [MLZ1608M3R3WT000](#) [MLZ1608M150WT000](#) [MLZ1608A1R5WT000](#)
[MLZ1608N1R5LT000](#) [B82432C1333K000](#) [PCMB053T-1R0MS](#) [PCMB053T-1R5MS](#) [PCMB104T-1R5MS](#) [CR32NP-100KC](#) [CR32NP-151KC](#) [CR32NP-180KC](#) [CR32NP-181KC](#) [CR32NP-1R5MC](#) [CR32NP-390KC](#) [CR32NP-3R9MC](#) [CR32NP-680KC](#) [CR32NP-820KC](#)
[CR32NP-8R2MC](#) [CR43NP-390KC](#) [CR43NP-560KC](#) [CR43NP-680KC](#) [CR54NP-181KC](#) [CR54NP-470LC](#) [CR54NP-820KC](#) [CR54NP-8R5MC](#)
[MGDQ4-00004-P](#) [MGDU1-00016-P](#) [MHL1ECTTP18NJ](#) [MHL1JCTTD12NJ](#) [PE-51506NL](#) [PE-53601NL](#) [PE-53630NL](#) [PE-53824SNLT](#) [PE-62892NL](#) [PE-92100NL](#) [PG0434.801NLT](#) [PG0936.113NLT](#) [PM06-2N7](#) [PM06-39NJ](#) [HC2LP-R47-R](#) [HC2-R47-R](#) [HC3-2R2-R](#) [HC8-1R2-R](#)