LCR :: :

MKP/HR - POLYPROPYLENE


These capacitors are particularly suitable for telephone equipment where low loss, excellent stability and high reliability are required.

The 'high-rise' shape facilitates high packing density.

They are metallised polypropylene capacitors sealed into a case with epoxy resin, both materials being flame retardant and resistant to cleaning fluids.

CHARACTERISTICS	
Capacitance :	8,201 - 120,000 pF
Capacitance Tolerance :	± 1%, 2%, 5%
Voltage * :	63 V.D.C.
Insulation Resistance (at 23°C) :	> 50,000 MΩ
Loss Factor (1KHz):	0.0005
Temperature Coefficient :	- 160 ± 60 p.p.m./°C
Climatic Category:	40/085/56





DIMENSIONS :

A - 7.5mm C - 5.08mm

H - 13mm max including stand offs.

TERMINATIONS:

0.6mm diam, 4 ± 1mm long

Considerable detailed data is available on specific components, for example : -

Loss factor at 120 Hz, 1000 Hz, 10KHz, 100KHz and 1MHz.

Self resonant frequencies.

* Other voltages available. Details on request.

Sales Office Tel: (01495) 307070

Fax: (01495) 306965

LCR Capacitors

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Film Capacitors category:

Click to view products by LCR manufacturer:

Other Similar products are found below:

F339X134748MIP2T0 F450KG153J250ALH0J 750-1018 FKP1-1500160010P15 FKP1R031007D00JYSD FKP1R031507E00JYSD FKP1U024707E00KYSD 82DC4100CK60J 82EC1100DQ50K PFR5101J100J11L16.5TA18 PME261JB5220KR19T0 A451GK223M040A A561ED221M450A QXJ2E474KTPT QXL2B333KTPT R49AN347000A1K EEC2G505HQA406 B25668A6676A375 B25673A4282E140 BFC233868148 BFC2370GC222 C3B2AD44400B20K C4ASWBU3220A3EK CB027C0473J-- CB177I0184J-- CB182K0184J-- 23PW210 950CQW5H-F SBDC3470AA10J SCD105K122A3-22 2N3155 A571EH331M450A FKP1-2202KV5P15 FKS3-680040010P10 QXL2E473KTPT 445450-1 B25669A3996J375 46KI322000M1M 46KR415050M1K 4BSNBX4100ZBFJ MKP383510063JKP2T0 MKPY2-.02230020P15 MKT 1813-368-015 4055292001 46KN410000N1K EEC2E106HQA405 EEC2G205HQA402 EEC2G805HQA415 P409CP224M250AH470 82EC2150DQ50K