

Category 5e Connection Boxes



Category 5e Connection Boxes (F78WhB+F78BkB)

Features:


- Full compliance with Category 5e standard requirements for a consolidation point
- Quick release lid
- Robust outer casing
- Patented cable retention clip
- Supplied with fixing screws and adhesive pad for optional mounting
- IDC's - industry standard 'Krone LSA+' type

Specifications:

DIMENSIONS (mm): 55 x 35 x 24.5 approx

MATERIALS

- Outer casing: ABS
- Contacts: Nickel over copper
- PCB: FR4
- Colour: Black or White



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [tuk](#) manufacturer:

Other Similar products are found below :

[SP0.5BL](#) [FJKPT](#) [SKMCBKDPM](#) [PXCAT6S8XL2](#) [KRCAWHBKDPM](#) [SP3RD](#) [SP5RD](#) [OT45BK](#) [SP5YW](#) [SKFYW](#) [SP10GY](#) [TSY](#)
[PXSPDY6S#100](#) [PSPDY5#100](#) [PSDL-6#20](#) [WJOL](#) [F78BKB](#) [FACK2BKDPM](#) [FJP2](#) [SKFBKDPM](#) [SPDL5BK](#) [SP10BK](#) [SKH1LJ](#)
[PXSPDY5#10](#) [PSDL-5#100](#) [WJSG](#) [FJ445](#) [SP2GN](#) [SP10GN](#) [SGKSSUPM](#) [SLJBKDPM](#) [SP10RD](#) [SILS](#) [SP5GN](#) [SGPZ10BK](#) [MGOP6](#)
[PXSPDY6#10](#) [TRCSPDY3](#) [SKH4](#) [SGKSSU-45WH](#) [SP10BL](#) [SGPZ3BK](#) [ADF](#) [CPR2](#) [SEKEI-45WH](#) [SGKH2](#) [TRCSPDYBP](#) [SP10YW](#)
[KPJ2BK](#) [KH2](#)