


TINA-TAPE lenses for CREE XP-E LEDs



- Designed & optimized for Cree's XP-E series of LEDs
- Lens material optical grade PMMA with high UV and temperature resistance (130°C/220°F). Allows use of high current and temperature conditions
- Best available optical efficiency, over 90%, with an extremely good cutoff of light
- Fastening to heat sink with a PU foam adhesive tape of automotive grade (included)
- Compact dimensions 16.1 x 10.1 mm.

LENS TYPES


NAME	ORDERING CODE	FWHM Angle
TINA-XP REAL SPOT	FA10887_Tina-XP-RS	±5.5
TINA-XP DIFFUSER	FA10644_Tina-XP-D	±6.5°
TINA-XP MEDIUM	FA10645_Tina-XP-M	±15°
TINA-XP WIDE	FA10838_Tina-XP-W	±20°
TINA-XP OVAL	FA11200_Tina-XP-O	±17°x ±7°

© Ledil Oy – PRELIMINARY - Subject to change without prior notice

MEASUREMENTS


TINA-XP-RS

Relative Intensity of FA10887-Tina-XP-RS



TINA-XP-D


Relative Intensity of Tina-XP-D




© Ledil Oy – PRELIMINARY - Subject to change without prior notice

TINA-XP-M

Relative Intensity of Tina-XP-M




Relative Intensity of FA10838_Tina-XP-W




© Ledil Oy – PRELIMINARY - Subject to change without prior notice

Relative Intensity of FA11200_Tina-XP-O



© Ledil Oy – PRELIMINARY - Subject to change without prior notice

DRAWINGS



© Ledil Oy – PRELIMINARY - Subject to change without prior notice

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [LED Lenses](#) category:

Click to view products by [Ledil](#) manufacturer:

Other Similar products are found below :

[131A-303G](#) [131A-304R](#) [139A-403R](#) [139A-403A](#) [160A-604R](#) [160A-604Y](#) [SMB_200_GTP](#) [SMQ_250_ATP](#) [SMS_172_RTP](#) [SQB_400_ATP](#)
[SSN-LX13049L-CD](#) [SSN-LX18754A](#) [SSN-LX18754C](#) [2817](#) [CLR_301_YTP](#) [CMC_313_ATP](#) [3121](#) [3124](#) [3125](#) [39-30-W03](#) [4623](#) [4745](#)
[4747](#) [3111](#) [3114](#) [3115](#) [3121](#) [3122](#) [3124](#) [3125](#) [4327](#) [4743](#) [4745](#) [4752](#) [4757](#) [SSN-LX690L1-C](#) [SQL_360_YTP](#) [SMQ_250_BTP](#) [3114](#) [3113](#)
[CMS444CTP](#) [1125-227-000](#) [4317](#) [4347](#) [4741](#) [4316](#) [4343](#) [4345](#) [4345](#) [4346](#)