







TH026

2-3-5 Poli



Capacita' di connessione fino a 6[□]
Connection capability up to 6[□]



Morsettiera a bussola in ottone nichelato 3-5 poli con viti imperdibili M3 in acciaio zincato passivato.

Nickel plated brass insert terminal block 3-5 poles with M3 captive screws in zinc plated steel.

Dati tecnici - Technical data

4 [□]	32 A	450V ~	PTI175
PA 66	T125° C		
PPS	T200° C		

Materie prime - Raw materials

Materia plastica - Plastics

PA66 UL94 FV VO GWT 960°C

	Marrone - Brown	-20°C
		+125°C

PPS UL94 VO

	Nero - Black	+200°C
--	--------------	--------

Bussole- Insert

M3 Acciaio zincato passivato
Zinc plated steel

Ottone nichelato Nickel brass	Bussola STD STD insert	1	
	Bussola WP WP insert	2	

Norme - Standards

EN 60998-1:2004
EN 60998-2-1:2004



Codice - Part number

T H B . 0 2 6 . X X X

PA 66 FV VO 125 °C

5 poli poles



THB.026.A1A

THB.026.A2A

3 poli poles



THB.026.B1A

THB.026.B2A

2 poli poles



THB.026.C1A

THB.026.C2A

PPS VO 200 °C

5 poli poles



THB.026.A1B

THB.026.A2B

3 poli poles



THB.026.B1B

THB.026.B2B

2 poli poles



THB.026.C1B





THB.026.C2B




Kit di fornitura non assemblato THB
Unassembled kit THB

Kit di fornitura con versionamenti e confezionamenti speciali THK
Special custom packed version THK

THB.026.BXX
THB.026.CXX







THK.026.XXX




Kit di fornitura imbustati THR
Fare riferimento a catalogo THR
Retail packed kit THR
Please refer to THR Retail Catalogue


THR.026.SXX



VERSIONE A "3P"
"3P" VERSION



VERSIONE A "5P"
"5P" VERSION




X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Hylec manufacturer](#):

Other Similar products are found below :

[THB.387.D2A](#) [LN167001](#) [THB.391.A3A](#) [50.625 PA/3X7](#) [THB.406.A1G](#) [THB.387.A4A.R](#) [K150-1050-00](#) [K151-1025-00](#) [K151-1063-00](#)
[50.625 PA/R7035](#) [50.216 MPOT-F](#) [K150-1032-00](#) [THB.382.A1A-KIT](#) [K341-1020-00](#) [50.616M/EMVDL-F](#) [GHG9601955R0004](#) [K160-1016-00](#) [K160-1050-00](#) [K150-1040-00](#) [HYKS-07612PP](#) [THB110A6B-F](#) [K151-1032-00](#) [THB.380.3ASSY](#) [THB.384.B1A](#) [50.216 ES](#)
[THK.404.X2A00-F](#) [TTK25BK-SD-F](#) [THB.405.B2A](#) [THB.405.A2B](#) [K160-1063-00](#) [THB.390.C1A](#) [THB.405.A2A](#) [1026010004-F](#) [50.625 ES](#)
[THB.405.A2G](#) [THA.209.A1A](#) [THB.387.D4A](#) [THB.387.C5A](#) [K160-1025-00](#) [50.625 M/EMVDL-F](#) [K160-1040-00](#) [THC.027.A1A](#)
[GHG9601955R0022](#) [THB.387.D5A](#) [K150-1020-00](#) [6000337BC](#) [THB.384.A1A](#) [THK.209.44](#) [5665/221](#) [THB.387.A4A](#)