5/21/12 Extrusion Profiles




Back to search results

61565

This part is in stock!		
Inventory Snapshot:	10880 feet*	
*Material in stock maybe	allocated to other orders and is s	ubject to prior sales
OEM Pricing*		
8 feet: \$93.75 per foot	32 feet: \$23.44 per foot	56 feet: \$13.39 per foot
*For larger quanities, pleas	se contact our sales department	·

		Part Number	Thermal Resistance °C/W at 3in length*	Width in	Height in	Surface Area in ² /in	Weight lb/ft	Part Class			
	Ц	_	4	61565	40.45	0.25	0.19	1.7	0.10	Α	

^{*}Based on a 75°C rise in natural convection





Thermal Curves


based on 3.000 in length

New Length 3.000 • in • mm

Natural Convection







Forced Convection

Heat Sink Temperature Rise Above Ambient (10W Dissipated)

Power Dissipated (W)


Heat Sink Thermal Resistance

Power Dissipated (W)

Air Flow (m/s)						
	1.0	2.0	3.0	4.1	5.1	
280.0						

	1.0	2.0	3.0	4.1	5.1
28.00					

Air Flow (m/s)



Building a Part Number

Air Flow (LFM)

Full Bar Length = 8.00ft

Base Part#	Bar Length	Finish	Length (use zeros for full or half bars)	RoHS	
5 digit base part#	1 Full (normally 8-ft)	<u>F</u> Unfinished	00000	Compliant	
	2 Half (small cut fee)	<u>F</u> Unfinished	00000	NO "G" required	
	3 Custom (cut to specified length)	B Black Anodized U Unfinished* V AavSHIELD ³	length in inches to three decimal places**	Compliant Add "G"	
		C Gold Chromate		Not Compliant	

Air Flow (LFM)

	_	_		_
61565	3	U	06500	G

^{*}For unfinished extrusions with cut lengths other than half bar, the finish designation is a U.

Examples:

If you wanted to simply order extrusion # 61565 in standard bar form, the part number would be: 615651F00000. The unit price would be sold by the foot.

If you wanted extrusion 61565 cut to a length of 6.500" and black anodized, the part number would be: 615653B06500G. The unit price would be by the piece.

If you wanted extrusion 61565 cut to a length of 14.725" and a wash finish, the part number would be: 615653U14725G. The unit price would be by the piece.

If you wanted extrusion 61565 cut to a length of 14.725" and Gold Chromate finish, the part number would be: 615653C14725. The unit price would be by the piece.

Standard Aavid Thermalloy parts require all 12-13 positions to be complete.

^{**}If the part is less than 10 inches, the first of these 5 digits (digit 7 of the 13 digit series) would be a zero (0).

5/21/12 Extrusion Profiles

Non-Standard Extrusions

Aavid Thermalloy has over 10,000 extrusion profile designs on file, most with the extrusion die already available. These parts have minimum order requirements and longer lead times, but may be cost effective compared to a new design.

Customizing & Advanced Capabilities

We offer several options for those applications which require a more unique solution. Challenge us with your thermal requirements - we can design custom solutions.

©2012 Aavid Thermalloy, LLC

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for aavid manufacturer:

Other Similar products are found below:

4005G 097995X 593101B03600G 0S509-140-U 6W-1 097987X 098047EB 358890 2207/PR11B-2ASSYG 780153U04600G
622852F00000G THM6070B 782452F00000G 520329A00000G 241404B91200G318382 025069A 098067H 7023B 320105B00000G
623352F00000G 607602F00000G 098046G 097990R 358891 654452F00000G 780252F00000G SoftFlex-B016-20-01-4000-2000 BS59550-B 358894 683601F00000 7138DG 4953G 647061 SW38-4 THM6025B 603402F00000G 783452F00000G 780802F00000G 014379X
416301U00000G 101800F00000G 568103B00000G 1130BG 416601U00000G 783502F00000G 780652F00000G 780302F00000G 5901G