
FFL Series: Frame & Fingered Lid



Specification

Material: Bright Mild Steel

BS EN 10130 DC01

Frames: 20swg (0.914mm)

Lids: 24swg (0.559mm)

Finish:

Bright Acid Tin: Good Commercial Grade

Surface resistivity: $20 \times 10^{-6} \Omega$ per square

Conductivity: $5 \times 10^4 \text{S (mho)}$

Tolerance: +/_ 0.25mm (general)

Open frame EMI/RFI housings with removeable lids in both standard and custom versions specifically designed for total board screening with excellent attenuation and access to both sides of the PCB.


- Removable Fingered Lids giving easy access and excellent attenuation
- Lid Fingering Clearance selective fingers can be omitted for clearance around components mounted through the frame wall
- PCB Locations (optional) lancings or brackets can be specified to act as guides or supports (see back Page)
- Internal Dividers (optional) for discrete screening within the frame (see page 7)
- Custom Sizes

 can be manufactured without tooling charges making prototypes and low volumes viable
- Additional Features
 holes, brackets, cut outs, lid captivation, etc., can be incorporated during manufacture (see back page)
- Alternative Materials/Finishes copper, brass, tinplate, nickel, nickel plate

STOCK SIZES - Internal & overall dimensions (mm)

Part No.	Dimension A	Dimension B	Dimension C	Nominal overall size including lids
FFL6⊤	20	20	10	25 x 25 x 12
FFL7⊤	30	30	15	35 x 35 x 17
FFL1⊤	50	50	15	55 x 55 x 17
FFL5 T	75	50	15	80 x 55 x 17
FFL8⊤	75	50	25	80 x 55 x 27
FFL9 T	75	75	25	80 x 80 x 27
FFL2⊤	100	50	25	105 x 55 x 27
FFL10⊤	125	75	25	130 x 80 x 27
FFL3⊤	160	100	35	165 x 105 x 37
FFL4 T	220	100	50	225 x 105 x 52

NOTE: A4 dimensioned drawings for each part are available on request.



PERANCEA LTD

Telephone: 020-8365 2520 Email: sales@perancea.com
Fax: 020-8365 3727 Page 4 Website: www.perancea.com

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for perancea manufacturer:

Other Similar products are found below:

FFL4T FFL3T FFL2T SS232/20-5PK PCMC1 PCMC8 CFL2T 01BBN08 PFL2T 01CBP76 01CBP41 01BBN11