


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANCON.



NOTES:

- \* 1. SEE CURRENT PRICE SHEET FOR PART NUMBER SUFFIX DESIGNATION FOR PACKAGE SIZE
- 2. POST MATERIAL: BRASS ALLOY; BRIGHT ACID TIN OVER NICKEL PLATING
- 3. WAFER MATERIAL: THERMOPLASTIC, U.L. 94V-O
- 4. ALL DIMENSIONS SHOWN IN INCHES & (MILLIMETERS)

U.L. RECOGNIZED: FILE #E73711



					 www.pancon.de / GERMANY www.panconconnectors.com / USA					Bolingbrook, Illinois									
										MAS-CON <sup>®</sup> , .100" FLAT HEADER WITH STRAIGHT PINS									
										UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: (.X) ± (.XXX) ± .005 [ .1 ] (.XX) ± .02 [ .5 ] ANGLES ±					UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES. THIRD ANGLE PROJECTION. SCALE 2 : 1				
					DRAWN BY MAT'L LE					DATE 9-11-91									
					SEE NOTES 2 & 3					DRAWING NO. KA-10217									
					CHK'D TOG					SHT 1 OF 2									
REV	DATE	BY	CHK	DESCRIPTION	CN - R	CUST	SUP						A						
11	6/23/10	SHC		ADDED PDNI PLATING ALTERNATIVE									SIZE						

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANCON.

* PART NUMBER	No. OF CIRCUITS	DIM "A" IN. [ MM ]	WT./100 PCS. LBS. [GRAMS]
MFSS100-2	2	.20 [5.1]	.03 [13.6]
MFSS100-3	3	.30 [7.6]	.04 [20.4]
MFSS100-4	4	.40 [10.2]	.06 [27.2]
MFSS100-5	5	.50 [12.7]	.07 [34.0]
MFSS100-6	6	.60 [15.2]	.09 [40.8]
MFSS100-7	7	.70 [17.8]	.10 [47.6]
MFSS100-8	8	.80 [20.3]	.12 [54.4]
MFSS100-9	9	.90 [22.9]	.13 [61.2]
MFSS100-10	10	1.00 [25.4]	.15 [68.0]
MFSS100-11	11	1.10 [27.9]	.16 [74.8]
MFSS100-12	12	1.20 [30.5]	.18 [81.6]
MFSS100-13	13	1.30 [33.0]	.20 [88.4]
MFSS100-14	14	1.40 [35.6]	.21 [95.2]
MFSS100-15	15	1.50 [38.1]	.22 [102.0]
MFSS100-16	16	1.60 [40.6]	.24 [108.8]
MFSS100-17	17	1.70 [43.2]	.25 [115.6]
MFSS100-18	18	1.80 [45.7]	.27 [122.4]
MFSS100-19	19	1.90 [48.8]	.28 [129.2]

* PART NUMBER	No. OF CIRCUITS	DIM "A" IN. [ MM ]	WT./100 PCS. LBS. [GRAMS]
MFSS100-20	20	2.00 [50.8]	.30 [136.0]
MFSS100-21	21	2.10 [53.3]	.31 [142.8]
MFSS100-22	22	2.20 [55.9]	.33 [149.6]
MFSS100-23	23	2.30 [58.4]	.34 [156.4]
MFSS100-24	24	2.40 [61.0]	.36 [163.2]
MFSS100-25	25	2.50 [63.5]	.37 [170.0]
MFSS100-26	26	2.60 [66.0]	.39 [176.8]
MFSS100-27	27	2.70 [68.6]	.40 [183.6]
MFSS100-28	28	2.80 [71.1]	.42 [190.4]
MFSS100-29	29	2.90 [73.7]	.43 [197.2]
MFSS100-30	30	3.00 [76.2]	.45 [204.0]
MFSS100-31	31	3.10 [78.7]	.46 [210.8]
MFSS100-32	32	3.20 [81.3]	.48 [217.6]
MFSS100-33	33	3.30 [83.8]	.49 [224.4]
MFSS100-34	34	3.40 [86.4]	.51 [231.2]
MFSS100-35	35	3.50 [88.9]	.52 [238.0]
MFSS100-36	36	3.60 [91.4]	.54 [244.8]


\* SEE NOTE #1

### MFSS100-XX-XX

CIRCUIT SIZE  
02 TRHU 36

BLANK = 200m" Sn  
B = 15m" AU OR  
AU FLASH OVER 12m" PDNI

PACK CODE  
SEE PRICE SHEET

										 <p>PANCON CONNECTORS www.pancon.de / GERMANY www.panconconnectors.com / USA</p>		Bolingbrook, Illinois	
										<b>MAS-CON<sup>®</sup>, .100" FLAT HEADER WITH STRAIGHT PINS</b>			
										UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: (.X) ± .02 [ .5 ] (.XX) ± .01 [ .25 ] (.XXX) ± .005 [ .125 ] ANGLES ±		UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES. THIRD ANGLE PROJECTION. SCALE <b>2 : 1</b>	
										DRAWN BY <b>LE</b>		MATERIAL	
										DATE <b>9-11-91</b>		SEE NOTES 2 & 3	
										CHK'D <b>TOG</b>		DRAWING NO. <b>KA-10217</b>	
										DWG. NO. <b>SHT 2 OF 2</b>		<b>A</b> SIZE	
11										SEE SHEET 1			
REV	DATE	BY	CHK	DESCRIPTION				CN - R	CUST	SUP			

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [AC Power Entry Modules](#) category:*

*Click to view products by [Pancon](#) manufacturer:*

Other Similar products are found below :

[0098.0050](#) [6-1609987-9](#) [6167.0002](#) [7-6609955-2](#) [FN389-4-22](#) [FN9233ER-12-06](#) [FN9233S1-10-06](#) [FN9233S1-8-06](#) [FN9233S1B-8-06](#)  
[FN9233S1R-1-06](#) [FN9233S1R-12-06](#) [FN9233SB-1-06](#) [FN9233SB-12-06](#) [FN9233SB-8-06](#) [FN9233SR-10-06](#) [FN9233SR-3-06](#) [FN9244B-15-06](#)  
[HI](#) [FN9244EB-3-06](#) [FN9244EB-8-06](#) [FN9244ER-15-06](#) [FN9244ER-8-06](#) [FN9244ES1-8-06](#) [FN9244ESB-8-06](#) [FN9244EU-6-06](#)  
[FN9244R-12-06](#) [FN9244R-3-07](#) [FN9244R-8-06](#) [FN9244S1-10-06](#) [FN9244S1-12-06](#) [FN9244S1-3-06](#) [FN9244S1B-6-06](#) [FN9244S1R-3-06](#)  
[FN9244S-6-06](#) [FN9244SB-10-06](#) [FN9244SB-6-06](#) [FN9244SB-8-06](#) [FN9244SR-10-06](#) [FN9244SR-6-06](#) [FN9244U-3-06](#) [FN9244U-8-06](#)  
[FN9260A-6-06](#) [PE00SSSXB](#) [Fuse-H-EUR-1](#) [Fuse-H-USA-1](#) [PM00XD000](#) [PS0SSDBX0](#) [PS0SXSH3B](#) [A-0701-HT-H](#) [RAPC3FG](#) [15EJMS8](#)