



## Eprom Erasers

### General Information

The ME series of professional eeprom erasers is designed to cover a wide range of applications from small development departments to volume production environments. Each model is a robust table top design constructed to operate consistently and reliably over a long life.

All units incorporate advanced features to ensure dependable erasure and operator safety. A safety interlock prevents any UV leakage and the filtering action of the quartz glass tube minimises ozone separation.

Panel indicators show the erasing cycle or if any lamp has failed to operate. Timers are included in all except the lowest cost unit and all models accept on board erasing.

The UV wavelength of 253.7nm at initial exposure levels of 4000uW/sq cm ensures complete erasure in typically 15 minutes or less but the light output reduces with use causing the time to increase. For more information on exposure time and how to replace UV lamps see "Operating Instructions".

All units are designed to operate from 230V 50Hz. At lower voltages, satisfactory operation is achieved with slightly extended exposure time proportional to the voltage reduction.

### Product Range

#### ME5

Capacity:	5 eeproms 28-40 pin
UV Intensity:	4000uW/sqcm
Board area:	150 x 60 x 20mm
Timer:	60 min.
Indicators:	Erase only
Weight:	2kg
Dimensions:	190w x 165d x 95h mm

## ME5E

Capacity:	5 eproms 28-40 pin
UV Intensity:	4000uW/sqcm
Board area:	150 x 60 x 20mm
Timer:	not fitted
Indicators:	Erase only
Weight:	2kg
Dimensions:	190w x 165d x 95h mm

### Standard Features

Erase Indicator  
Safety Interlock  
On Board Erasing  
Anti-static Foam  
IEC Input Connector  
Moulded mains lead not supplied unless specified

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [lawtronics](#) manufacturer:*

Other Similar products are found below :

[G4T5](#)