



Color shown is a representation and may vary

Maintenance:

To keep mats clean and avoid insulative electrical readings, use a neutral cleaner such as the 6001 Mat and Table Top Cleaner. The low alcohol, high surfactant formula will allow deep cleaning without damaging the structural integrity of the SpecMat-H material.

SpecMat-H roll

62100 light blue 24" x 40' 62300 light blue 30" x 40' 62500 light blue 36" x40'



SpecMat-H cut mats are available in various sizes. Each mat includes two 10mm female ground snaps. Ground cords sold separately.

The components used to manufacture this product, including smoke and flame inhibitors, are RoHS compliant and are not listed on the REACH SVHC list.

Rolls and cut mats are made in the U.S.A. and can be shipped under NAFTA rules.

SpecMat-H

Static Dissipative Homogeneous Material

The SpecMat-H homogeneous material is a single-layer, ESD-safe thermoplastic vinyl made for bench tops. Without adding cost, the extruded manufacturing process used to produce this high-performance vinyl utilizes superior plasticizers and lower-outgassing solvents, unlike ESD vinyl made by cast coating.

The proprietary polymers used to manufacture this material are homogeneously dispersed with a migratory anti-static formula that allows for both surface and volume resistance. By design, anti-static properties cannot be worn away through wear or outgassing.

Resistant to solder, heat, and most common solvents, SpecMat-H is an economical choice for static- sensitive production areas in electronics manufacturing and laboratories. Tray mats can be custom-cut with a sharp blade. Scraps can be recycled.

Blended with hydrophilic molecules to control the speed of dissipation, the ESD-Homogeneous material will deliver a typical resistance-to-ground measurement of 10⁸ -10⁹ ohms per ANSI/ESD S4.1. ESD-Homogeneous material complies with industry standards including EN 61340-5-1: Protection of Electronic Devices from Electrostatic Phenomena and ANSI ESD S20.20: Protection of Electrical and Electronic Parts, Assemblies and Equipment.

- 0.10" (2.54 mm) thickness
- 108 109 ohms, ohm per cm RTG, RTT, Vol R
- Can be custom-cut with sharp blade; scraps are recyclable
- Rembossed finish reduces light glare and parts slippage
- Durable surface withstands high temperatures, solder, flux, and harsh chemicals
- Low outgassing and VOC are ideal for controlled environments
- Passes weathering ozone resistance per ASTM D178-01
- Passes and exceeds minimum standards for NFPA fire and smoke safety
- B UV additives to protect color and eliminate fading

Warranty:

ACL Inc., offers an exclusive lifetime warranty on the electrical resistance (10⁸ – 10⁹ ohms) properties of the SpecMat-H table mats. If the electrical properties should fail (when tested to ANSI / ESD S20.20) on any of our table mats during the lifetime of the mat due to manufacturing or physical defects, we will replace the mat free of charge. This warranty does not apply to mats that are abused, improperly used, or cleaned with mat cleaners not tested and approved by ACL Inc.



840 W. 49th Place · Chicago, IL 60609 800.782.8420 · 847.981.9212 · fax 847.981.9278 info@aclstaticide.com · www.aclstaticide.com



ACL Inc. registered to ISO-9001: 2008 Certificate No. 10002746

For SpecMat-H .10" Thickness:

BULK roll manufacturer part numbers:

PRECUT SIZE manufacturer part numbers:

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for AntiStatic Control Products category:

Click to view products by ACL Staticide manufacturer:

Other Similar products are found below:

13505 13870 14404 20-053-0017 2229 2231 3039 37061 39792 42470 XON-ASB4X30 XON-ASB4X6 XON-ASB6X30 09813 09857

XON-ASB8X10 XON-ASB6X10 19695 09037 68101 68103 73741 13515 13869 13868 13485 13457 13245 13332 13205 13135 91070

8031 8523 13080 13215 157 ROLL BEIGE 1.0 VERAX1R-300R 17260 66051 12550 19863 09121 73831 13340 13338 04541 19696

16104 SPI-20686