

SRH2-C Panel mount or 35mm Din Rail (EN50022)




Characteristics


Ambient temperature	-40 to 70 °C
Rated voltage	300VAC
Rated current	15A (Per pole)
Insulation voltage	> 5KV
Protection degree	IP20
Socket material	Self-extinguishing-PA66+GF (V0)
Contacts spring material	QSn6.5-0.1
Hold down spring	Steel
Stew Torque	1.0Nm
Wire Strip length	7mm




Mounting dimension



Inter connection



Retainer dimension




SRN4-C Panel mount or 35mm Din Rail (EN50022)

Characteristics


Ambient temperature	-40 to 70 °C
Rated voltage	300VAC
Rated current	12A (Per pole)
Insulation voltage	> 5KV
Protection degree	IP20
Socket material	Self-extinguishing-PA66+GF (V0)
Contacts spring material	QSn6.5-0.1
Stew Torque	0.6Nm
Wire strip	7mm



Mounting dimension



Inter connection



SRR8 Panel mount or 35mm Din Rail (EN50022)




Characteristics


Ambient temperature	-40 to 70 °C
Rated voltage	300VAC
Rated current	15A (Per pole)
Insulation voltage	>5KV
Protection degree	IP20
Socket material	Self-extinguishing-PA66+GF (V0)
Contacts spring material	QSn6.5-0.1
Hold down spring	No
Stew Torque	0.6Nm
Wire Strip length	7mm



Mounting dimension



Inter connection




SRR11 Panel mount or 35mm Din Rail (EN50022)

Characteristics


Ambient temperature	-40 to 70 °C
Rated voltage	300VAC
Rated current	15A (Per pole)
Insulation voltage	>5KV
Protection degree	IP20
Socket material	Self-extinguishing-PA66+GF (V0)
Contacts spring material	QSn6.5-0.1
Hold down spring	No
Wire strip length	7mm



Mounting dimension



Inter connection



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for imo manufacturer:

Other Similar products are found below :

[20.155MV/12-E](#) [MC14N-S-10110AC](#) [MB09-S-10=24](#) [DPS-1-030-24](#) [SRF-1C-SL-12VDC](#) [MB09-S-1024](#) [LDC18RRS](#) [SFSYE0111](#)
[21.1500M/6-E](#) [20.3304M/2-E](#) [21.910M/5-E](#) [20.95MA/2-E](#) [21.95MHF/2-E](#) [PE69-4032](#) [DPS-1-060-24](#) [CS20A-A2](#) [CS20A-U1](#) [VFC02](#)
[MSSTC11DA06](#) [20.95MHF/3-E](#) [B3T10](#) [XKL-040-21](#) [20.3304M/4-E](#) [SRDH-1A-SL-24VDC](#) [20.2500M/5-E](#) [21.155MH/12](#) [SRRHN-2CN-](#)
[SL-12VDC](#) [20.920M/5-E](#) [MC10N-S-10110AC](#) [21.1550MF/8-E](#) [20.910M/6-E](#) [20.95MH/3-E](#) [21.95MV/3](#) [MA05-S-01230AC](#) [SRRHN-2CN-](#)
[SL-5VDC](#) [LB69-4040](#) [20.3001M/6](#) [21.1500M/3-E](#) [SFSYE0311](#) [21.95MHF/6-E](#) [20.95MV/2-E](#) [20.155MV/4-E](#) [20.155MH/4-E](#) [20.950M/2-E](#)
[MT5 1-50-FAR](#) [BS3P3REDO](#) [MB12-S-10=24](#) [MA05-S-1024DC](#) [20.155MVF/8-E](#) [20.2500MV/8-E](#)