

This document was generated on 09/10/2018

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0753417744

Status: Active

Overview: GbX Backplane Connector System

Description: GbX 4 Pair Backplane Connector System, Power Module, 8 Circuits, 1.27µm Gold (Au)

Documents:

3D Model RoHS Certificate of Compliance (PDF)

Drawing (PDF)

Agency Certification

UL E29179

General

Product Family Backplane Connectors

Series 75341
Application Backplane
Application Tooling Documents TM-622022099

Comments Blade Length A 7.50mm, B 7.50mm, C 4.50mm, D

4.50mm

Component Type Power Header

Overview <u>GbX Backplane Connector System</u>

Product Name GbX

UPC 822348536177

Physical

Circuits (Loaded) 8
Circuits (maximum) 8

Circuits Detail Rows A, B, C, & D

Color - Resin Gray Durability (mating cycles max) 200 First Mate / Last Break Yes Flammability 94V-0 Guide to Mating Part No Keying to Mating Part None Material - Plating Mating Gold Material - Plating Termination Tin-Lead

Material - Resin High Temperature Thermoplastic


Net Weight 2.175/g **Number of Columns** N/A **Number of Pairs** 4 Number of Rows Orientation Vertical PC Tail Length 2.40mm **PCB** Locator Yes **PCB** Retention Yes PCB Thickness - Recommended 1.60mm Packaging Type Tube

PCB Thickness - Recommended
Packaging Type
Tube
Pitch - Mating Interface
Pitch - Termination Interface
Plating min - Mating
Plating min - Termination
Polarized to PCB
Stackable
Surface Mount Compatible (SMC)

1.60mm
Tube
1.85mm
1.85mm
1.270µm
0.762µm
Yes

Temperature Range - Operating -55° to +105°C

Termination Interface: Style Through Hole - Compliant Pin



EU ELV

Not Relevant

EU RoHS China RoHS

Not Compliant REACH SVHC Not Contained Per -ED/61/2018 (27 June

2018)

Halogen-Free Status

Status Low-Halogen

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
Please visit the <u>Contact Us</u> section for any non-product compliance questions.

China ROHS 50 Image
ELV Not Relevant
Prop65 Duty-To-Declare

PropRisk Cancer

PropRisk Developmental toxicity
PropRisk Reproductive toxicity

PropSub Lead and its

compounds

RoHS Phthalates Not Contained

Search Parts in this Series

<u>75341</u> Series

Mates With

75292 GbX Daughtercard

Electrical

Current - Maximum per Contact 6.0A
Data Rate 8.0 Gbps

Real Signals (per 25mm) 0
Shielded No

Voltage - Maximum 120V AC (RMS)/DC

Material Info

Reference - Drawing Numbers

Sales Drawing SD-75341-001

This document was generated on 09/10/2018

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for High Speed/Modular Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

2332816-1 89006-1137LF 650827-1 65762-001LF 73474-201LF 74040-1346 74075-0267 88911-201LF 9514M0C20D 1410191-1 1410337-1 1410368-3 1410964-2 1410326-3 1410367-3 1410971-4 1467833-1 2000877-1 2000878-1 2041314-1 2065387-1 2187307-1 2187462-1 2226278-6 KA81-07 91290-101LF 1934290-1 2000875-1 2065917-1 2102736-2 FSR-40 2169868-2 2226279-2 22354-8 437-5040-000 5-1393565-0 532449-3 532803-2 34745-0001 0740618502 0760151403 0760551105 0760551608 0761451128 0761651124 0761655108 0761659807 0769853208 0736440217 0758324203