


## Plug-in unit in kit form for CompacPCI and VME64x applications



Illustration shows front panel  
6 U, 4 HP



Dimension 3 / 6 U

Part no.: 20848-597

### Features:

- Meets IEEE 1101.10 and IEC 60297-3-102 standards
- Codable to IEC 60297-3-103
- Front panel shielded, without offset
- Suitable for insertion and extraction forces up to 700 N (per pair)
- Designed for fitting of microswitches

Add to basket




### Technical information:

| Description    | Height | Width |
|----------------|--------|-------|
| Front assembly | 6 U    | 10 HP |

### Downloads:

3D PDF with CAD data (DWG/DXF/PDF/STEP) ([Log in](#) Required)  
 User manual, plug-in unit IEEE ([Log in](#) Required)  
 User Manual ([Log in](#) Required)



Product illustrations are exemplary illustrations and can deviate from supplied products.

User manual, coding IEEE ([Log in](#) Required)

To gain access to the additional information you must [Log in](#).  
If you do not yet have a user name, you may [Register here](#).

**Delivery comprises:** kit

| Item | Qty      | Description   |
|------|----------|---|
|      | 6<br>U   |   |
|      | ≥8<br>HP |   |
| 1    | 1        | U front profile, aluminium front: -anodised; -rear: -pickled  |
| 2    | 1        | EMC seal. Core: foam Sleeve: textile cladding with CuNi coating   |
| 3    | 2        | IEL handle with integrated alignment pin for perforated strip and guide rail Lever: plastic PC, light grey, RAL 7035 Key: plastic PC, black, RAL 9005 |
| 4    | -        | Printed board bracket, diecast zinc   |
| 5    | -        | Countersunk screw with cross recess, M 2,5 × 8, St nickel-plated  |
| 6    | 2        | Sleeve, PA, grey  |
| 7    | 4        | Collar screw with cross recess M 2,5 × 12,3, St, nickel-plated  |
| 8    | 2        | Countersunk screw with cross recess, M 2,5 × 6, St nickel-plated  |
| 9    | 2        | Washer A 2.7 DIN 125, St, nickel-plated   |
| 10   | 2        | Countersunk screw with cross recess, M 2,5 × 6, St nickel-plated  |

**Accessories:**

| <b>Part no.</b>  | <b>Description</b>   |                      |
|------------------|--|----------------------|
| <b>20817-606</b> | Microswitch for handles, CompactPCI/VME64x application<br>Qty: 10 pieces | <b>Add to basket</b> |

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [schroff](#) manufacturer:*

Other Similar products are found below :

[24566-125](#) [14575271](#) [14576145](#) [14575265](#) [20117-156](#) [20817772](#) [20827088](#) [20846211](#) [20860229](#) [21100777](#) [23130082](#) [24571331](#) [24571586](#)  
[24572066](#) [26230-374](#) [30825080](#) [20849021](#) [20860240](#) [23001021](#) [24560080](#) [24571303](#) [24572054](#) [24572056](#) [30219-113](#) [20848-410](#) [20838-125](#) [20860-605](#) [10225-602](#) [10225-623](#) [10828058](#) [13100103](#) [13100123](#) [28230-439-C](#) [24563-457](#) [24563-444](#) [20848-601](#) [21101-853](#) [24563-133](#) [24563-134](#) [24564-431](#) [24827-107](#) [24563-142](#) [24563-157](#) [24563-442](#) [A265HC-5.80EH](#) [24561-331](#) [10225640](#) [10225696](#) [16230005](#)  
[16230007](#)