

Add to basket



19" complete chassis from aluminium, plain top cover and base plate



h = clear height (overall) (H -8.1 mm) b = clear installation width = 403 mm



Features:

- Complete chassis from aluminium
- Detachable rear panel for easy machining
- EMC shielding of approx. 30 dB(A) at 1 GHz (without additonal shielding material)
- In accordance with standard IEC 60297-3-100, -101, -105
- 19" and ATX power supplies can be assembled in the 1 U case height up to a clearance of 35 mm



Technical information:

Description	Height	Height H	Depth T
Solid top cover and base plate	1 U	43.7 mm	280 mm

RoHS

Downloads:



To gain access to the additional information you must Log in. If you do not yet have a user name, you may Register here.

Delivery comprises: Kit

Item	Qty	Description
1	1	Front panel, Al extrusion, 3 mm; front anodised, rear etched
2	1	Rear panel, Al, 2 mm, etched
3	1	Base plate, plain, Al, 1 mm
4	1	Cover plate, plain, Al, 1 mm
5	2	Side panel, Al extrusion, raw; with grooves for threaded insert (2 \times 7)
6	1	Assembly kit

Accessories:

Part no.	Description	
	EMC gasketing kit	
20860-130		Add to basket

	Silicone/nickel gasket 2100 mm for contacting side panel/cover plate; Seal, stainless steel, for front panel/cover plate, 1 kit	
20860-256	Front handles incl. assembly kit for 1 U, Al extrusion, anodised, PU 2 pieces	Add to bask

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for schroff manufacturer:

Other Similar products are found below :

 24566-125
 14575271
 14576145
 14575265
 20117-156
 20817772
 20827088
 20846211
 20860229
 21100777
 23130082
 24571331
 24571586

 24572066
 26230-374
 30825080
 20849021
 20860240
 23001021
 24560080
 24571303
 24572056
 30219-113
 20848-410
 20838

 125
 20860-605
 10225-602
 10225-623
 10828058
 13100103
 13100123
 28230-439-C
 24563-457
 24563-444
 20848-601
 21101-853
 24563

 133
 24563-134
 24564-431
 24827-107
 24563-142
 24563-157
 24563-442
 A265HC-5.80EH
 24561-331
 10225640
 10225696
 16230005

 16230007
 16230007
 16230007
 16230007
 16230007
 16230007
 16230007
 16230007