


GN 50.1

Retaining magnets



technical informations

Specification

Disc shaped, without thread
Housing steel, zinc-plated

Materials of the magnet

- Hard ferrite HF, temperature resistant up to 200° C
- Samarium, cobalt SmCo SC, temperature resistant up to 200° C
- Neodymium, iron, boron NdFeB ND, temperature resistant up to 80° C

Features and applications

Retaining magnets GN 50.1 are a shielded magnetic system.

Fixed in place by gluing or side-mounted thrust bolt (e.g. GN 913.2 grub screw with pointed nose).

Standard Elements	Main dimensions		Nominal adhesive forces	Weight
Description	d	h	in N	g
GN 50.1-HF-10	10 _{+0.1/-0.1}	4.5 _{+0.2/-0.1}	4	2

GN 50.1-HF-13	13 _{+0.1/-0.1}	4.5 _{+0.2/-0.1}	10	3
GN 50.1-HF-16	16 _{+0.1/-0.1}	4.5 _{+0.2/-0.1}	18	5
GN 50.1-HF-20	20 _{+0.1/-0.1}	6 _{+0.2/-0.1}	30	10
GN 50.1-HF-25	25 _{+0.1/-0.1}	7 _{+0.3/-0.1}	40	18
GN 50.1-HF-32	32 _{+0.1/-0.1}	7 _{+0.3/-0.1}	80	29
GN 50.1-HF-40	40 _{+0.2/-0.1}	8 _{+0.4/-0.1}	125	55
GN 50.1-HF-50	50 _{+0.2/-0.1}	10 _{+0.5/-0.1}	220	102
GN 50.1-HF-63	63 _{+0.3/-0.1}	14 _{+0.5/-0.1}	350	226
GN 50.1-HF-80	80 _{+0.5/-0.1}	18 _{+0.5/-0.1}	600	468
GN 50.1-HF-100	100 _{+0.5/-0.1}	22 _{+0.5/-0.1}	900	915
GN 50.1-HF-125	125 _{+0.5/-0.1}	26 _{+0.5/-0.1}	1300	1680
GN 50.1-SC-6	6 _{+0.1/-0.1}	4.5 _{+0.1/-0.1}	5	1
GN 50.1-SC-8	8 _{+0.1/-0.1}	4.5 _{+0.1/-0.1}	11	2
GN 50.1-SC-10	10 _{+0.1/-0.1}	4.5 _{+0.1/-0.1}	20	3
GN 50.1-SC-13	13 _{+0.1/-0.1}	4.5 _{+0.1/-0.1}	40	4
GN 50.1-SC-16	16 _{+0.1/-0.1}	4.5 _{+0.1/-0.1}	60	7
GN 50.1-SC-20	20 _{+0.1/-0.1}	6 _{+0.1/-0.1}	90	14
GN 50.1-SC-25	25 _{+0.1/-0.1}	7 _{+0.2/-0.2}	150	26
GN 50.1-SC-32	32 _{+0.1/-0.1}	7 _{+0.2/-0.2}	220	42
GN 50.1-ND-6	6 _{+0.1/-0.1}	4.5 _{+0.1/-0.1}	5	1
GN 50.1-ND-8	8 _{+0.1/-0.1}	4.5 _{+0.1/-0.1}	13	2
GN 50.1-ND-10	10 _{+0.1/-0.1}	4.5 _{+0.1/-0.1}	25	2.5
GN 50.1-ND-13	13 _{+0.1/-0.1}	4.5 _{+0.1/-0.1}	60	4
GN 50.1-ND-16	16 _{+0.1/-0.1}	4.5 _{+0.1/-0.1}	95	6
GN 50.1-ND-20	20 _{+0.1/-0.1}	6 _{+0.1/-0.1}	140	14
GN 50.1-ND-25	25 _{+0.1/-0.1}	7 _{+0.2/-0.2}	200	25
GN 50.1-ND-32	32 _{+0.1/-0.1}	7 _{+0.2/-0.2}	350	41



STANDARD MACHINE ELEMENTS WORLDWIDE

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Industrial Hall Effect/Magnetic Sensors](#) category:

Click to view products by [Elesa & Ganter](#) manufacturer:

Other Similar products are found below :

[GT-13013](#) [GT-13040](#) [GT-14114](#) [GT-14123](#) [DRR-129\(62-68\)](#) [ATS682LSHTN-T](#) [SR4P2-C7](#) [GT-12076](#) [GT-13012](#) [GT-14049](#) [GT-14067](#) [GT-14132](#) [GT-18030](#) [103FW12-R3](#) [A1155LLHLT-T](#) [A1106EUA-T](#) [SMSA2P30CG](#) [P2D-000](#) [GN 55.2-SC-15-3](#) [GN 55.2-SC-5-3](#) [103FW41-R1](#) [KJR-D100AN-DNA-VE](#) [KJR-D100AN-DNIA-V2](#) [SR-10018](#) [ECC464558EU](#) [SC9641TS](#) [CS200BK](#) [QMC6308](#) [VSM025A/8mA](#) [M10-JB5020D](#) [M12-JB8002C](#) [M12-JB8002D](#) [M12-JK5002B](#) [M8-MJK](#) [M12-MJK](#) [MM18-70APS-ZCK](#) [103FW5-4](#) [ATS128LSETN-T](#) [TLE4906LHALA1](#) [TLE49452LHALA1](#) [MMA8452Q](#) [BU52013HFV-TR](#) [MRMS591A](#) [103SR14A-1](#) [MZT7-03VPS-KR0](#) [MZT7-03VPS-KW0](#) [MZT8-03VPS-KW0](#) [MZT8-28VPS-KP0](#) [MM12-60APO-ZUK](#) [A1326LLHLX-T](#)