

U.I. Lapp GmbH	<b>PRODUCT INFORMATION</b>	
	<b>SKINTOP® STR</b>	<b>12.09.2012</b>

High oil-resistance for maximum reliability  
 Permanent vibration protection  
 Optimum strain relief  
 Wide, variable clamping ranges  
 Various accessories (e.g. multiple sealing inserts)



### Application range

With reducing seal insert, to seal cables with smaller outer diameters.

### Design

PG connection thread

### Approvals (Norm references)

UL File Nr. E79903

### Note

Refer to SKINTOP® PG accessories for suitable accessories  
 Counter nut to be used: SKINTOP® GMP-GL

### Remark

Photographs are not to scale and do not represent detailed images of the respective products.



### Technical Data

Caution:	Refer to Appendix T21 for the installation dimensions and torques
Colour delivered:	Silver grey (RAL 7001) Light grey (RAL 7035) Black (RAL 9005), UV-resistant
Material:	Body: Polyamide Seal: CR
Tests:	GGVS: TÜ.EGG.020-95
Protection rating:	Outdoors
Temperature range:	-20°C to +80°C

Product Management	Document: LAPP_PRO1067EN.pdf	1 / 4
--------------------	------------------------------	-------


Part number	Article designation / size	Clamping range ØF (mm)	SW (mm)	Overall length/ C (mm)	Thread length
<b>SKINTOP® STR silver grey</b>					
53015100	STR 7	1,5 - 5	15	32.0	8.0
53015110	STR 9	2 - 6	19	36.0	8.0
53015120	STR 11	2 - 7	22	38.0	8.0
53015130	STR 13,5	4 - 9	24	41.0	9.0
53015140	STR 16	6 - 12	27	44.0	10.0
53015150	STR 21	9 - 16	33	49.0	11.0
53015160	STR 29	11 - 20	42	56.0	11.0
53015170	STR 36	17 - 26	53	66.0	13.0
53015180	STR 42	22 - 31	60	68.0	13.0
53015190	STR 48	26 - 35	65	69.0	14.0
<b>SKINTOP® STR black</b>					
53015300	STR 7	1,5 - 5	15	32.0	8.0
53015310	STR 9	2 - 6	19	36.0	8.0
53015320	STR 11	2 - 7	22	38.0	8.0
53015330	STR 13,5	4 - 9	24	41.0	9.0
53015340	STR 16	6 - 12	27	44.0	10.0
53015350	STR 21	9 - 16	33	49.0	11.0
53015360	STR 29	11 - 20	42	56.0	11.0
53015370	STR 36	17 - 26	53	66.0	13.0
53015380	STR 42	22 - 31	60	68.0	13.0
53015390	STR 48	26 - 35	65	69.0	14.0
<b>SKINTOP® STR light grey</b>					
53018100	STR 7	1,5 - 5	15	32.0	8.0
53018110	STR 9	2 - 6	19	36.0	8.0
53018120	STR 11	2 - 7	22	38.0	8.0
53018130	STR 13,5	4 - 9	24	41.0	9.0
53018140	STR 16	6 - 12	27	44.0	10.0
53018150	STR 21	9 - 16	33	49.0	11.0
53018160	STR 29	11 - 20	42	56.0	11.0
53018170	STR 36	17 - 26	53	66.0	13.0


Part number	Article designation / size	Clamping range ØF (mm)	SW (mm)	Overall length/ C (mm)	Thread length
53018180	STR 42	22 - 31	60	68.0	13.0
53018190	STR 48	26 - 35	65	69.0	14.0

Product Management

Document: LAPP\_PRO1067EN.pdf

3 / 4

U.I. Lapp GmbH	<b>PRODUCT INFORMATION</b>	
<b>SKINTOP® STR</b>		12.09.2012



Product Management	Document: LAPP_PRO1067EN.pdf	4 / 4
--------------------	------------------------------	-------

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Cable Mounting & Accessories](#) category:*

*Click to view products by [Lapp Kabel](#) manufacturer:*

Other Similar products are found below :

[HP-4N](#) [582603-1](#) [009333-000](#) [727844N003](#) [809090N001](#) [8109](#) [843188-000](#) [843459N001](#) [843460N003](#) [8666](#) [967279N002](#) [GPQC1/0](#) [DB-11](#) [1300830208](#) [1300840039](#) [1300900026](#) [1300990052](#) [1301740005](#) [1301800121](#) [1301800416](#) [1300830184](#) [1300990149](#) [1301580036](#) [1301720103](#) [1301720135](#) [1301720152](#) [1301720157](#) [1301740009](#) [1301770011](#) [1301850553](#) [1301860939](#) [1302000074](#) [1302264431](#) [1337706-2](#) [APA18-AK](#) [MTX6UTPSRC-C](#) [1-787307-1](#) [185491N001](#) [HP-6N](#) [C-202-C](#) [202C221-13-0](#) [OMTM-S10-C0](#) [205339-4](#) [CA7308-000](#) [8S23-75FR-CS8184](#) [2684](#) [9648](#) [3089](#) [988382-000](#) [A0270164](#)