



✓ Active

[↓](#) **PRODUCT DRAWING**
English

TE CONNECTIVITY (TE)
DWFR-24/6-0-STK

EH2299-000
 TE Internal Number: EH2299-000

[Always EU RoHS/ELV Compliant](#)

Wall Type **Dual**

Resistant To **Fluids, Mechanical Damage, Strain**

Low Outgassing **No**

Product Source **US**

Shrink Ratio **4:1**

Product Drawings

[DWFR Highly Flame-Retardant, Dual Wall Polyolefin Heat-Shrinkable Tubing](#)

PDF
English

Catalog Pages/Data Sheets

[DWFR Heat Shrink Tubing Product Flyer](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Wall Type	Dual
	Product Family	DWFR
Electrical Characteristics	Voltage (Max) (kV)	.6
Body Features	Shrink Ratio	4:1
	Color	Black
	Flexibility	Semi-Flexible
	Material	Irradiated Modified Polyolefin
Dimensions	Recovered Wall Thickness (Nominal)	2.25 mm [.088 in]
	Recovered Wall Thickness (Tolerance)	.5 mm [.02 in]

Recovered Inside Diameter (Max)	6 mm [.236 in]
Cut Length	1220 mm [48 in]
Expanded Inside Diameter (Min)	24 mm [.945 in]

Usage Conditions	Resistant To	Fluids, Mechanical Damage, Strain
	Recovery Temperature (°C)	110
	Operating Temperature Range (°C)	-40 – 110
	Flammability	Highly Flame-Retardant
	Fluid Resistance	Moisture/Spray Protection, Splash Protection
	Shrink Temperature (Min) (°C)	60

Product Availability	Applicable Region	Global
----------------------	-------------------	---------------

Other	Low Outgassing	No
	Product Source	US

Product Compliance	Statement of Compliance PDF
	VIEW ALL PRODUCT COMPLIANCE

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Heat Shrink Tubing and Sleeves](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[770-006S102](#) [5685710001](#) [CR8248-000](#) [CR9960-000](#) [603312-4](#) [607381P039](#) [617867N001](#) [6500750004](#) [D-306-38](#) [770-003S106W2](#) [770-005S105W1](#) [770-005S106W1](#) [770-007A303](#) [770-010Y106W1](#) [770-010Y706W1](#) [7771210001](#) [MFP-1/4"-Clear](#) [MFP-3/64"-Clear](#) [790-3012](#) [MFT-MT2000-NO.14-0-SP](#) [MHHT-4-15K2-G-104](#) [MIL-LT-1-1/2-4-SP](#) [MIL-LT-1-1/2-9-STK](#) [MIL-LT-1/2-2-STK](#) [MIL-LT-3-0-SP](#) [MIL-LT-3/32-0-SP](#) [MIL-LT-3/32-6-SP](#) [MIL-LT-3/4-6-SP](#) [MIL-LT-3/8-0-SP](#) [8159270001](#) [839602-000](#) [8423-6](#) [FP301-116-6"-Black](#) [FP301-1/2-48"-Black](#) [FP301-12-48"-Black-Hdr](#) [FP301-1/4-48"-Black](#) [FP301-1/4-48"-White-Hdr](#) [FP301-1-6"-Clear](#) [FP301-18-48"-Black-Hdr](#) [FP301-1/8-6"-Black](#) [FP301-18-6"-Black-Bulk](#) [FP301-316-48"-Blue-Hdr](#) [FP301-316-6"-Clear](#) [FP301-332-6"-Black](#) [912229N002](#) [120-126-16BL](#) [121-001-09](#) [121-018-32](#) [121-018-40](#) [121-123-1-1-32BTC](#)