


# rotronic

**Datenblatt - Fiche technique - Data sheet**

**21.17.0319**



**ROLINE Kupplung MPO/MPO,**

**ROLINE Coupleur MPO/MPO,**


**ROLINE MPO/MPO Coupler,**

## Item no.: 21.17.0319 ROLINE MPO/MPO Adapter, Black






### Features:

- Compliant with IEC 61754-7 and TIA/EIA 604-5 interoperability standard
- Accepts industry standard MPO interfaces
- Opposited key and aligned key options available



SCALE 1/1



### Specification :

#### Material :

1. Dust Cover : TPR, Black color.
2. Housing : PBT, UL 94V-0, Black Color.
3. Clip : Stainless.


#### Performance :

- a. MPO to MPO Adaptor Type.
- b. Durability : 500 cycles.
- c. Tensile Strength : 10 kgf.
- d. Insertion Loss : < 0.3 dB.
- e. Operating Temperature : -20°C to +70°C.
- f. Storage Temperature: -40°C to +80°C.

**OM3 LC-LC  
(A-B)**



**MPO Module  
(12x LC-MPO male)**




**MPO Trunk Cable  
(female-female)**



**MPO Coupler**




**MPO Fan-Out Cable  
(MPO male-12x LC)**



**OM3 LC-LC  
(A-B)**




**MPO Module  
(12x LC-MPO male)**



**MPO Trunk Cable  
(female-female)**



**MPO Module  
(MPO male-12x LC)**



**OM3 LC-LC  
(A-A)**



## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [roline manufacturer](#):*

Other Similar products are found below :

[11.04.5690](#) [11.04.5692](#) [11.02.8825](#) [11.04.5792](#) [11.04.5552](#) [11.04.5555](#) [11.02.8326](#) [12.04.1088](#) [11.02.8900](#) [11.02.8902](#) [11.02.9025](#)  
[21.15.2713](#) [11.04.5547](#) [11.04.5619](#) [11.04.5710](#) [11.04.5815](#) [11.02.8873](#) [11.04.5740](#) [12.02.1043](#) [11.04.5603](#) [11.04.5611](#) [11.09.4338](#)  
[11.09.4359](#) [11.09.4510](#) [11.09.4276](#) [11.02.8879](#) [11.02.9013](#) [21.15.2709](#) [12.03.3135](#) [11.02.8780](#) [11.04.5544](#) [11.01.3645](#) [11.04.5791](#)  
[12.03.3146](#) [12.03.3163](#) [11.01.5618](#) [11.01.5860](#) [11.02.8845](#) [11.02.8945](#) [11.02.9012](#) [21.15.2630](#) [21.15.2702](#) [21.15.2721](#) [11.02.8790](#)  
[11.04.5501](#) [11.04.5562](#) [11.02.8803](#) [21.15.2542](#) [21.15.2711](#) [11.02.8721](#)