

Product Description

Enables the use of cable glands with smaller connection threads than the existing threaded holes



Application range

- Machines
- Devices
- Housings

Benefits

- Enables the use of cable glands with smaller connection threads than the existing threaded holes

Design

- Metric connection thread acc. to EN 50262



Technical Data

Material

Nickel-plated brass

Range of temperature

-60°C up to +200°C

Article List

Part number	Thread/ male M1	Thread/ female M2	Pieces / PU	Overall height mm	Thread length D mm	Outer Ø mm
SKINDICHT® MR-M						
52104310	16 x 1,5	12 x 1,5	100			
52104311	20 x 1,5	12 x 1,5	100			
52104312	20 x 1,5	16 x 1,5	100			
52104313	25 x 1,5	16 x 1,5	50			
52104314	25 x 1,5	20 x 1,5	50			
52104315	32 x 1,5	20 x 1,5	50			
52104316	32 x 1,5	25 x 1,5	50			
52104317	40 x 1,5	25 x 1,5	25			
52104318	40 x 1,5	32 x 1,5	25			
52104319	50 x 1,5	32 x 1,5	25			
52104320	50 x 1,5	40 x 1,5	10			
52104321	63 x 1,5	40 x 1,5	10			
52104322	63 x 1,5	50 x 1,5	10			
SKINDICHT® MR-M nickel plated brass, without hexagon						
52006575	72 x 2	63 x 1,5	1	19	12	78

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [lapp kabel manufacturer](#):

Other Similar products are found below :

[00008779](#) [0026122](#) [0026156](#) [0026124](#) [0026127](#) [0026253](#) [70002624](#) [70002708](#) [70002728](#) [EPIC KIT H-A 10 BS TBF-LB M20](#) [EPIC KIT H-A 3 BS AGS](#) [EPIC KIT H-BE 16 BS AG](#) [EPIC KIT LS1 A1 3+PE+4 K](#) [22260044](#) [22260046](#) [22260134](#) [22260986](#) [22262020](#) [22262022](#) [22262023](#) [22262027](#) [21700623](#) [22260045](#) [22260122](#) [22260638](#) [22260651](#) [4510052](#) [4520013](#) [52005949](#) [52005990](#) [52006010](#) [52006030](#) [52006107](#) [52006133](#) [52006153](#) [52006173](#) [52006650](#) [52103115](#) [52103165](#) [52115750](#) [53015600](#) [53015620](#) [53015650](#) [53015810](#) [53016610](#) [53016830](#) [53111700](#) [53111710](#) [53111730](#) [53316240](#)