


## Wafer Tweezers

Especially designed for use with delicate (very fragile) wafer, glass wafer,... Very firm yet anti-crush/anti-crack grip. Very smooth surface to satin finish (no glare).  
A Farnell-Newark InOne special selection of the most popular styles.

### 2WF.SA




A 0.25"	6.5mm
B 0.25"	9.0mm
C 0.10"	2.5mm
D 0.15"	4.0mm
E 0.10"	2.5mm

### 2WFG.SA



A 0.25"	6.5mm
B 0.35"	9.0mm
C 0.10"	2.5mm
D 0.15"	4.0mm
E 0.10"	2.5mm

**2WFCPR.SA**



A 0.25"	6.6mm
B 0.41"	10.5mm
C 0.08"	2.0mm
D 0.14"	3.5mm
E 0.18"	4.5mm

Replaceable tips set code: A2WFCP

**4WF.SA**



A 0.47"	12.0mm
B 0.33"	9.0mm
C 0.10"	2.5mm
D 0.15"	4.0mm
E 0.1"	2.5mm


**4WFG.SA**



A 0.47"	12.0mm
B 0.33"	9.0mm
C 0.10"	2.5mm

D 0.15" 4.0mm  
E 0.1" 2.5mm

#### 4WFCPR.SA



A 0.47" 12mm  
B 0.41" 10.5mm  
C 0.08" 2.0mm  
D 0.14" 3.5mm  
E 0.18" 4.5mm

Replaceable tips set code: A4WFCP

#### SP4T.SA



A 0.47" 12.0mm  
B 0.33" 8.5mm  
D 0.25" 6.5mm  
Teflon upper pad

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [ideal-tek](#) manufacturer:*

Other Similar products are found below :

[56A.SA](#) [ALCRON](#) [BON-102A](#) [2WF.SA](#) [4313 SM](#) [5340](#) [K5HP.SA](#) [E6024](#) [5CF.SA](#) [MPT123.CP](#) [3C.TA](#) [PCSA-4.2](#) [UVO0000300](#)  
[AM4023X](#) [EX2175](#) [3C.SA.DR.1](#) [14A.C.DR](#) [242SVR.SA](#) [2A.NC](#) [3.NC](#) [3XCF.SA](#) [4.SA.DR](#) [5.SA.T](#) [51S.SA](#) [72MZ.SA](#) [8507](#) [2AMZ.SA.0](#)  
[3C.SA.NE.6](#) [3CPR.SA.1](#) [AA.SA.DN.6](#) [KCFR](#) [00D.SA.0](#) [812.01](#) [K5SMD.SA](#) [M12102](#) [BON-102](#) [BON-102S](#) [NLP-1](#) [PEN-TEK](#) [35A SA](#)  
[818.01](#) [8X](#) [A242CP](#) [E5140](#) [E5350](#) [EX175](#) [EX440](#) [AA.SA.DR.6](#) [7.SA.DR.1](#) [E5160L](#) [E5162](#) [00CFR.SA](#)