

Suggested Copy for Lapp Limited in Farnell Catalogue

Etherline® FD P CAT. 5 4x2x26AWG

(Farnell: Etherline FD P CAT. 5 4x2x26AWG)

Application

ETHERLINE® FD P CAT. 5 4 x 2 x AWG 26/19 is a CATEGORY 5 high speed data transmission cable suitable for application in the industrial environments. This data cable meets the requirements of Standards EIA/TIA-568 TSB-36 and ISO/IEC 11801 "Generic Cabling for Customer Premises" for CLASS D Links. The cable is intended for highly flexible application in power chains or permanently moving machines and linear robots in dry and damp interiors and in harsh industrial environment. The PUR sheath is very resistant against mineral oils and abrasion..

Design

Conductor	bare copper wire, 0.14 mm ² (19x 0.10), (26AWG)
Insulation	foam-skin, core diameter max. 1.0 mm
Stranding	2 cores twisted to pairs, stranding from 4 pairs
Colour coding	pair 1: white/blue and blue pair 2: white/orange and orange pair 3: white/green and green pair 4: white/brown and brown
Inner sheath	halogen free compound of TPE
Screening	braid of tinned copper wires, coverage 85 %
Sheath	PUR, halogen free, flame retardant, water blue similar to RAL 5021
Outer diameter	6.3 mm

Electrical properties at 20 ° C

DC resistance (loop)		maxΩ/km	284
Insulation resistance		min. GΩxkm	5
Mutual capacitance at	800 Hz	nom. nF/km	48
Impedance at	1 -100 MHz	Ω	100 ±15
Velocity of propagation		nom. %	71
Propagation delay at		max. nsec/m	5.2
Delay skew at	100 MHz	max. ns/100m	40
Transfer impedance at	20 MHz	max. MΩ/m	10
Operating voltage (not for power purposes)		peak value V	125
Test voltage	core/core	Urms V	1000
	core/screen	Urms V	500

Mechanical and thermal characteristics

Minimum bending radius	flexible	mm	95
Permissible temperature range	flexible	°C	-5 to 50
	static	°C	-40 to 70
Flame propagation	flame retardant acc. to IEC 60332-1		

General properties

All materials used for the cable and during manufacturing are free of LBS. (e.g. silicone).

LBS = substances destructive to lacquer-coatings.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Multi-Paired Cables](#) category:

Click to view products by [Lapp Kabel](#) manufacturer:

Other Similar products are found below :

[7-21000-9](#) [1213 009U1000](#) [1416402/M12MS/IP20/10](#) [9804 060100](#) [9808 060100](#) [9843 060100](#) [9873 060100](#) [190-038045-00](#)
[44A0121-12-996CS2275](#) [55PC0211-14-9](#) [55PC0216-24-9](#) [55PC0221-22-2/6CS2756](#) [55PC0811-16-9](#) [55PC0811-24-9](#) [55PC1131-20-029-9](#)
[Y60912](#) [CW1922-000](#) [RI55D](#) [9157 060100](#) [2020D0309-0](#) [9774 060100](#) [8334 060100](#) [1350SB 0101000](#) [2412 0061000](#) [8342 060100](#) [8740](#)
[060U1000](#) [9505 060U1000](#) [3613 003A1000](#) [44A0121-22-0/9-MX](#) [2412 009U1000](#) [82777 8771000](#) [9406 T35100](#) [2413 002A1000](#) [3613](#)
[D151000](#) [1533R 0101000](#) [1533P 0101000](#) [9272 006U1000](#) [2413F D15A500](#) [9681 0601000](#) [1533R 0061000](#) [RIT1000](#) [1533R 006A1000](#)
[9812 060100](#) [2221 B59U1000](#) [10GX13 D151000](#) [1874A 004A1000](#) [8340 060100](#) [8333 0601000](#) [1533R 0021000](#) [1583A 012U1000](#)