

SN: 10308

SAFETY DATA SHEET

SERVISOL FOAM CLEANSER 30 400 ML

-----  
1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY:  
-----

PRODUCT NAME:

SERVISOL FOAM CLEANSER 30 400 ML

PART No.:

100002000

MANUFACTURER:

Ambersil Ltd.

Castlefield Industrial Estate, Wylds Rd, Bridgwater, Somerset, UK,  
TA6 4DD

-----  
2. COMPOSITION/INFORMATION ON INGREDIENTS:  
-----

1-METHOXY-2-PROPANOL 107-98-2 1-5 %

PROPAN-2-OL 67-63-0 1-5 %

BENZYL ALCOHOL 100-51-6 0-1 % Xn 20/22

ODOURLESS KEROSENE 93763-34-9 1-5 % Xn 65

AMMONIA SOLUTION 1336-21-6 0-1 % C, N, 34, 50

LPG 68476-85-7 10-30 %

COMPOSITION COMMENTS:

Risk phrases in this section apply only to individual constituents  
and not the finished preparation

-----  
3. HAZARDS IDENTIFICATION:  
-----

Extremely flammable. Do not pierce or burn even after use.

-----  
4. FIRST AID MEASURES:

-----  
INHALATION:

If inhaled, provide fresh air. Seek medical attention if irritation persists

INGESTION:

DO NOT induce vomiting. Seek medical attention immediately and show this safety data sheet

SKIN:

Wash affected area with soap and water. If irritation persists seek medical attention

EYES:

In case of contact with eyes, rinse with water until irritation subsides. If irritation persists, seek medical attention

-----  
5. FIRE FIGHTING MEASURES:

-----  
EXTINGUISHING MEDIA:

Powder, foam or CO2. Do not use a water jet.

PROTECTIVE MEASURES IN FIRE:

In the event of fire protect against exploding cans. Water spray may be used to cool aerosol cans

-----  
6. ACCIDENTAL RELEASE MEASURES:

-----  
SPILL CLEANUP METHODS:

This product is a hermetically sealed pressurised aerosol unit and accidental spillage is unlikely. If can is ruptured, allow contents to discharge in situ, whilst removing all ignition sources from the area and ensuring maximum ventilation. Use an absorbent material, eg sand, to mop up residues. See section 13 'Disposal Considerations'

-----  
7. HANDLING AND STORAGE:

-----  
USAGE PRECAUTIONS:

Do not spray on a naked flame or any incandescent material.

STORAGE PRECAUTIONS:

Pressurised container: protect from sunlight and do not expose to

temperatures exceeding 50°C. It is recommended that aerosols are stored in their own location away from bulk flammable liquids and packaging materials. Store in a cool, dry place away from heat and ignition sources

-----  
**8. EXPOSURE CONTROLS AND PERSONAL PROTECTION:**  
 -----

1-METHOXY-2-PROPANOL 107-98-2 100 ppm(Sk) 300 ppm(Sk)

PROPAN-2-OL 67-63-0 400 ppm 500 ppm

BENZYL ALCOHOL 100-51-6 -- -- No std.

ODOURLESS KEROSENE 93763-34-9 5 mg/m<sup>3</sup> 10 mg/m<sup>3</sup>

AMMONIA SOLUTION 1336-21-6 25 ppm 35 ppm

LPG 68476-85-7 1000 ppm 1250 ppm

**INGREDIENT COMMENTS:**

OES = Occupational Exposure Standard. Sk denotes that ingredient can be absorbed through the skin

**VENTILATION:**

No specific ventilation requirements noted, but forced ventilation may still be required if air contamination exceeds acceptable level

**HYGIENIC WORK PRACTICES:**

**PERSONAL PROTECTION:** Wear personal protective equipment appropriate to the task

-----  
**9. PHYSICAL AND CHEMICAL PROPERTIES:**  
 -----

**PHYSICAL DATA COMMENTS:**

Not applicable - Product is a hermetically sealed aerosol unit.

-----  
**10. STABILITY AND REACTIVITY:**  
 -----

**STABILITY:**

There are no known stability problems associated with this product when stored and used under the conditions recommended

**MATERIALS TO AVOID:**

Acids and oxidising agents.

-----  
11. TOXICOLOGICAL INFORMATION:  
-----

-----  
12. ECOLOGICAL INFORMATION:  
-----

ECOLOGICAL INFORMATION:

An ecotoxicity study of this product has not been conducted.  
However, this product contains no substances which are classified  
as dangerous for the environment

-----  
13. DISPOSAL CONSIDERATIONS:  
-----

DISPOSAL METHODS:

Recycle empty containers if facilities are available. Dispose of in  
accordance with local authority recommendations

-----  
14. TRANSPORT INFORMATION:  
-----

UN No. ROAD:  
1950

ADR CLASS:  
2

ADR ITEM No.:  
5øA

PROPER SHIPPING NAME I:  
AEROSOLS

UN No. SEA:  
1950

IMDG CLASS:  
2.2

UN No., AIR:  
1950

ICAO CLASS:

2.1

-----  
15. REGULATORY INFORMATION:  
-----

LABEL FOR SUPPLY:  
EXTREMELY FLAMMABLE

RISK PHRASES:  
R-12 Extremely flammable.

SAFETY PHRASES:  
S-2 Keep out of reach of children.  
S-16 Keep away from sources of ignition - No Smoking.  
S-51 Use only in well ventilated areas.  
S-23A Do not breathe vapour/spray.

UK REGULATORY REFERENCES:  
Chemicals (Hazard Information & Packaging) Regulations.

-----  
16. OTHER INFORMATION:  
-----

USER NOTES:

The purpose of the above information is to describe this product only in terms of Health and Safety requirements. The information given therefore, should not be construed as guaranteeing specific properties or specification. Customers should satisfy themselves as to the suitability and completeness of this information for their own particular use, bearing in mind any other Health and Safety legislation or regulations. The information and recommendations in this publication are to the best of our knowledge reliable. However, nothing herein is construed as a warranty or representation. Statements concerning the use of the products described herein are not to be construed as recommending the infringement of any patent and no liability for infringement arising out of any such use is to be assumed

INFORMATION SOURCES:

British Aerosol Manufacturers Association Code of Practice. HSE EH40  
Occupational Exposure Limits. Suppliers health & safety data sheets

REVISION DATE:  
13.04.00

REV. No./REPL. SDS GENERATED:  
1

DATE:  
01.10.99

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [servisol](#) manufacturer:*

Other Similar products are found below :

[200002000](#) [200004300](#) [200004375](#) [100009000](#) [32543](#) [100007515](#) [6100013000](#) [33204](#) [100019000](#) [200004320](#) [33203](#) [200004325](#) [32542](#)  
[200005000](#) [100016000](#) [SUPER SERVISOL 10](#) [100020000](#) [100002000](#) [200001000](#)