



TACTILE SWITCHES



Active

PRODUCT DRAWING
English

3D PDF

TE CONNECTIVITY (TE)

R/A SEALED TACT SWITCH,T&R

Alcoswitch | FSMRAJS

1571407-2

TE Internal Number: 1571407-2

Always EU RoHS/ELV Compliant

Actuator Style **Round**

Operating Function **No**

Contact Base Material **Stainless Steel**

Contact Plating **Silver**

Dust Proof **Yes**

Product Drawings

[SWITCH ASSEMBLY, TACTILE, RIGHT ANGLE, SMT, SEALED](#)

PDF
English

CAD Files

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
English

Catalog Pages/Data Sheets

[Products For Mobile Equipment](#)

PDF
English

[SWITCHES_CORE_PROGRAM_CATALOG](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_1571407-2_05122014117_dmtec](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

	Dust Proof	Yes
	Illuminated	With
	Leg Style	J Style
	Product Type	Switch
<hr/>		
Configuration Features	Operating Function	No
	Support Bracket	With
	Configuration (Pole-Throw)	Single Pole - Single Throw
	Number of Actuators	1
	Ganged	With
	ESD Grounding Terminal	Without
	Tactile	Yes
	Snap Action	Without
	Tactile Feel	With
<hr/>		
Body Features	Actuator Color	Black
	Bushing Style	Unthreaded
	Actuator Material	Silicon Rubber
	Actuator Force	260 g [9.178 oz]
	Actuator Profile	Extended
	Case Material	Thermoplastic (LCP)
	Case Color	Ivory
<hr/>		
Contact Features	Contact Base Material	Stainless Steel
	Contact Plating	Silver
<hr/>		
Termination Features	Termination Type	Printed Circuit Board
<hr/>		
Mechanical Attachment	Mounting Type	Through Hole
	Mounting Angle	With
<hr/>		
Housing Features	Low Profile	With
	Process Sealed	Yes
<hr/>		
Dimensions	Actuator Length	1.6 mm [.063 in]
	Switch Height (in)	.236
	Switch Width	1.27 mm [.050 in]

Button Width

2.79 mm [.11 in]

Usage Conditions

Temperature Rating (°C)

Standard

Packaging Features

Packaging Method

Tape & Reel

Other

Comment





(On) indicates momentary position.

Product Compliance

[Statement of Compliance](#)
PDF

[VIEW ALL PRODUCT COMPLIANCE](#)

CUSTOMERS ALSO BOUGHT

SURFACE MOUNT RESISTORS	RECTANGULAR POWER CONNECTORS	PCB CONNECTOR SHROUDS	RECTANGULAR POWER CONNECTORS
			
SMF3 12K 5% SMF312KJT	05P MTA156 CONN ASSY 22AWG RED 3-643819-5	EURO SHROUD 96 POS 535074-2	05P MTA156 CONN ASSY 20AWG YEL 3-643818-5
Save to List Find Similar Products	Save to List Find Similar Products	Save to List Find Similar Products	Save to List Find Similar Products

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Tactile Switches](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[KMR633NG](#) [LFG](#) [5GTH92001](#) [5GTH9202242](#) [6426-201-11343](#) [MJ1226](#) [MJTP1109B](#) [MJTP1138EAUTR](#) [MJTP1230BL](#) [MJTPSHW](#)
[GS6.90F300QP](#) [1-1977223-0](#) [1-1977120-4](#) [ADTSA62NV](#) [ADTSA62RV](#) [ADTSA63KV](#) [ADTSA644NV](#) [ADTSM24NVTR](#) [ADTSMW66NV](#)
[ADTSMW67RV](#) [ATM533VTR](#) [1571300-3](#) [B3F-3123](#) [B3F-6055A](#) [B3F-B32-01-KIT](#) [1977177-8](#) [1977266-1](#) [2-1977223-4](#) [2-1977223-7](#)
[ADTS644KV](#) [ADTSA61RV](#) [ADTSA62KV](#) [ADTSA63NV](#) [ADTSA63RV](#) [ADTSA65NV](#) [ADTSM21NSVTR](#) [ADTSM25RVTR](#)
[ADTSM31RVTR](#) [ADTSM32NVTR](#) [ADTSM61YVTR](#) [ADTSM63SVTR](#) [ADTSM644KVTR](#) [ADTSMW64RV](#) [ADTSMW69NV](#)
[FSMRA4JHA04](#) [GS4.70F300QP](#) [D38999/20JJ37SA](#) [TL1105B](#) [TL1105J](#) [ATH447K2Q](#) [ATM534VTR](#)