



#### Introduction

- Dual analog channels width range 1mV/div to 20V/div
- 7 inches wide screen LCD displays
- Special Print Scree Feature
- Supports plug-and-play USB storage device. Communication with and remote control of computer through the USB device.
- USB drive system software upgrade
- · Storage of waveforms setups and interfaces waveforms and setups reproduction
- Automatic measurement of 28 waveform parameters
- Unique waveform recording and replay function
- Multilingual menu displays

### Specifications

Channels	: 2
Bandwidth	: 50MHz
Sample Rate	: 500Ms/s
Rise Time	: ≤7ns
Memory Depth	: 25kpts
Waveform Acquisition Rate	: ≥2000wfms/s
Vertical Sensitivity	: 1mV/div~20V/div
Timebase Range	: 5ns/div to 50s/div
Storage	: Setup, Wave, Bitmap
Trigger Modes	: Edge, Pluse, Alternate
Interface	: USB OTG

### **General Characteristic**

Power	: 100 - 240V AC, 45 - 440Hz
Display	: 7 Inches 64K Colour TFT LCD, 400 × 240
Product Colour	: White and Grey
Product Net Weight	: 2.2kg
Product Size (W×H×D)	: 306mm × 134mm × 122mm
Standard Accessories	: Probe×2 (1×,10× switchable), Power Cord, USB Cable, PC Software CD
Safety Rating	: CAT II 300V

## Part Number Table

Description	Part Number
Digital Storage Oscilloscope	72-8225A

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the gossibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Terma is the registered trademark of the Group. © Premier Farnell plc 2012.

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk www.mcmelectronics.com



# **X-ON Electronics**

Authorized Distributor

Click to view similar products for Tenma manufacturer.

Other Similar products are found below :

<u>2110130UKEU 2110140 2110142 2110144 2110146 2110148 2110150 2110152</u> 2110154 2110156 2110158 2110160 2110162 2110164 2110168 2110170 211040 211041 211042 211045 211046 211047 211050 2110562 2110563